

Bushwalks of the NSW Central Coast©

The following pages contain lists of plants entered in the group's database for some of the more popular bushwalks in the district. Access information can be obtained from the National Parks and the Gosford Tourist Bureau.

Some of these bushwalks are listed in our website: www.australianplants.org.au and the map and descriptions of these bushwalks have been added below where available.



1. [Girrakool BWP](#)
2. [Thommos Loop BWP](#)
3. [van Dahl's Track BWP](#)
4. [Warrah Reserve BWP](#)
5. [Patonga Creek BWP](#)
6. [Box Head Bouddi NP](#)
7. [Maitland Bay Bouddi NP](#)
8. [Bombi Moor Bouddi NP](#)
9. [Kincumba Mt. Reserve](#)
10. [Rumbalara Reserve](#)
11. [Katandra Reserve](#)
12. [Strickland SF](#)
13. [Somersby](#)
14. [Kariong District](#)
15. [Woy Woy Bay](#)
16. [Davistown Waterfronts](#)
17. [Wyrrabalong NP South](#)
18. [Wyrrabalong NP North](#)
19. [Munmorah SCA](#)
20. [Mooney Mooney Creek](#)
21. [Mangrove Mt.](#)
22. [Popran NP](#)
23. [Mill Ck Dharug NP](#)
24. [Mogo Camp Yengo NP](#)

Girrakool Picnic Area

Brisbane Water National Park

Getting There: A car is necessary for this one. From Kariong, turn into Wisemans Ferry Rd, and follow the Pacific Highway towards Sydney. Just past the turn off to the Reptile Park, on the left, is the sign to Girrakool.

Description: The Mooney Nature Trail begins near the southern end of the car park. This walk has the advantage of taking walkers from a woodland, to a rainforest gully, to a heath within about 300m. There is an alternative, easier and shorter walk on the northern side of the car.

Distance: The full circuit of 6.5km, follows the deep gorge of Piles Creek.

Duration: About 4 hours is recommended unless you walk the shorter section.


Degree of Difficulty: Medium. The walk involves some medium-grade climbing. However, it can be a very much easier, shorter (about 2½-3km) walk which still provides a wonderful display of local flora, if you turn back when the track across the heath begins to drop sharply from a rock-shelf, down to Piles Creek. This way you follow the same track back to the car park (though there is an alternative, interesting loop to the right, just after you re-cross the creek with the stepping posts).

Best Time: June – October

This is a beautiful place to visit at any time of year. Banksias begin flowering in autumn and the beauty of this area has a lot to do with trees, rock formations and stunning views.

Notes: Gas barbeques are available in one of the picnic areas.

A parking fee is applicable.



PLANTS FOUND ON BUSHWALKS IN GIRRAKOOL, BWNP

BOTANICAL NAME	COMMON NAME
A	
Acacia elata	Cedar Wattle
Acacia linifolia	Flax-leaf Wattle
Acacia longifolia var longifolia	Sydney Golden Wattle
Acacia oxycedrus	Spike Wattle
Acacia suaveolens	Sweet-scented Wattle
Acacia terminalis	Sunshine Wattle
Acacia ulicifolia	Prickly Moses
Acianthus fornicatus	Pixie Orchid

PLANTS FOUND ON BUSHWALKS IN GIRRAKOOL, BNWP

BOTANICAL NAME	COMMON NAME
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Austromyrtus tenuifolia</i>	Narrow-leaf Myrtle
B	
<i>Baeckea imbricata</i>	Ridged Heath-Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/ Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Blechnum camfieldii</i>	Eared Swamp Fern
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Boronia anemonifolia</i>	Sticky Boronia
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Bossiaea ensata</i>	Sword Bossiaeae
<i>Bossiaea obcordata</i>	Spiny Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Burchardia umbellata</i>	Milkmaids
C	
<i>Caesia parviflora</i> var <i>parviflora</i>	Pale Grass Lily
<i>Caleana major</i>	Large Duck Orchid
<i>Callicoma serratifolia</i>	Black Wattle
<i>Callistemon rigidus</i>	Stiff Bottlebrush
<i>Calytrix tetragona</i>	Fringe Myrtle
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Corymbia eximia</i>	Yellow Bloodwood
<i>Cryptostylis erecta</i>	Hooded Orchid
<i>Cryptostylis subulata</i>	Large Tongue Orchid
<i>Cyathochaeta diandra</i>	
D	
<i>Dampiera stricta</i>	Blue Dampiera
<i>Darwinia fascicularis</i> ssp <i>fascicularis</i>	Clustered Scent-Myrtle
<i>Darwinia procera</i>	Ridged Scent-Myrtle
<i>Dendrobium speciosum</i>	Rock Orchid

PLANTS FOUND ON BUSHWALKS IN GIRRAKOOL, BNWP

BOTANICAL NAME	COMMON NAME
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella prunina</i>	
<i>Dillwynia floribunda</i> var <i>floribunda</i>	Flowery Parrot-Pea
<i>Dillwynia sericea</i>	Showy Parrot Pea
<i>Dodonaea camfieldii</i>	Camfield's Hop Bush
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doryanthes excelsa</i>	Gymea Lily
<i>Dracophyllum secundum</i>	Necklace Heath
<i>Drosera binata</i>	Forked Sundew
<i>Drosera spathulata</i>	Common Sundew

E

<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass
<i>Empodium minus</i>	Spreading Rope Rush
<i>Endandra sieberi</i>	Corkwood
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris obtusifolia</i>	Blunt-leaf Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Epacris purpurascens</i> var <i>purpurascens</i>	Port Jackson Heath
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus punctata</i>	Grey Gum
<i>Eupomatia laurina</i>	Bolwarra
<i>Eustrephus latifolius</i>	Wombat Berry

F

<i>Ficus coronata</i>	Sandpaper Fig
<i>Ficus rubiginosa</i>	Port Jackson Fig/Rusty Fig

G

<i>Gahnia clarkei</i>	Sword Grass
<i>Gahnia sieberana</i>	Saw Sedge
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Gleichenia rupestris</i>	Coral Fern
<i>Glossodia minor</i>	Small Wax Lip
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gompholobium virgatum</i>	Leafy Wedge Pea
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea linearifolia</i>	White Spider Flower
<i>Grevillea sericea</i>	Pink Spider Flower
<i>Grevillea speciosa</i>	Red Spider Flower
<i>Gymnostachys anceps</i>	Settlers Flax

H

<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea salicifolia</i>	Willow-leaved Hakea

PLANTS FOUND ON BUSHWALKS IN GIRRAKOOL, BNWP

BOTANICAL NAME	COMMON NAME
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hemigenia purpurea</i>	Narrow-leaf Hemigenia
<i>Hibbertia cistiflora</i>	Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia linearis</i>	Guinea- Flower
I	
<i>Imperata cylindrica</i>	Blady Grass
<i>Isopogon anemonifolius</i>	Yellow Drumstick
K	
<i>Kunzea capitata</i>	Pink Buttons
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Lepidosperma filiforme</i>	Rapier Sedge
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptocarpus tenax</i>	Twine Rush
<i>Leptomeria acida</i>	Native Currant
<i>Leptospermum juniperinum</i>	Prickly Tea-tree
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Leptospermum squarrosum</i>	Pink Tea-tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Lepyrodia scariosa</i>	Scale Rush
<i>Leucopogon amplexicaulis</i>	Beard-Heath
<i>Leucopogon ericoides</i>	Bearded Heath
<i>Leucopogon esquamatus</i>	Bearded Heath
<i>Leucopogon microphyllus</i>	Small-leaved White-beard
<i>Leucopogon setiger</i>	Beard-Heath
<i>Lindsaea linearis</i>	Screw Fern
<i>Lobelia dentata</i>	Wavy Lobelia
<i>Logania albiflora</i>	Narrow-leaf Logania
<i>Lomandra gracilis</i>	Frayed Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia myricoides</i>	River Lomatia
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley
M	
<i>Mirbelia rubiifolia</i>	Red Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath
O	
<i>Olearia tomentosa</i>	Toothed Daisy Bush

PLANTS FOUND ON BUSHWALKS IN GIRRAKOOL, BWNP

BOTANICAL NAME	COMMON NAME
Opercularia aspera	Thin Stink Weed
P	
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia pinifolia</i>	Pine-leaf Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Phebalium squamulosum</i> ssp <i>squamulosum</i>	Scaly Phebalium
<i>Philotheeca buxifolia</i> ssp <i>ovata</i>	Wax Flower
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Platycerium bifurcatum</i>	Elkhorn
<i>Platysace linearifolia</i>	Carrot Tops
<i>Pomaderris ferruginea</i>	Rusty Pomaderris
<i>Pomaderris lanigera</i>	Woolly Pomaderris
<i>Poranthera ericifolia</i>	Heath Poranthera
<i>Prasophyllum elatum</i>	Tall Leek Orchid
<i>Pratia purpurascens</i>	White Root
<i>Psilotum nudum</i>	Skeleton Fork Fern
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
<i>Pyrrosia rupestris</i>	Rock Felt Fern
R	
<i>Rapanea variabilis</i>	Mutton Wood
<i>Restio tetraphyllum</i> ssp <i>meiostachyus</i>	Rush
<i>Ricinocarpos pinifolius</i>	Wedding Bush
S	
<i>Scaevola ramosissima</i>	Snake Flower
<i>Schizaea dichotoma</i>	Branched Comb Fern
<i>Schoenus imberbis</i>	Beardless Bog-rush
<i>Schoenus melanostachys</i>	Black Bog Rush
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Sowerbaea juncea</i>	Vanilla Plant, Rush Lily
<i>Sprengelia incarnata</i>	Pink Swamp- Heath
<i>Stackhousia viminea</i>	Slender Stackhousia
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Stylium graminifolium</i>	Grass Trigger Plant
<i>Styphelia tubiflora</i>	Red Five Corners
<i>Syncarpia glomulifera</i>	Turpentine
<i>Synoum glandulosum</i>	Scentless Rosewood

PLANTS FOUND ON BUSHWALKS IN GIRRAKOOL, BWNP

BOTANICAL NAME	COMMON NAME
T	
<i>Tasmannia insipida</i>	Pepper Bush
<i>Telopea speciosissima</i>	Waratah
<i>Tetrahiteca ericifolia</i>	Black-eyed Susan
<i>Tetrahiteca shiresii</i>	Black-eyed Susan
<i>Tetrahiteca thymifolia</i>	Black-eyed Susan
<i>Thelymitra ixioides</i>	Spotted Sun Orchid
<i>Thysanotus juncifolius</i>	Fringe Lily
<i>Todea barbara</i>	King Fern
<i>Tristania neriifolia</i>	Water Gum
<i>Tristaniopsis laurina</i>	Water Gum, Kanooka
<i>Trochocarpa laurina</i>	Tree Heath
U	
<i>Utricularia dichotoma</i>	Bladderwort / Fairies' Aprons
V	
<i>Velleia lyrata</i>	Tall Velleia
<i>Viminaria juncea</i>	Native Broom
W	
<i>Wilkiea huegeliana</i>	Wilkiea
<i>Woollsia pungens</i>	Snow Wreath
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea resinifera</i>	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xanthosia tridentata</i>	Rock Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
<i>Xyris gracilis</i> ssp <i>gracilis</i>	Slender Yellow Eye
<i>Xyris juncea</i>	Dwarf Yellow-eye
Z	
<i>Zieria laevigata</i>	Angular Zieria
<i>Zieria smithii</i>	Sandfly Zieria

@ @ @ @ @ @ @

Thommo's Loop

Brisbane Water National Park

Getting There: This circular track is accessed from Woy Woy Rd through a gate about 200m south of Staples Lookout (a convenient place to park your car).

Description: The track, a fire trail, follows a ridge overlooking the valleys of the Kariong and Myron Brooks. The plant communities change several times as you complete the circle. An interesting add-on is a visit to a very pretty waterfall. You will find the track on your right about 1km along. It is sign-posted as part of the Great North Walk, which joins Thommo's at this point. Back on the main track, after a short climb on to a rocky outcrop, keep veering around to the left. Do not follow the Great North Walk when it veers off to the right. Continue to a T intersection with the track in from the quarry. Turn left and leave the park via a gate into the quarry . Turn right and walk through the quarry back to Woy Woy Rd, then turn left and proceed back along the road to Staples Lookout.



Distance: About 4km

Duration: 2-3 hours – an extra hour if you decide to visit the waterfall.

Degree of Difficulty: Medium – easy, with a fairly steep climb if you decide to visit the waterfall.

Best Time: June- November for an incredible variety of heath and woodland flowers.

Notes: Most walkers only walk as far as the turn off to the waterfall, then return to Staples lookout entry.

PLANTS FOUND ON BUSHWALKS ON THOMMOS LOOP TRACK - BWNP

BOTANICAL NAME	COMMON NAME
A	
Acacia implexa	Hickory Wattle
Acacia linifolia	Flax-leaf Wattle
Acacia longifolia var longifolia	Sydney Golden Wattle
Acacia oxycedrus	Spike Wattle
Acacia suaveolens	Sweet-scented Wattle
Acacia terminalis	Sunshine Wattle
Acacia ulicifolia	Prickly Moses
Acianthus fornicatus	Pixie Orchid

PLANTS FOUND ON BUSHWALKS ON THOMMOS LOOP TRACK - BWNP

BOTANICAL NAME	COMMON NAME
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
<i>Aotus ericoides</i>	Common Aotus
<i>Arthropodium milleflorum</i>	Pale Vanilla Lily
 B	
<i>Baeckea brevifolia</i>	Short- leaf Heath- Myrtle
<i>Baeckea imbricata</i>	Ridged Heath-Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/ Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Blandfordia nobilis</i>	Christmas Bells
<i>Boronia fraseri</i>	Fraser's Boronia
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia mollis</i>	Soft Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Boronia serrulata</i>	Native Rose
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea obcordata</i>	Spiny Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Bossiaea stephensonii</i>	Large-leaf Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Brunoniella pumilio</i>	Dwarf Trumpet
 C	
<i>Caesia parviflora</i> var <i>parviflora</i>	Pale Grass Lily
<i>Caesia parviflora</i> var <i>vittata</i>	Blue Grass Lily
<i>Callicoma serratifolia</i>	Black Wattle
<i>Calytrix tetragona</i>	Fringe Myrtle
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Caustis pentandra</i>	
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Comesperma defoliatum</i>	Fairies Wings, Leafless Milkwort
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma sphaerocarpum</i>	Broom Milkwort
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Corybas aconitiflorus</i>	Spurred Helmet Orchid
<i>Corymbia eximia</i>	Yellow Bloodwood
<i>Crowea saligna</i>	Lance-leaf Crowea

PLANTS FOUND ON BUSHWALKS ON THOMMOS LOOP TRACK - BWNP

BOTANICAL NAME	COMMON NAME
<i>Cyathochaeta diandra</i>	
<i>Cymbopogon refractus</i>	Barbed Wire Grass
D	
<i>Dampiera stricta</i>	Blue Dampiera
<i>Darwinia fascicularis</i> ssp <i>fascicularis</i>	Clustered Scent-Myrtle
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dianella prunina</i>	
<i>Dichondra repens</i>	Kidney Weed
<i>Dillwynia floribunda</i> var <i>floribunda</i>	Flowery Parrot-Pea
<i>Dillwynia glaberrima</i>	Heath Parrot Pea
<i>Dipodium roseum</i>	Rosy Hyacinth Orchid
<i>Dodonaea camfieldii</i>	Camfield's Hop Bush
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Dracophyllum secundum</i>	Necklace Heath
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Drosera pygmaea</i>	Pygmy Sundew
<i>Drosera spathulata</i>	Common Sundew
<i>Duboisia myoporoides</i>	Corkwood
E	
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris obtusifolia</i>	Blunt-leaf Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus piperita</i>	Sydney Peppermint
G	
<i>Gahnia sieberana</i>	Saw Sedge
<i>Genoplesium fimbriatum</i>	Fringed Midge Orchid
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glossodia major</i>	Wax-lip Orchid
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium glabratum</i>	Dainty Wedge-Pea
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium minus</i>	Dwarf Wedge Pea
<i>Gompholobium pinnatum</i>	Pinnate Wedge-Pea
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia dimorpha</i>	Sandstone Goodenia
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia stelligera</i>	Spike Goodenia
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea sericea</i>	Pink Spider Flower
<i>Grevillea speciosa</i>	Red Spider Flower

PLANTS FOUND ON BUSHWALKS ON THOMMOS LOOP TRACK - BWNP

BOTANICAL NAME	COMMON NAME
H	
<i>Haemodorum corymbosum</i>	Rush-leaf Blood Root
<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea propinqua</i>	Warty Needle-bush
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hemigenia purpurea</i>	Narrow-leaf Hemigenia
<i>Hibbertia bracteata</i>	Guinea- Flower
<i>Hibbertia cistiflora</i>	Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia fasciculata</i>	Bundled Guinea-Flower
<i>Hibbertia linearis</i>	Guinea- Flower
<i>Hibbertia obtusifolia</i>	Grey Guinea Flower
<i>Hibbertia scandens</i>	Golden Guinea Flower
<i>Hovea linearis</i>	Erect Hovea
<i>Hovea longifolia</i>	Long-leaf Hovea
I	
<i>Isopogon anemonifolius</i>	Yellow Drumstick
<i>Isopogon anethifolius</i>	Narrow-leaf Drumstick
K	
<i>Kunzea capitata</i>	Pink Buttons
L	
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Laxmannia gracilis</i>	Wire Lily
<i>Lepidosperma concavum</i>	Sword-sedge
<i>Lepidosperma filiforme</i>	Rapier Sedge
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Lepidosperma viscidum</i>	Sword-sedge
<i>Leptocarpus tenax</i>	Twine Rush
<i>Leptospermum juniperinum</i>	Prickly Tea-tree
<i>Leptospermum morrisonii</i>	Tea Tree
<i>Leptospermum squarrosum</i>	Pink Tea-tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Lepyrodia scariosa</i>	Scale Rush
<i>Leucopogon appressus</i>	Beard-Heath
<i>Leucopogon esquamatus</i>	Bearded Heath
<i>Leucopogon juniperinus</i>	Prickly; Beard-Heath
<i>Leucopogon microphyllus</i>	Small-leaved White-beard
<i>Lindsaea linearis</i>	Screw Fern
<i>Lissanthe strigosa</i>	Native Cranberry
<i>Lobelia dentata</i>	Wavy Lobelia
<i>Lobelia gibbosa</i>	Tall Lobelia
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush

PLANTS FOUND ON BUSHWALKS ON THOMMOS LOOP TRACK - BWNP

BOTANICAL NAME

COMMON NAME

Lomandra obliqua
Lomatia silaifolia
Lycopodiella cernua

Fish Bones; Twisted Mat-rush
 Crinkle Bush/Wild Parsley
 Cliff Clubmoss

M

Marsdenia suaveolens
Micranthemum ericoides
Mitrasacme polymorpha
Monotoca scoparia

Sweet scented Doubah
 Heath Micrantheum
 Bishop's Mitre
 Prickly Broom-heath

O

Orthoceras strictum

Bird's Mouth Orchid

P

Patersonia glabrata
Patersonia sericea
Persoonia isophylla
Persoonia lanceolata
Persoonia levigata
Persoonia linearis
Persoonia pinifolia
Petrophile pulchella
Phebalium squamulosum ssp *squamulosum*
Philotheca buxifolia ssp *ovovata*
Philotheca salsolifolia
Phyllota phylloides
Pimelea linifolia ssp *linifolia*
Platysace linearifolia
Plectranthus parviflorus
Pomax umbellata
Pratia purpurascens
Prostanthera linearis
Prostanthera ovalifolia
Pseudanthus pimeleoides
Pseuderanthemum variabile
Pterostylis daintreana
Ptilanthelium deustum
Pultenaea elliptica
Pultenaea ferruginea var *deanei*
Pultenaea flexilis
Pultenaea rosmarinifolia

Leafy Purple Flag
 Silky Purple Flag
 Geebung Hornsby Plateau
 Broad-leaved Geebung
 Smooth Geebung
 Narrow-leaved Geebung
 Pine-leaf Geebung
 Cone Sticks
 Scaly Phebalium
 Wax Flower
 Philotheca
 Heath Phyllota
 Rice Flower
 Carrot Tops
 Cockspur Flower
 Pomax
 White Root
 Narrow-leaf Mint Bush
 Oval-leaf Mint Bush
 Pimelia Pseudanthus
 Pastel Flower
 Daintrey's Greenhood

Wreath Bush-Pea
 Large Bronze Bush-Pea
 Graceful Bush-Pea
 Rosemary Bush-Pea

R

Restio dimorphus
Restio fastigiatus
Ricinocarpos pinifolius

Cord Rush
 Tassel Rush
 Wedding Bush

S

Scaevola ramosissima
Schelhammera undulata

Snake Flower
 Lilac Lily

PLANTS FOUND ON BUSHWALKS ON THOMMOS LOOP TRACK - BWNP

BOTANICAL NAME	COMMON NAME
<i>Schoenus imberbis</i>	Beardless Bog-rush
<i>Schoenus paludosus</i>	Bog-Rush
<i>Schoenus villosus</i>	Hairy Bog Rush
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Solanum campanulatum</i>	Prickle-Cup
<i>Sphaerolobium vimineum</i>	Leafless Globe-pea
<i>Spiranthes sinensis</i>	Austral Ladies' Tresses
<i>Sprengelia incarnata</i>	Pink Swamp- Heath
<i>Stackhousia viminea</i>	Slender Stackhousia
<i>Stylium lineare</i>	Heath Trigger-Plant
<i>Styphelia laeta</i> var <i>laeta</i>	Five Corners
<i>Styphelia tubiflora</i>	Red Five Corners

T

<i>Telopea speciosissima</i>	Waratah
<i>Tetratheca ericifolia</i>	Black-eyed Susan
<i>Tetratheca shiresii</i>	Black-eyed Susan
<i>Tetratheca thymifolia</i>	Black-eyed Susan
<i>Thelionema umbellatum</i>	
<i>Thysanotus juncifolius</i>	Fringe Lily

U

<i>Utricularia dichotoma</i>	Bladderwort / Fairies' Aprons
<i>Utricularia laterifolia</i>	Bladderwort
<i>Utricularia uniflora</i>	Fairies Aprons; Bladderwort

V

<i>Velleia lyrata</i>	Tall Velleia
<i>Viminaria juncea</i>	Native Broom

W

<i>Wahlenbergia gracilis</i>	Native Bluebell
<i>Woollsia pungens</i>	Snow Wreath

X

<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthorrhoea</i> sp.	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xanthosia tridentata</i>	Rock Xanthosia
<i>Xyris gracilis</i> ssp <i>gracilis</i>	Slender Yellow Eye
<i>Xyris juncea</i>	Dwarf Yellow-eye

Z

<i>Zieria laevigata</i>	Angular Zieria
-------------------------	----------------

van Dahl's Track

Brisbane Water National Park

The area known as the Waratah Patch is at the start of this track on Patonga Drive.

PLANTS FOUND ON BUSHWALKS ON VAN DAHL'S TRACK - BWNP

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia echinula</i>	Hooked Wattle
<i>Acacia floribunda</i>	Sallow Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia longifolia</i> var <i>longifolia</i>	Sydney Golden Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia oxycedrus</i>	Spike Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Alphitonia excelsa</i>	Red Ash
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora hispida</i>	Dwarf Apple
<i>Anisopogon avenaceus</i>	Oat Spear Grass
<i>Astroloma pinifolium</i>	Pine Heath
<i>Astrotricha crassifolia</i>	Thick-leaf Star-hair
<i>Astrotricha floccosa</i>	Flannel Leaf
<i>Austromyrtus tenuifolia</i>	Narrow-leaf Myrtle
<i>Austrostipa pubescens</i>	Tall Speargrass
B	
<i>Baeckea brevifolia</i>	Short-leaf Heath-Myrtle
<i>Baeckea diosmifolia</i>	Diosma Heath-myrtle
<i>Baeckea ramosissima</i>	Rosy Heath-Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia integrifolia</i>	Coast Banksia
<i>Banksia robur</i>	Swamp Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>spinulosa</i>	Hairpin Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia parviflora</i>	Swamp Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Boronia rigens</i>	Stiff Boronia
<i>Boronia serrulata</i>	Native Rose
<i>Bossiaea ensata</i>	Sword Bossiaea
<i>Bossiaea heterophylla</i>	Variable Bossiaea
<i>Bossiaea scolopendria</i>	Broom Bossiaea
<i>Bossiaea stephensonii</i>	Large-leaf Bossiaea

PLANTS FOUND ON BUSHWALKS ON VAN DAHL'S TRACK - BWNP

BOTANICAL NAME	COMMON NAME
Burchardia umbellata	Milkmaids
C	
<i>Caleana major</i>	Large Duck Orchid
<i>Calochilus paludosus</i>	Red Beardie
<i>Calochilus robertsonii</i>	Purple Beard Orchid
<i>Calytrix tetragona</i>	Fringe Myrtle
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma volubile</i>	Love Creeper
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Correa alba</i>	White Correa
<i>Correa reflexa</i>	Native Fuchsia
<i>Corymbia eximia</i>	Yellow Bloodwood
D	
<i>Dampiera stricta</i>	Blue Dampiera
<i>Darwinia fascicularis</i> ssp <i>fascicularis</i>	Clustered Scent-Myrtle
<i>Daviesia alata</i>	Winged Bitter-Pea
<i>Desmodium varians</i>	Variable Tic-trefoil
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella prunina</i>	
<i>Dillwynia floribunda</i> var <i>floribunda</i>	Flowery Parrot-Pea
<i>Dillwynia retorta</i> ssp <i>peduncularis</i>	Twisted Parrot-Pea
<i>Diuris aurea</i>	Golden Donkey Orchid
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Drosera spathulata</i>	Common Sundew
E	
<i>Empodium minus</i>	Spreading Rope Rush
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris obtusifolia</i>	Blunt-leaf Heath
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus piperita</i>	Sydney Peppermint
G	
<i>Glossodia minor</i>	Small Wax Lip
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium glabratum</i>	Dainty Wedge-Pea
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gompholobium virgatum</i>	Leafy Wedge Pea
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia

PLANTS FOUND ON BUSHWALKS ON VAN DAHL'S TRACK - BWNP

BOTANICAL NAME

COMMON NAME

Goodenia ovata
Goodenia stelligera
Grevillea buxifolia
Grevillea sericea
Grevillea speciosa

Hop Goodenia
 Spike Goodenia
 Grey Spider Flower
 Pink Spider Flower
 Red Spider Flower

H

Haemodorum corymbosum
Haemodorum planifolium
Hakea sericea
Hakea teretifolia
Hemigenia purpurea
Hibbertia cistiflora
Hibbertia dentata
Hibbertia empetrifolia
Hibbertia linearis
Hibbertia obtusifolia
Hibbertia riparia
Hypolaena fastigiata

Rush-leaf Blood Root
 Strap-leaf Blood Root
 Silky Hakea
 Dagger Hakea
 Narrow-leaf Hemigenia
 Guinea- Flower
 Twining Guinea- Flower
 Trailing Guinea- Flower
 Guinea- Flower
 Grey Guinea Flower
 Guinea Flower
 Tassel Rope-rush

I

Indigofera australis
Isopogon anemonifolius

Austral Indigo
 Yellow Drumstick

K

Kennedia rubicunda
Kunzea capitata

Dusky Coral Pea
 Pink Buttons

L

Lambertia formosa
Lepidosperma filiforme
Lepidosperma viscidum
Leptospermum polygalifolium
Leptospermum squarrosum
Leptospermum trinervium
Lepyrodia scariosa
Leucopogon appressus
Leucopogon microphyllus
Lindsaea linearis
Lobelia dentata
Lomandra glauca
Lomandra gracilis
Lomandra obliqua
Lomatia silaifolia

Mountain Devils
 Rapier Sedge
 Sword-sedge
 Yellow Tea-tree
 Pink Tea-tree
 Flaky-Bark Tea-tree
 Scale Rush
 Beard-Heath
 Small-leaved White-beard
 Screw Fern
 Wavy Lobelia
 Pale Mat-rush
 Frayed Mat-rush
 Fish Bones; Twisted Mat-rush
 Crinkle Bush/Wild Parsley

M

Mirbelia speciosa

Showy Mirbelia

Monotoca elliptica

Broom Heath / Pigeon Berry

PLANTS FOUND ON BUSHWALKS ON VAN DAHL'S TRACK - BWNP

BOTANICAL NAME	COMMON NAME
P	
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phebalium squamulosum</i> ssp <i>squamulosum</i>	Scaly Phebalium
<i>Philotheeca buxifolia</i> ssp <i>buxifolia</i>	Box-leaf Wax Flower
<i>Philotheeca buxifolia</i> ssp <i>obovata</i>	Wax Flower
<i>Philotheeca salsolifolia</i>	Philotheeca
<i>Phyllota phyllicoides</i>	Heath Phyllota
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Podocarpus spinulosus</i>	
<i>Poranthera corymbosa</i>	Heath Poranthera
<i>Poranthera ericifolia</i>	Tall Leek Orchid
<i>Prasophyllum elatum</i>	Skeleton Fork Fern
<i>Psilotum nudum</i>	
<i>Ptilanthelium deustum</i>	
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
R	
<i>Restio dimorphus</i>	Cord Rush
<i>Restio fastigiatus</i>	Tassel Rush
<i>Ricinocarpos pinifolius</i>	Wedding Bush
S	
<i>Scaevola ramosissima</i>	Snake Flower
<i>Schoenus imberbis</i>	Beardless Bog-rush
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Sowerbaea juncea</i>	Vanilla Plant, Rush Lily
<i>Sphaerolobium minus</i>	Leafless Globe-pea
<i>Sprengelia incarnata</i>	Pink Swamp- Heath
<i>Sprengelia sprengelioides</i>	White Swamp-heath
<i>Stackhousia viminea</i>	Slender Stackhousia
<i>Styphelia tubiflora</i>	Red Five Corners
T	
<i>Telopea speciosissima</i>	Waratah
<i>Tetratheca ericifolia</i>	Black-eyed Susan
<i>Tetratheca shiresii</i>	Black-eyed Susan
<i>Tetratheca thymifolia</i>	Black-eyed Susan
<i>Thelymitra ixioides</i>	Spotted Sun Orchid
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus juncifolius</i>	Fringe Lily
V	
<i>Velleia lyrata</i>	Tall Velleia

PLANTS FOUND ON BUSHWALKS ON VAN DAHL'S TRACK - BWNP

BOTANICAL NAME	COMMON NAME
<i>Viminaria juncea</i>	Native Broom
X	
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthorrhoea</i> sp.	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
<i>Xyris gracilis</i> ssp <i>gracilis</i>	Slender Yellow Eye
Z	
<i>Zieria laevigata</i>	Angular Zieria

@ @ @ @ @


Warrah Reserve

Brisbane Water National Park

Getting There: There is a bus service to Patonga but driving there would be much easier. From Woy Woy or Umina, follow the signs to Patonga. About 2km past the turn-off to Pearl Beach, you will see a sign on the left, to the Warrah Lookout. Follow the unsealed road to the car park. Alternatively, you can continue along Patonga Drive for about 700m. past the unsealed side road and start the walk from a gate on the left. There is room to park a few cars.

Description: From the Warrah Trig there are extensive views across Broken Bay and the entrance to Brisbane Water. Well-built sandstone steps lead down to the walking track, which follows the escarpment along the Hawkesbury River. From a magnificent sandstone heath, the track descends through woodland to the Crommelin Native Arboretum in Pearl Beach.

Distance: From Warrah Trig it is about 2km to the Pearl Beach Arboretum and 2.5km to Pearl Beach.



Duration: A leisurely 3 to 4 hours return.

Degree of Difficulty: Easy. If you can leave a vehicle at the Pearl Beach end, this is an almost flat, wide, downhill stroll. If you walk the return trip, naturally you will have some up hill work but the gradient is not demanding.

Best Time: June-November for an incredible variety of flowers, or any time for the wonderful views across Broken Bay to Palm Beach and up the Hawkesbury River to Patonga and beyond.

Notes: The road shown on the map which ends at "P" is often used by walkers to go to the lookout and return via the loop shown. It is a recommended short walk.

PLANTS FOUND ON BUSHWALKS ON THOMMOS LOOP TRACK - BWNP

BOTANICAL NAME	COMMON NAME
A	
Acacia linifolia	Flax-leaf Wattle
Acacia longifolia var longifolia	Sydney Golden Wattle
Acacia myrtifolia	Myrtle Wattle
Acacia oxycedrus	Spike Wattle
Acacia suaveolens	Sweet-scented Wattle
Acacia terminalis	Sunshine Wattle
Acacia ulicifolia	Prickly Moses
Actinotus helianthi	Flannel Flower
Actinotus minor	Lesser Flannel Flower

PLANTS FOUND ON BUSHWALKS ON WARRAH RESERVE - BWNP

BOTANICAL NAME	COMMON NAME
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
<i>Aotus ericoides</i>	Common Aotus
<i>Astroloma pinifolium</i>	Pine Heath
<i>Astrotricha crassifolia</i>	Thick-leaf Star-hair
<i>Astrotricha latifolia</i>	Broad-leaf Star Hair
B	
<i>Baeckea brevifolia</i>	Short- leaf Heath- Myrtle
<i>Baeckea diosmifolia</i>	Diosma Heath-myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Banksia spinulosa</i> var <i>spinulosa</i>	Hairpin Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/ Apple Berry
<i>Blandfordia nobilis</i>	Christmas Bells
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Boronia fraseri</i>	Fraser's Boronia
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia parviflora</i>	Swamp Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Boronia rigens</i>	Stiff Boronia
<i>Boronia serrulata</i>	Native Rose
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Bossiaea stephensonii</i>	Large-leaf Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Burchardia umbellata</i>	Milkmaids
C	
<i>Caesia parviflora</i> var <i>parviflora</i>	Pale Grass Lily
<i>Caladenia catenata</i>	White Caladenia
<i>Callistemon pinifolius</i>	Green Bottlebrush
<i>Callistemon rigidus</i>	Stiff Bottlebrush
<i>Callitris rhomboidea</i>	Port Jackson Cypress
<i>Calytrix tetragona</i>	Fringe Myrtle
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Caustis pentandra</i>	
<i>Cayratia clematidea</i>	Slender Grape
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush

PLANTS FOUND ON BUSHWALKS ON WARRAH RESERVE - BNWP

BOTANICAL NAME

Coopernochia barbata
Correa reflexa
Corymbia eximia
Crowea saligna
Cyathochaeta diandra

COMMON NAME

Purple Coopernochia
 Native Fuchsia
 Yellow Bloodwood
 Lance-leaf Crowea

D

Dampiera stricta
Darwinia fascicularis ssp *fascicularis*
Daviesia alata
Dianella caerulea var *producta*
Dianella prunina
Dillwynia floribunda var *floribunda*
Dillwynia retorta ssp *peduncularis*
Dodonaea pinnata
Dodonaea triquetra
Dracophyllum secundum
Drosera peltata var *auriculata*
Drosera spathulata

Blue Dampiera
 Clustered Scent-Myrtle
 Winged Bitter-Pea
 Blue Flax Lily

Flowery Parrot-Pea
 Twisted Parrot-Pea
 Pinnate Hop Bush
 Common Hop Bush
 Necklace Heath
 Sundew
 Common Sundew

E

Elaeocarpus reticulatus
Empodium minus
Epacris longiflora
Epacris microphylla
Epacris obtusifolia
Epacris pulchella
Eriostemon australasius
Eucalyptus haemastoma
Eucalyptus punctata
Eustrephus latifolius

Blueberry Ash
 Spreading Rope Rush
 Native Fuchsia
 Coral Heath
 Blunt-leaf Heath
 NSW Coral Heath
 Pink Wax Flower
 Scribbly Gum
 Grey Gum
 Wombat Berry

G

Gahnia clarkei
Gahnia sieberana
Gleichenia dicarpa
Gleichenia rupestris
Glycine clandestina
Glycine microphylla
Gompholobium grandiflorum
Gompholobium latifolium
Gonocarpus teucrioides
Goodenia bellidifolia
Grevillea buxifolia
Grevillea sericea
Grevillea speciosa

Sword Grass
 Saw Sedge
 Pouched Coral Fern
 Coral Fern
 Love Creeper
 Love Creeper
 Handsome Wedge Pea
 Broad-leaf Wedge Pea
 Raspwort
 Daisy-leaf Goodenia
 Grey Spider Flower
 Pink Spider Flower
 Red Spider Flower

H

Haemodorum corymbosum
Haemodorum planifolium

Rush-leaf Blood Root
 Strap-leaf Blood Root

PLANTS FOUND ON BUSHWALKS ON WARRAH RESERVE - BWNP

BOTANICAL NAME	COMMON NAME
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea propinqua</i>	Warty Needle-bush
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hemigenia purpurea</i>	Narrow-leaf Hemigenia
<i>Hibbertia cistiflora</i>	Guinea-Flower
<i>Hibbertia dentata</i>	Twining Guinea-Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea-Flower
<i>Hibbertia linearis</i>	Guinea-Flower
<i>Hibbertia obtusifolia</i>	Grey Guinea Flower
<i>Hibbertia riparia</i>	Guinea Flower
<i>Histiopteris incisa</i>	Batswing Fern
I	
<i>Isopogon anemonifolius</i>	Yellow Drumstick
<i>Isopogon anethifolius</i>	Narrow-leaf Drumstick
K	
<i>Kunzea ambigua</i>	Tick Bush
<i>Kunzea capitata</i>	Pink Buttons
L	
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Lepidosperma filiforme</i>	Rapier Sedge
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptomeria acida</i>	Native Currant
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Leptospermum squarrosum</i>	Pink Tea-tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Lepyrodia scariosa</i>	Scale Rush
<i>Leucopogon esquamatus</i>	Bearded Heath
<i>Leucopogon microphyllus</i>	Small-leaved White-beard
<i>Lindsaea linearis</i>	Screw Fern
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Livistona australis</i>	Cabbage Tree Palm
<i>Lobelia dentata</i>	Wavy Lobelia
<i>Lobelia gibbosa</i>	Tall Lobelia
<i>Lomandra confertifolia</i> ssp <i>rubiginosa</i>	Slender Mat-rush
<i>Lomandra cylindrica</i>	Needle Mat-rush
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra gracilis</i>	Frayed Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley

PLANTS FOUND ON BUSHWALKS ON WARRAH RESERVE - BNWP

BOTANICAL NAME

COMMON NAME

M

Macrozamia communis
Melaleuca nodosa
Mirbelia rubiifolia
Mitrasacme polymorpha
Monotoca scoparia

Burrawang
 Prickly-leaf Paperbark
 Red Mirbelia
 Bishop's Mitre
 Prickly Broom-heath

P

Pandorea pandorana
Patersonia sericea
Persoonia lanceolata
Persoonia levigata
Persoonia pinifolia
Petrophile pulchella
Phebalium squamulosum ssp *squamulosum*
Philotheca buxifolia ssp *obovata*
Philotheca salsolifolia
Phyllanthus hirtellus
Phyllota phylloides
Pimelea linifolia ssp *linifolia*
Platylobium formosum
Platysace linearifolia
Podocarpus spinulosus
Poranthera ericifolia
Pratia purpurascens
Prostanthera linearis
Pseudanthus pimeleoides
Pseuderanthemum variabile
Psilotum nudum
Ptilanthelium deustum
Pultenaea daphnoides
Pultenaea elliptica
Pultenaea ferruginea var *deanei*
Pultenaea flexilis
Pultenaea rosmarinifolia
Pultenaea stipularis

Wonga Wonga Vine
 Silky Purple Flag
 Broad-leaved Geebung
 Smooth Geebung
 Pine-leaf Geebung
 Cone Sticks
 Scaly Phebalium
 Wax Flower
 Philotheca
 Thyme Spurge
 Heath Phyllota
 Rice Flower
 Handsome Flat-Pea
 Carrot Tops

Heath Poranthera
 White Root
 Narrow-leaf Mint Bush
 Pimelia Pseudanthus
 Pastel Flower
 Skeleton Fork Fern

Large-leaf Bush Pea
 Wreath Bush-Pea
 Large Bronze Bush-Pea
 Graceful Bush-Pea
 Rosemary Bush-Pea
 Fine-leaf Bush Pea

R

Restio dimorphus
Restio fastigiatus
Ricinocarpos pinifolius

Cord Rush
 Tassel Rush
 Wedding Bush

S

Scaevola ramosissima
Schoenus imberbis
Smilax glyciphylla
Sowerbaea juncea
Sprengelia incarnata
Sticherus flabellatus

Snake Flower
 Beardless Bog-rush
 Sweet Sarsaparilla
 Vanilla Plant, Rush Lily
 Pink Swamp- Heath
 Umbrella Fern/Shiny Fan Fern

PLANTS FOUND ON BUSHWALKS ON WARRAH RESERVE - BWNP

BOTANICAL NAME	COMMON NAME
<i>Sticherus lobatus</i>	Spreading Shield Fern
<i>Stylium graminifolium</i>	Grass Trigger Plant
<i>Stylium lineare</i>	Heath Trigger-Plant
<i>Styphelia laeta</i> var <i>latifolia</i>	Five Corners
<i>Styphelia tubiflora</i>	Red Five Corners
<i>Styphelia viridis</i>	Green Five Corners
<i>Syncarpia glomulifera</i>	Turpentine
<i>Synoum glandulosum</i>	Scentless Rosewood
T	
<i>Telopea speciosissima</i>	Waratah
<i>Tetratheca ericifolia</i>	Black-eyed Susan
<i>Tetratheca shiresii</i>	Black-eyed Susan
<i>Tetratheca thymifolia</i>	Black-eyed Susan
<i>Thysanotus juncifolius</i>	Fringe Lily
V	
<i>Velleia lyrata</i>	Tall Velleia
<i>Viminaria juncea</i>	Native Broom
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell
<i>Woollsia pungens</i>	Snow Wreath
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea resinifera</i>	Grass Tree
<i>Xanthorrhoea</i> sp.	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
Z	
<i>Zieria laevigata</i>	Angular Zieria

@@@ @ @

Patonga Creek Track

Brisbane Water National Park

The access to this track is from the end of Jacaranda Ave, Patonga.

PLANTS FOUND ON BUSHWALKS AROUND PATONGA CREEK - BWNP

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia elata</i>	Cedar Wattle
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Aegiceras corniculatum</i>	River Mangrove
<i>Allocasuarina littoralis</i>	Black She-Oak
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Astrotricha floccosa</i>	Flannel Leaf
<i>Astrotricha latifolia</i>	Broad-leaf Star Hair
<i>Avicennia marina</i> var <i>australisica</i>	Grey Mangrove
B	
<i>Banksia integrifolia</i>	Coast Banksia
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Breynia oblongifolia</i>	Dwarf's Apples
C	
<i>Caesia parviflora</i> var <i>vittata</i>	Blue Grass Lily
<i>Callicoma serratifolia</i>	Black Wattle
<i>Carex pumila</i>	Strand Sedge
<i>Carpobrotus glaucescens</i>	Pig Face
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Centella asiatica</i>	Swamp Penny Wort
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Cheilanthes sieberi</i>	Mulga Fern
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma volubile</i>	Love Creeper
<i>Commelina cyanea</i>	Scurvy Weed
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Correa alba</i>	White Correa
<i>Correa lawrenciana</i> var <i>macrocalyx</i>	Mountain Correa
<i>Cupaniopsis anacardioides</i>	Tuckeroo
D	
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dodonaea triquetra</i>	Common Hop Bush
E	
<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass
<i>Epacris longiflora</i>	Native Fuchsia
<i>Eustrephus latifolius</i>	Wombat Berry

PLANTS FOUND ON BUSHWALKS AROUND PATONGA CREEK - BWNP

BOTANICAL NAME	COMMON NAME
G	
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
H	
<i>Hybanthus monopetalus</i>	Ladies Slipper
<i>Hydrocotyle geraniifolia</i>	Forest Pennywort
I	
<i>Isolepis nodosa</i>	Knobby Club-rush
J	
<i>Juncus kraussii ssp austroaliensis</i>	Sea Rush
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
<i>Lasiopetalum macrophyllum</i>	Shrubby Rusty Petals
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptomeria acida</i>	Native Currant
<i>Lomandra longifolia ssp longifolia</i>	Spiny Mat Rush
M	
<i>Macrozamia communis</i>	Burrawang
<i>Marsdenia suaveolens</i>	Sweet scented Doubah
<i>Maytenus silvestris</i>	Narrow leaved Orangebark
<i>Monotoca elliptica</i>	Broom Heath / Pigeon Berry
N	
<i>Notelaea longifolia</i>	Mock Olive
O	
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
P	
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Pellaea falcata var falcata</i>	Sickle Fern
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Pittosporum revolutum</i>	Rough-fruit Pittosporum
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Platysace lanceolata</i>	Native Parsnip
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Podocarpus elatus</i>	Plum Pine
<i>Podocarpus spinulosus</i>	
<i>Pomax umbellata</i>	Pomax
<i>Prostanthera linearis</i>	Narrow-leaf Mint Bush
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pultenaea flexilis</i>	Graceful Bush-Pea

PLANTS FOUND ON BUSHWALKS AROUND PATONGA CREEK - BWNP

BOTANICAL NAME	COMMON NAME
R	
<i>Rapanea variabilis</i>	Mutton Wood
<i>Rubus moluccanus</i> var <i>trilobus</i>	Broad-leaf Bramble
S	
<i>Samolus repens</i>	Creeping Brookweed
<i>Sarcocornia quinqueflora</i>	Samphire, Glasswort
<i>Schelhammera undulata</i>	Lilac Lily
<i>Sesuvium portulacastrum</i>	Sea Purslane
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Sporobolus virginicus</i>	Sand Couch, Salt Grass
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Stylium graminifolium</i>	Grass Trigger Plant
<i>Synoum glandulosum</i>	Scentless Rosewood
<i>Syzygium oleosum</i>	Blue Lilly Pilly
<i>Syzygium paniculatum</i>	Magenta Cherry
T	
<i>Themeda australis</i>	Kangaroo Grass
<i>Tristaniopsis laurina</i>	Water Gum, Kanooka
<i>Trochocarpa laurina</i>	Tree Heath
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell


@ @ @ @ @

Box Head

Bouddi National Park

Getting There: Follow Avoca Drive to the roundabout just past the Kincumber Public School, then turn right into Empire Bay Drive. Continue along Empire Bay Drive for about 5kms then turn left into Wards Hill Rd. Drive up the hill until you reach the T intersection where you turn right into Scenic Rd. At the next main intersection don't go right and down to Killcare Rd, don't go left down Beach Rd but drive straight ahead a short distance past Grandview Cres. on the left, next is Hawke Head Drive also on the left. This leads into Bouddi National Park. The road is fairly rough, though usually negotiable with care in a sedan so you may prefer to park in Grandview Cres and walk up onto the ridge.

Description: The track follows the top of Bouddi Ridge along the peninsula towards Box Head. On the first part of the trail there are views on both sides. To the right you can see Brisbane Water and to the left the Pacific Ocean. From a low woodland you will pass into an exposed heathland dominated by *Allocasuarina distyla*. On the left you will see a small carpark from which a narrow track leads to a rocky lookout. This provides a good view of Tallow Beach. The main track continues to a locked gate, where there is room to park. From there you proceed on foot through the gate. A left fork takes you down to Tallow Beach, straight on leads out to the Boulders. The track narrows and becomes rockier, with great views across Broken Bay on your right, and, a little later, equally good ones on your left of Little Tallow Beach and the coastline. When you come out of the woodland onto a big rocky outcrop, you have reached The Boulders. It is possible to continue to Box Head, but the track is sometimes rather overgrown.



Distance: About 4km return. Box Head would add 1km.

Duration: Allow 2 – 4hrs.

Degree of Difficulty: Easy. Medium to easy if you walk from Grandview Cresc. Until you reach the gate, it is a road. The rest is fairly level with a few rocky steps.

Best Time: Winter to late Spring for the flowers, and any time for the views.

PLANTS FOUND ON BUSHWALKS IN BOX HEAD, BOUDDI NP

BOTANICAL NAME

COMMON NAME

A

Acacia sophorae
Acacia suaveolens
Acacia ulicifolia
Actinotus helianthi

Coastal Wattle
Sweet-scented Wattle
Prickly Moses
Flannel Flower

PLANTS FOUND ON BUSHWALKS IN BOX HEAD, BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Amyema congener</i> ssp. <i>congener</i>	Mistletoe
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
<i>Aotus ericoides</i>	Common Aotus
<i>Astroloma pinifolium</i>	Pine Heath
<i>Astrotricha floccosa</i>	Flannel Leaf

B

<i>Banksia aemula</i>	Wallum Banksia
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var. <i>collina</i>	Hill Banksia
<i>Bauera rubioides</i>	River Rose
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Bossiaea heterophylla</i>	Variable Bossiaea
<i>Brachyloma daphnoides</i>	Daphne Heath

C

<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Cassinia aculeata</i>	Dogwood, Dolly Bush
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Chorizema parviflorum</i>	Eastern Chorizema
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp. <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Correa reflexa</i>	Native Fuchsia
<i>Correa reflexa</i> (green form)	Native Fuchsia
<i>Corymbia eximia</i>	Yellow Bloodwood
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Crowea saligna</i>	Lance-leaf Crowea
<i>Cryptandra amara</i> var. <i>amara</i>	Bitter Cryptandra

D

<i>Dampiera stricta</i>	Blue Dampiera
<i>Dianella caerulea</i> var. <i>producta</i>	Blue Flax Lily
<i>Dillwynia floribunda</i> var. <i>floribunda</i>	Flowery Parrot-Pea
<i>Dillwynia glaberrima</i>	Heath Parrot Pea
<i>Dillwynia retorta</i> ssp. <i>retorta</i>	Eggs and Bacon
<i>Diuris sulphurea</i>	Tiger Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush

E

<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriostemon australasicus</i>	Pink Wax Flower
<i>Eucalyptus capitellata</i>	Brown Stringybark
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus umbra</i>	Broad-leaf White Mahogany

PLANTS FOUND ON BUSHWALKS IN BOX HEAD, BOUDDI NP

BOTANICAL NAME	COMMON NAME
Eustrephus latifolius	Wombat Berry
F	
Ficus rubiginosa	Port Jackson Fig/Rusty Fig
G	
Gleichenia dicarpa	Pouched Coral Fern
Gompholobium grandiflorum	Handsome Wedge Pea
Gonocarpus teucrioides	Raspwort
Goodenia bellidifolia	Daisy-leaf Goodenia
Grevillea buxifolia	Grey Spider Flower
H	
Haemodorum planifolium	Strap-leaf Blood Root
Hakea dactyloides	Broad-leaf Hakea/Finger Hakea
Hakea gibbosa	Large-fruited Hakea
Hakea propinqua	Warty Needle-bush
Hakea sericea	Silky Hakea
Hakea teretifolia	Dagger Hakea
Hardenbergia violacea	False Sarsaparilla
Hibbertia bracteata	Guinea- Flower
Hibbertia linearis	Guinea- Flower
Hibbertia obtusifolia	Grey Guinea Flower
Hybanthus monopetalus	Ladies Slipper
I	
Isopogon anemonifolius	Yellow Drumstick
Isopogon anethifolius	Narrow-leaf Drumstick
L	
Lambertia formosa	Mountain Devils
Lasiopetalum ferrugineum	Rusty Petals
Lepidosperma concavum	Sword-sedge
Leptospermum laevigatum	Coastal Tea -tree
Leptospermum polygalifolium	Yellow Tea-tree
Lepyrodia scariosa	Scale Rush
Leucopogon appressus	Beard-Heath
Leucopogon ericoides	Bearded Heath
Leucopogon esquamatus	Bearded Heath
Lissanthe strigosa	Native Cranberry
Lomandra confertifolia ssp rubiginosa	Slender Mat-rush
Lomandra glauca	Pale Mat-rush
Lomandra longifolia ssp longifolia	Spiny Mat Rush
Lomandra obliqua	Fish Bones; Twisted Mat-rush
Lomatia silaifolia	Crinkle Bush/Wild Parsley
M	
Micrantheum ericoides	Heath Micrantheum
Micromyrtus blakelyi	Heath-Myrtle

PLANTS FOUND ON BUSHWALKS IN BOX HEAD, BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Mirbelia rubiifolia</i>	Red Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca elliptica</i>	Broom Heath / Pigeon Berry
<i>Monotoca scoparia</i>	Prickly Broom-heath
O	
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Philotheeca buxifolia</i> ssp <i>buxifolia</i>	Box-leaf Wax Flower
<i>Philotheeca buxifolia</i> ssp <i>obovata</i>	Wax Flower
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Platysace linearifolia</i>	Carrot Tops
<i>Pomaderris ferruginea</i>	Rusty Pomaderris
<i>Poranthera microphylla</i>	Small Poranthera
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
R	
<i>Ricinocarpos pinifolius</i>	Wedding Bush
<i>Rulingia hermanniifolia</i>	Kerrawang
S	
<i>Scaevola ramosissima</i>	Snake Flower
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Styphelia laeta</i> var <i>laeta</i>	Five Corners
<i>Styphelia viridis</i>	Green Five Corners
<i>Syncarpia glomulifera</i>	Turpentine
T	
<i>Thysanotus juncifolius</i>	Fringe Lily
W	
<i>Westringia fruticosa</i>	Coast Rosemary
<i>Woollsia pungens</i>	Snow Wreath
X	

PLANTS FOUND ON BUSHWALKS IN BOX HEAD, BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xanthosia tridentata</i>	Rock Xanthosia

@ @ @ @ @

Maitland Bay Track

Bouddi National Park

Getting There: Follow Avoca Drive to the roundabout just past the Kincumber Public School and turn right into Empire Bay Drive. At the next roundabout turn left into The Scenic Road and follow it to the Maitland Bay Car Park and Information Centre (9.8km from the Avoca Drive / Empire Bay roundabout). The track from here gives access to three beautiful walks – Bullimah Lookout, Maitland Bay and Putty Beach.

Description: From the car park, follow the track down through woodland until you come to a side trail on your right leading to Bullimah Lookout. On the way down go out onto rocky outcrops on your left for spectacular views of Maitland Bay. The Bullimah Track narrows and winds past huge rocks, amazingly gnarled Red Gums (*Angophora costata*), and eventually to rock shelves with stunning views of the coast.


Distance: From the car park to Bullimah Lookout, about 2½ km return.

Duration: Allow 1½ – 2½ hrs.

Degree of Difficulty: Easy – Wide, shallow steps descend from the car park to the narrower Bullimah Track, which apart from a very short, rocky stretch on Bullimah Spur has very gentle grades. The National Parks & Wildlife Service have constructed a boardwalk on much of the track from Putty Beach to Bullimah Beach.

Best Time: All year round.

Notes: Alternatively you can walk from the picnic area on Putty Beach to Bullimah Beach or Gerrin Head and return.



PLANTS FOUND ON BUSHWALKS AROUND MAITLAND BAY – BOUDDI NP

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia maidenii</i>	Sally/Maiden's Wattle
<i>Acacia sophorae</i>	Coastal Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acmena smithii</i>	Lilly Pilly
<i>Acrotriche divaricata</i>	Ground-berry
<i>Actinotus helianthi</i>	Flannel Flower
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Allocasuarina distyla</i>	Scrub She-Oak

PLANTS FOUND ON BUSHWALKS AROUND MAITLAND BAY – BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Asplenium australasicum</i>	Bird's Nest Fern
<i>Astroloma humifusum</i>	Cranberry Heath
B	
<i>Baeckea imbricata</i>	Ridged Heath-Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia integrifolia</i>	Coast Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>spinulosa</i>	Hairpin Banksia
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Brachyscome angustifolia</i>	Grassland Daisy
<i>Breynia oblongifolia</i>	Dwarf's Apples
C	
<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Callistemon rigidus</i>	Stiff Bottlebrush
<i>Calochilus paludosus</i>	Red Beardie
<i>Carpobrotus glaucescens</i>	Pig Face
<i>Cissus antarctica</i>	Kangaroo Vine
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Correa reflexa</i>	Native Fuchsia
<i>Correa reflexa</i> (green form)	Native Fuchsia
<i>Crowea saligna</i>	Lance-leaf Crowea
<i>Cymbopogon refractus</i>	Barbed Wire Grass
D	
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Dendrobium speciosum</i>	Rock Orchid
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dockrillia linguiformis</i>	Tongue Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
E	
<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Euroschinus falcata</i>	Cudgerie
<i>Eustrephus latifolius</i>	Wombat Berry
G	
<i>Gahnia aspera</i>	Saw Sedge
<i>Gahnia clarkei</i>	Sword Grass
<i>Gastrodia sesamoides</i>	Potato Orchid
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Geranium solanderi</i>	Cutleaf Cranesbill

PLANTS FOUND ON BUSHWALKS AROUND MAITLAND BAY - BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gompholobium virgatum</i>	Leafy Wedge Pea
<i>Gymnostachys anceps</i>	Settlers Flax
H	
<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea sericea</i>	Silky Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia linearis</i>	Guinea- Flower
<i>Howittia trilocularis</i>	Blue Howittia
I	
<i>Isolepis nodosa</i>	Knobby Club-rush
<i>Isopogon anethifolius</i>	Narrow-leaf Drumstick
K	
<i>Kunzea ambigua</i>	Tick Bush
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Lasiopetalum macrophyllum</i>	Shrubby Rusty Petals
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptospermum laevigatum</i>	Coastal Tea -tree
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Lobelia alata</i>	Angled Lobelia
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
M	
<i>Macrozamia communis</i>	Burrawang
<i>Mitrasacme pilosa</i> var <i>pilosa</i>	Mitrewort
<i>Monotoca scoparia</i>	Prickly Broom-heath
N	
<i>Notelaea longifolia</i>	Mock Olive
<i>Notelaea ovata</i>	Netted Mock-Olive
O	
<i>Olearia tomentosa</i>	Toothed Daisy Bush
<i>Omalianthus populifolius</i>	Bleeding Heart
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	

PLANTS FOUND ON BUSHWALKS AROUND MAITLAND BAY – BOUDDI NP


BOTANICAL NAME	COMMON NAME
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Pelargonium australe</i>	Coast Geranium
<i>Pellaea falcata</i> var <i>falcata</i>	Sickle Fern
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phyllanthus gasstroemii</i>	Spurge
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Podocarpus spinulosus</i>	
<i>Pomaderris ferruginea</i>	Rusty Pomaderris
<i>Pratia purpurascens</i>	White Root
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
R	
<i>Rapanea variabilis</i>	Mutton Wood
<i>Rhodamnia rubescens</i>	Scrub Turpentine
S	
<i>Smilax australis</i>	Austral Sarsaparilla
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Syncarpia glomulifera</i>	Turpentine
<i>Synoum glandulosum</i>	Scentless Rosewood
<i>Syzygium australe</i>	Lillypilly, Brush Cherry
T	
<i>Themeda australis</i>	Kangaroo Grass
V	
<i>Viola hederacea</i> ssp <i>hederacea</i>	Native Violet
W	
<i>Wahlenbergia stricta</i>	Tall Bluebell
<i>Westringia fruticosa</i>	Coast Rosemary
<i>Woollsia pungens</i>	Snow Wreath
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
Z	
<i>Zieria smithii</i>	Sandfly Zieria

Bombi Moor

Bouddi National Park

Getting There: Follow Avoca Drive to the roundabout just past the Kincumber Public School, then turn right into Empire Bay Drive, left at the next roundabout then follow The Scenic Drive and continue past the MacMasters Beach turn off. About 1 km further on, turn left into Graham Drive - there is a sign for Little Beach. Go to the car park at the end of Graham Drive. Start this circular walk from the gate at the far end of the car park. If you are limited for time, go through the main gate and just walk down to Little Beach.

Description: Bombi Moors is a large tract of beautiful sandstone heath. This circular track leads over a series of old sand dunes, up on to Bombi Moors and has side trails leading to the spectacular sandstone cliffs of Cape Three Points named by Captain Cook. At the T-junction, go left towards Little Beach. Just along here you will see a trail leading to Bombi Point. This is highly recommended. Near the end of this side trail, a little opening on your left takes you out onto the cliff tops -a great place for lunch, whale viewing if the time is right and coastal scenery. Return to the main track and continue across the moors through a scrub of stunted eucalypts, hakeas, banksias and casuarinas with a colourful understorey of wildflowers, descending through woodland and some remnant rainforest to the service road into Little Beach. Go right to Little Beach, a small, picturesque rocky bay, or left back to the car park.



Distance: About 3km return including the Bombi Point side trail.

Duration: 1½ hours –2hrs

Degree of Difficulty: Easy. Though the first part has a series of dips for about 200m and the downhill section at the Little Beach end is very eroded, so not suited to anyone with mobility problems.

Best Time: Autumn to late Spring for the flowers, and any time for the views.

PLANTS FOUND ON BUSHWALKS IN BOMBI MOOR, BOUDDI NP

BOTANICAL NAME

COMMON NAME

A

Acacia decurrens
Acacia echinula
Acacia implexa
Acacia longifolia var longifolia

Green Wattle/Black Wattle
Hooked Wattle
Hickory Wattle
Sydney Golden Wattle

PLANTS FOUND ON BUSHWALKS IN BOMBI MOOR, BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia quadrilateralis</i>	
<i>Acacia sophorae</i>	Coastal Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acmena smithii</i>	Lilly Pilly
<i>Acrotriche divaricata</i>	Ground-berry
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Adiantum formosum</i>	Giant Maidenhair Fern
<i>Alectryon subcinereus</i>	Native Quince
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Amyema congener</i> ssp. <i>congener</i>	Mistletoe
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
<i>Aotus ericoides</i>	Common Aotus
<i>Astroloma humifusum</i>	Cranberry Heath
<i>Astroloma pinifolium</i>	Pine Heath
<i>Astrotricha floccosa</i>	Flannel Leaf
<i>Austromyrtus tenuifolia</i>	Narrow-leaf Myrtle
 B	
<i>Baeckea brevifolia</i>	Short- leaf Heath- Myrtle
<i>Baeckea imbricata</i>	Ridged Heath-Myrtle
<i>Baeckea ramosissima</i>	Rosy Heath-Myrtle
<i>Banksia aemula</i>	Wallum Banksia
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia integrifolia</i>	Coast Banksia
<i>Banksia marginata</i>	Silver Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var. <i>collina</i>	Hill Banksia
<i>Billardiera scandens</i>	Dumplings/ Apple Berry
<i>Boronia polygalifolia</i>	Milkwort Boronia
<i>Bossiaea ensata</i>	Sword Bossiaeae
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea rhombifolia</i>	Appressed Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Bossiaea stephensonii</i>	Large-leaf Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Brunoniella pumilio</i>	Dwarf Trumpet
 C	
<i>Caladenia caerulea</i>	Blue Caladenia
<i>Caladenia catenata</i>	White Caladenia
<i>Caleana major</i>	Large Duck Orchid
<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Cayratia clematidea</i>	Slender Grape
<i>Ceratopetalum apetalum</i>	Coachwood

PLANTS FOUND ON BUSHWALKS IN BOMBI MOOR, BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Clematis aristata</i>	Old Man's Beard
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Conospermum ellipticum</i>	Coneseeds (broad leaf form)
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Correa alba</i>	White Correa
<i>Correa reflexa</i>	Native Fuchsia
<i>Crowea saligna</i>	Lance-leaf Crowea
<i>Cryptandra amara var amara</i>	Bitter Cryptandra
<i>Cryptocarya glaucescens</i>	Jackwood/Brown Beech
<i>Cryptostylis subulata</i>	Large Tongue Orchid
 D	
<i>Dampiera purpurea</i>	Mountain Dampiera
<i>Dampiera stricta</i>	Blue Dampiera
<i>Davallia pyxidata</i>	Hare's Foot Fern
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Dendrobium aemulum</i>	Ironbark Orchid
<i>Dendrobium speciosum</i>	Rock Orchid
<i>Dendrobium tetragonum</i>	Tree Spider Orchid
<i>Dillwynia retorta ssp peduncularis</i>	Twisted Parrot-Pea
<i>Dioscorea transversa</i>	Native Yam
<i>Dipodium punctatum</i>	Hyacinth Orchid
<i>Diuris aurea</i>	Golden Donkey Orchid
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Drosera peltata var auriculata</i>	Sundew
 E	
<i>Empodium minus</i>	Spreading Rope Rush
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriostemon australasicus</i>	Pink Wax Flower
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus robusta</i>	Swamp Mahogany
<i>Euroschinus falcata</i>	Cudgerie
<i>Eustrephus latifolius</i>	Wombat Berry
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
 G	
<i>Gahnia sieberana</i>	Saw Sedge
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium glabratum</i>	Dainty Wedge-Pea
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia paniculata</i>	Branched Goodenia
<i>Grevillea linearifolia</i>	White Spider Flower

PLANTS FOUND ON BUSHWALKS IN BOMBI MOOR, BOUDDI NP

BOTANICAL NAME	COMMON NAME
Grevillea speciosa Gymnostachys anceps	Red Spider Flower Settlers Flax
H	
Haemodorum corymbosum Haemodorum planifolium Hakea propinqua Hakea teretifolia Hardenbergia violacea Hibbertia dentata Hibbertia fasciculata Hibbertia linearis Hibbertia riparia Hybanthus monopetalus	Rush-leaf Blood Root Strap-leaf Blood Root Warty Needle-bush Dagger Hakea False Sarsaparilla Twining Guinea- Flower Bundled Guinea-Flower Guinea- Flower Guinea Flower Ladies Slipper
I	
Indigofera australis Isopogon anemonifolius Isopogon anethifolius	Austral Indigo Yellow Drumstick Narrow-leaf Drumstick
L	
Lambertia formosa Lasiopetalum ferrugineum Lasiopetalum macrophyllum Lepidosperma laterale Leptocarpus tenax Leptospermum laevigatum Leptospermum morrisonii Leptospermum trinervium Leucopogon appressus Leucopogon ericoides Leucopogon esquamatus Leucopogon juniperinus Leucopogon microphyllus Leucopogon parviflorus Leucopogon virgatus Lissanthe strigosa Livistona australis Logania albiflora Lomandra glauca Lomandra longifolia ssp longifolia Lomandra multiflora Lomandra obliqua Lomatia silaifolia	Mountain Devils Rusty Petals Shrubby Rusty Petals Variable Sword-sedge Twine Rush Coastal Tea -tree Tea Tree Flaky-Bark Tea-tree Beard-Heath Bearded Heath Bearded Heath Prickly; Beard-Heath Small-leaved White-beard Coast Beard- Heath Beard-Heath Native Cranberry Cabbage Tree Palm Narrow-leaf Logania Pale Mat-rush Spiny Mat Rush Many-flowered Mat-rush Fish Bones; Twisted Mat-rush Crinkle Bush/Wild Parsley
M	
Macrozamia communis Melaleuca thymifolia Microtis parviflora Mirbelia rubrifolia Mirbelia speciosa	Burrawang Thyme Honeymyrtle Onion Orchid Red Mirbelia Showy Mirbelia

PLANTS FOUND ON BUSHWALKS IN BOMBI MOOR, BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotaxis linifolia</i>	Flax-leaf Monotaxis
<i>Monotoca elliptica</i>	Broom Heath / Pigeon Berry
N	
<i>Notelaea venosa</i>	Native Olive
O	
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia levis</i>	Smooth Geebung
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Pittosporum revolutum</i>	Rough-fruit Pittosporum
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Platysace lanceolata</i>	Native Parsnip
<i>Podocarpus spinulosus</i>	
<i>Podolepis jaceoides</i>	Swamp Bindweed
<i>Polymeria calycina</i>	
<i>Poranthera corymbosa</i>	Heath Poranthera
<i>Poranthera ericifolia</i>	Tall Leek Orchid
<i>Prasophyllum elatum</i>	Yellow Leek Orchid
<i>Prasophyllum flavum</i>	
<i>Pratia purpurascens</i>	White Root
<i>Pseuderanthemum variabile</i>	Pastel Flower
<i>Pultenaea elliptica</i>	Wreath Bush-Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
R	
<i>Rapanea variabilis</i>	Mutton Wood
<i>Restio dimorphus</i>	Cord Rush
<i>Ricinocarpos pinifolius</i>	Wedding Bush
<i>Ripogonum fawcettianum</i>	Supplejack
S	
<i>Samolus repens</i>	Creeping Brookweed
<i>Scaevola ramosissima</i>	Snake Flower
<i>Schizaea bifida</i>	Forked Comb Fern
<i>Schizaea dichotoma</i>	Branched Comb Fern
<i>Scolopia braunii</i>	Flintwood
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Senecio linearifolius</i>	Fireweed Groundsel
<i>Senecio vagus</i> ssp <i>eglandulosus</i>	Saw Groundsel
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Sowerbaea juncea</i>	Vanilla Plant, Rush Lily

PLANTS FOUND ON BUSHWALKS IN BOMBI MOOR, BOUDDI NP

BOTANICAL NAME	COMMON NAME
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Styphelia laeta</i> var <i>laeta</i>	Five Corners
<i>Styphelia viridis</i>	Green Five Corners
<i>Synoum glandulosum</i>	Scentless Rosewood
T	
<i>Tetratheca shiresii</i>	Black-eyed Susan
<i>Tetratheca thymifolia</i>	Black-eyed Susan
<i>Thelionema umbellatum</i>	
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus juncifolius</i>	Fringe Lily
<i>Trochocarpa laurina</i>	Tree Heath E
V	
<i>Viola betonicifolia</i>	Purple Violet
W	
<i>Westringia fruticosa</i>	Coast Rosemary
<i>Wilkiea huegeliana</i>	Wilkiea
<i>Woollsia pungens</i>	Snow Wreath
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
Z	
<i>Zieria smithii</i>	Sandfly Zieria

@ @ @ @ @

Kincumba Mountain Reserve

Getting There: From Gosford, follow the Entrance Road through East Gosford to the Avoca Drive traffic lights. Turn right and continue on Avoca Drive to the Kincumber Village shopping centre. At the roundabout, turn left into Bungoona Rd, then first left into Kincumber Street. Follow this street to the end and continue on the road for about 1½ km up to the top of Kincumba Mountain. When you get to the locked gate, there is a car park on the left.

Description: Kincumba Mountain Reserve is easily accessed and has great views from an extensive family-friendly picnic area. The Yanina Walk follows the ridge to an escarpment overlooking Picketts Valley.

Towards the end of the trail you will see a left fork. Follow this one to Nyari Lookout with views of Terrigal beach then walk along the escarpment to Colin Watters Lookout with views of Avoca beach. On the way back, take the short loop past the caves.

Distance: About 3km return.

Duration: 1½ hours


Degree of Difficulty: Very easy. This track follows the ridge and is mostly wide and flat.

Best Time: Spring and summer for the flowers and any time for the views.

Notes: There are other walks in the reserve.

PLANTS FOUND ON BUSHWALKS IN KINCUMBA MOUNTAIN RESERVE

BOTANICAL NAME	COMMON NAME
A	
Acacia elata	Cedar Wattle
Acacia elongata	Swamp Wattle
Acacia floribunda	Sallow Wattle
Acacia linifolia	Flax-leaf Wattle
Acacia maidenii	Sally/Maiden's Wattle
Acacia oxycedrus	Spike Wattle
Acacia stricta	Hop Wattle, Straight Wattle
Acacia suaveolens	Sweet-scented Wattle
Acacia terminalis	Sunshine Wattle
Acacia ulicifolia	Prickly Moses



PLANTS FOUND ON BUSHWALKS IN KINCUMBA MOUNTAIN RESERVE

BOTANICAL NAME	COMMON NAME
<i>Actinotus helianthi</i>	Flannel Flower
<i>Adiantum formosum</i>	Giant Maidenhair Fern
<i>Allocasuarina littoralis</i>	Black She-Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Anisopogon avenaceus</i>	Oat Spear Grass
<i>Austrostipa pubescens</i>	Tall Speargrass
B	
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/ Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum indicum</i>	Bungwall Fern
<i>Blechnum nudum</i>	Fishbone Water Fern
<i>Breynia oblongifolia</i>	Dwarf's Apples
C	
<i>Caesia parviflora</i> var <i>vittata</i>	Blue Grass Lily
<i>Callitris rhomboidea</i>	Port Jackson Cypress
<i>Calochlaena dubia</i>	False Bracken
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Cissus antarctica</i>	Kangaroo Vine
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma sphaerocarpum</i>	Broom Milkwort
<i>Correa reflexa</i>	Native Fuchsia
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Cryptocarya glaucescens</i>	Jackwood/Brown Beech
<i>Cryptostylis erecta</i>	Hooded Orchid
<i>Cryptostylis subulata</i>	Large Tongue Orchid
<i>Cuscuta australis</i>	Dodder
<i>Cymbidium suave</i>	Sweet Cymbidium
D	
<i>Dampiera purpurea</i>	Mountain Dampiera
<i>Dampiera stricta</i>	Blue Dampiera
<i>Davallia pyxidata</i>	Hare's Foot Fern
<i>Desmodium brachypodium</i>	Collared Tic-Trefoil
<i>Desmodium rhytidophyllum</i>	Rusty Trefoil
<i>Desmodium varians</i>	Variable Tic-trefoil
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dillwynia retorta</i> ssp <i>retorta</i>	Eggs and Bacon
<i>Dillwynia sericea</i>	Showy Parrot Pea
<i>Dipodium punctatum</i>	Hyacinth Orchid
<i>Dipodium variegatum</i>	Slender Hyacinth Orchid
<i>Dockrillia linguiformis</i>	Tongue Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush

PLANTS FOUND ON BUSHWALKS IN KINCUMBA MOUNTAIN RESERVE

BOTANICAL NAME	COMMON NAME
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Dracophyllum secundum</i>	Necklace Heath
E	
<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eustrephus latifolius</i>	Wombat Berry
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
G	
<i>Gahnia clarkei</i>	Sword Grass
<i>Gahnia sieberana</i>	Saw Sedge
<i>Geranium solanderi</i>	Cutleaf Cranesbill
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia dimorpha</i>	Sandstone Goodenia
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia stelligera</i>	Spike Goodenia
<i>Grammitis billardieri</i>	Finger Fern
<i>Grevillea linearifolia</i>	White Spider Flower
H	
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea salicifolia</i>	Willow-leaved Hakea
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia diffusa</i>	Wedge Guinea-Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia fasciculata</i>	Bundled Guinea-Flower
<i>Hibbertia riparia</i>	Guinea Flower
<i>Hibbertia scandens</i>	Golden Guinea Flower
<i>Histiopteris incisa</i>	Batswing Fern
<i>Hovea longifolia</i>	Long-leaf Hovea
<i>Hypoxis hygrometrica</i>	Yellow Stars
I	
<i>Imperata cylindrica</i>	Blady Grass
<i>Indigofera australis</i>	Austral Indigo
<i>Isopogon anemonifolius</i>	Yellow Drumstick
K	
<i>Kennedia rubicunda</i>	Dusky Coral Pea

PLANTS FOUND ON BUSHWALKS IN KINCUMBA MOUNTAIN RESERVE

BOTANICAL NAME	COMMON NAME
L	
<i>Lambertia formosa</i>	Mountain Devils
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptospermum juniperinum</i>	Prickly Tea-tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Leucopogon lanceolatus</i>	Lance Beard Heath
<i>Livistona australis</i>	Cabbage Tree Palm
<i>Lobelia dentata</i>	Wavy Lobelia
<i>Lobelia gibbosa</i>	Tall Lobelia
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra multiflora</i>	Many-flowered Mat-rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley
M	
<i>Macrozamia communis</i>	Burrawang
<i>Marsdenia suaveolens</i>	Sweet scented Doubah
<i>Maytenus silvestris</i>	Narrow leaved Orangebark
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Muellerina eucalyptoides</i>	Mistletoe
O	
<i>Olearia microphylla</i>	Bridal Daisy Bush
<i>Olearia nernstii</i>	Jagged Daisy Bush
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Parsonia straminea</i>	Common Silkpod
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Pelargonium australe</i>	Coast Geranium
<i>Pellaea paradoxa</i>	
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Platysace lanceolata</i>	Native Parsnip
<i>Platysace linearifolia</i>	Carrot Tops
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Polyscias sambucifolia</i>	Elderberry Panax
<i>Pomax umbellata</i>	Pomax
<i>Poranthera microphylla</i>	Small Poranthera
<i>Pratia purpurascens</i>	White Root
<i>Pseuderanthemum variabile</i>	Pastel Flower
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pterostylis longifolia</i>	Tall Greenhood
<i>Pultenaea flexilis</i>	Graceful Bush-Pea

PLANTS FOUND ON BUSHWALKS IN KINCUMBA MOUNTAIN RESERVE

BOTANICAL NAME	COMMON NAME
<i>Pultenaea retusa</i>	Blunt Bush-Pea
<i>Pultenaea villosa</i>	Bronze Bush-Pea
<i>Pyrrosia rupestris</i>	Rock Felt Fern
R	
<i>Ricinocarpos pinifolius</i>	Wedding Bush
<i>Rubus moluccanus</i> var <i>trilobus</i>	Broad-leaf Bramble
S	
<i>Sambucus australasica</i>	Native Elder, Yellow Elderberry
<i>Scaevola ramosissima</i>	Snake Flower
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Stackhousia monogyna</i>	Candles
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Syncarpia glomulifera</i>	Turpentine
T	
<i>Thelymitra ixioides</i>	Spotted Sun Orchid
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus juncifolius</i>	Fringe Lily
<i>Thysanotus tuberosus</i>	Fringe Lily
<i>Todea barbara</i>	King Fern
<i>Trema aspera</i>	Native Peach
V	
<i>Viola betonicifolia</i>	Purple Violet
<i>Viola hederacea</i> ssp <i>hederacea</i>	Native Violet
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell
<i>Woollsia pungens</i>	Snow Wreath
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthorrhoea minor</i>	Dwarf Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia

@ @ @ @ @

Rumbalara Reserve

This reserve is owned and maintained by Gosford City Council. It has good views overlooking Brisbane Water and Gosford City. It is accessed from Dolly Av., Springfield

PLANTS FOUND ON BUSHWALKS IN RUMBALARA RESERVE

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia floribunda</i>	Sallow Wattle
<i>Acacia implexa</i>	Hickory Wattle
<i>Acacia maidenii</i>	Sally/Maiden's Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia schinoides</i>	
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Adiantum formosum</i>	Giant Maidenhair Fern
<i>Adiantum hispidulum</i>	Rough Maidenhair
<i>Allocasuarina torulosa</i>	Forest Oak
B	
<i>Banksia marginata</i>	Silver Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Bauera rubioides</i>	River Rose
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum nudum</i>	Fishbone Water Fern
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Bulbophyllum shepherdii</i>	Wheat-leaf Orchid
C	
<i>Callitris rhomboidea</i>	Port Jackson Cypress
<i>Calochlaena dubia</i>	False Bracken
<i>Carex appressa</i>	Tall Sedge
<i>Carex longebrachiata</i>	Drooping Sedge
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Clematis aristata</i>	Old Man's Beard
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Correa reflexa</i>	Native Fuchsia
<i>Corybas pruinosus</i>	Toothed Helmet Orchid
<i>Cryptocarya microneura</i>	Murrogan
<i>Cryptostylis subulata</i>	Large Tongue Orchid
<i>Cymbidium suave</i>	Sweet Cymbidium
D	
<i>Davallia pyxidata</i>	Hare's Foot Fern
<i>Dendrocnide excelsa</i>	Giant Stinging Tree
<i>Desmodium rhytidophyllum</i>	Rusty Trefoil
<i>Dioscorea transversa</i>	Native Yam

PLANTS FOUND ON BUSHWALKS IN RUMBALARA RESERVE

BOTANICAL NAME	COMMON NAME
<i>Diospyros australis</i>	Black Plum
<i>Diploglottis australis</i>	Native Tamarind
<i>Doodia aspera</i>	Prickly Rasp Fern
E	
<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Eucalyptus deanei</i>	Mountain Bluegum, Deane's Gum
<i>Eucalyptus saligna</i>	Sydney Blue Gum
<i>Eupomatia laurina</i>	Bolwarra
<i>Eustrephus latifolius</i>	Wombat Berry
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
F	
<i>Ficus coronata</i>	Sandpaper Fig
G	
<i>Gahnia sieberana</i>	Saw Sedge
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia ovata</i>	Hop Goodenia
<i>Grammitis billardieri</i>	Finger Fern
H	
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Histiopteris incisa</i>	Batswing Fern
I	
<i>Indigofera australis</i>	Austral Indigo
J	
<i>Jacksonia scoparia</i>	Dogwood
K	
<i>Kennedia rubicunda</i>	Dusky Coral Pea
L	
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leucopogon juniperinus</i>	Prickly; Beard-Heath
<i>Leucopogon lanceolatus</i>	Lance Beard Heath
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Liparis reflexa</i>	Yellow Rock Orchid
<i>Livistona australis</i>	Cabbage Tree Palm
M	
<i>Muellerina eucalyptoides</i>	Mistletoe
N	
<i>Notelaea longifolia</i>	Mock Olive
<i>Notelaea ovata</i>	Netted Mock-Olive

PLANTS FOUND ON BUSHWALKS IN RUMBALARA RESERVE

BOTANICAL NAME	COMMON NAME
O	
<i>Omalanthus populifolius</i>	Bleeding Heart
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
P	
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Prunella vulgaris</i>	Meadow Mint
<i>Pyrrosia rupestris</i>	Rock Felt Fern
R	
<i>Rhodamnia rubescens</i>	Scrub Turpentine
<i>Rubus rosifolius</i>	Rose-leaf Bramble
S	
<i>Senecio linearifolius</i>	Fireweed Groundsel
<i>Smilax australis</i>	Austral Sarsaparilla
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Synoum glandulosum</i>	Scentless Rosewood
<i>Syzygium francisii</i>	Giant Water Gum
T	
<i>Themeda australis</i>	Kangaroo Grass
<i>Todea barbara</i>	King Fern
<i>Trema aspera</i>	Native Peach
<i>Trochocarpa laurina</i>	Tree Heath
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea minor</i>	Dwarf Grass Tree
<i>Xylomelum pyriforme</i>	Woody Pear

@ @ @ @ @

Katandra Reserve

This reserve is owned and maintained by Gosford City Council. It contains a wide range of habitats including rain forest. The Central Coast Group is revegetating an area previously used as a farm.

The Reserve has two picnic areas :-

1. The lower picnic area is accessed from Katandra Rd., Matcham
2. The upper picnic area is accessed from Taylors Rd. Lisarow where there is a good lookout.

PLANTS FOUND ON BUSHWALKS IN KATANDRA RESERVE

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia elata</i>	Cedar Wattle
<i>Acacia maidenii</i>	Sally/Maiden's Wattle
<i>Acacia oxycedrus</i>	Spike Wattle
<i>Acacia prominens</i>	Gosford Wattle
<i>Acacia schinoides</i>	
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acmena smithii</i>	Lilly Pilly
<i>Acrotriche divaricata</i>	Ground-berry
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Adiantum formosum</i>	Giant Maidenhair Fern
<i>Adiantum hispidulum</i>	Rough Maidenhair
<i>Alectryon subcinereus</i>	Native Quince
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Alphitonia excelsa</i>	Red Ash
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora floribunda</i>	Rough-barked Apple
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm
<i>Arthropteris tenella</i>	Climbing Fern
<i>Asplenium attenuatum</i>	
<i>Asplenium australasicum</i>	Bird's Nest Fern
<i>Astroloma pinifolium</i>	Pine Heath
B	
<i>Backhousia myrtifolia</i>	Grey Myrtle
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Banksia spinulosa</i> var <i>spinulosa</i>	Hairpin Banksia
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blechnum ambiguum</i>	Water Fern
<i>Blechnum camfieldii</i>	Eared Swamp Fern
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum nudum</i>	Fishbone Water Fern
<i>Blechnum wattsii</i>	Hard Water Fern
<i>Bossiaea heterophylla</i>	Variable Bossiaea
<i>Bossiaea obcordata</i>	Spiny Bossiaea
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Bulbophyllum exiguum</i>	Mat Orchid

PLANTS FOUND ON BUSHWALKS IN KATANDRA RESERVE

BOTANICAL NAME	COMMON NAME
C	
<i>Calanthe triplicata</i>	Christmas Orchid
<i>Callicoma serratifolia</i>	Black Wattle
<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Callistemon shiressii</i>	Woolly Bottlebrush
<i>Calochlaena dubia</i>	False Bracken
<i>Canthium coprosmoides</i>	Coast Canthium
<i>Carex appressa</i>	Tall Sedge
<i>Carex fascicularis</i>	Tassel Sedge
<i>Carex maculata</i>	Sedge
<i>Cassine australis</i> var <i>australis</i>	Olive Wood
<i>Caustis recurvata</i> var <i>recurvata</i>	Curly Sedge
<i>Cayratia clematidea</i>	Slender Grape
<i>Centella asiatica</i>	Swamp Penny Wort
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Christella dentata</i>	
<i>Cinnamomum oliveri</i>	Oliver's Sassafras
<i>Cissus antarctica</i>	Kangaroo Vine
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobtus pauciflorus</i>	Orange Thorn
<i>Citronella moorei</i>	Silky Beech, Churnwood
<i>Claoxylon australe</i>	Brittlewood
<i>Clematis aristata</i>	Old Man's Beard
<i>Clematis glycinoides</i>	Forest Clematis
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Commelina cyanea</i>	Scurvy Weed
<i>Correa reflexa</i>	Native Fuchsia
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Cryptocarya glaucescens</i>	Jackwood/Brown Beech
<i>Cryptocarya microneura</i>	Murrogun
<i>Cryptostylis erecta</i>	Hooded Orchid
<i>Cryptostylis subulata</i>	Large Tongue Orchid
<i>Cyathea australis</i>	Rough Tree Fern
<i>Cyathea cooperi</i>	Straw Treefern
<i>Cyathea leichhardtiana</i>	Prickly Treefern
<i>Cymbidium suave</i>	Sweet Cymbidium
<i>Cyperus imbecillis</i>	Sedge
<i>Cyperus laevigatus</i>	Sedge
<i>Cyperus tetraphyllum</i>	Sedge
<i>Cyperus trinervis</i>	Sedge
D	
<i>Dampiera purpurea</i>	Mountain Dampiera
<i>Dampiera stricta</i>	Blue Dampiera
<i>Davallia pyxidata</i>	Hare's Foot Fern
<i>Dendrobium aemulum</i>	Ironbark Orchid
<i>Dendrobium tetragonum</i>	Tree Spider Orchid
<i>Desmodium brachypodium</i>	Collared Tic-Trefoil
<i>Desmodium rhytidophyllum</i>	Rusty Trefoil
<i>Desmodium varians</i>	Variable Tic-trefoil

PLANTS FOUND ON BUSHWALKS IN KATANDRA RESERVE

BOTANICAL NAME	COMMON NAME
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dioscorea transversa</i>	Native Yam
<i>Diospyros australis</i>	Black Plum
<i>Diploglottis australis</i>	Native Tamarind
<i>Dipodium variegatum</i>	Slender Hyacinth Orchid
<i>Dockrillia linguiformis</i>	Tongue Orchid
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Doryphora sassafras</i>	Sassafras
<i>Dracophyllum secundum</i>	Necklace Heath
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Duboisia myoporoides</i>	Corkwood
E	
<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass
<i>Ehretia acuminata</i>	Koda
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Endiandra discolor</i>	Rose Walnut
<i>Endiandra sieberi</i>	Corkwood
<i>Entolasia marginata</i>	Bordered Panic
<i>Entolasia stricta</i>	Wiry Panic
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eucalyptus deanei</i>	Mountain Bluegum, Deane's Gum
<i>Eucalyptus pilularis</i>	Blackbutt
<i>Eucalyptus saligna</i>	Sydney Blue Gum
<i>Eupomatia laurina</i>	Bolwarra
<i>Eustrephus latifolius</i>	Wombat Berry
F	
<i>Ficus coronata</i>	Sandpaper Fig
<i>Ficus obliqua</i>	Strangler Fig
<i>Flagellaria indica</i>	Whip Vine
G	
<i>Gahnia clarkei</i>	Sword Grass
<i>Gahnia sieberana</i>	Saw Sedge
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Geranium homeanum</i>	Cranesbill
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Gleichenia rupestris</i>	Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
<i>Gmelina leichhardtii</i>	White Beech
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia ovata</i>	Hop Goodenia
<i>Grevillea linearifolia</i>	White Spider Flower
<i>Grevillea shiressii</i>	Mullet Creek Grevillea
<i>Guioa semiglaucha</i>	Guioa
<i>Gymnostachys anceps</i>	Settlers Flax

PLANTS FOUND ON BUSHWALKS IN KATANDRA RESERVE

BOTANICAL NAME	COMMON NAME
H	
<i>Hakea sericea</i>	Silky Hakea
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia scandens</i>	Golden Guinea Flower
<i>Hibbertia serpyllifolia</i>	Thyme Guinea-Flower
<i>Histiopteris incisa</i>	Batswing Fern
<i>Hydrocotyle peduncularis</i>	Shining Pennywort
<i>Hymenophyllum cupressiforme</i>	Filmy Fern
<i>Hymenosporum flavum</i>	Native Frangi Pani
<i>Hypolepis muelleri</i>	Harsh Ground Fern
I	
<i>Indigofera australis</i>	Austral Indigo
J	
<i>Juncus continuus</i>	A Rush
<i>Juncus subsecundus</i>	Finger Rush
K	
<i>Kennedia rubicunda</i>	Dusky Coral Pea
<i>Kunzea ambigua</i>	Tick Bush
L	
<i>Lambertia formosa</i>	Mountain Devils
<i>Lastreopsis acuminata</i>	Shiny Shield Fern
<i>Lastreopsis decomposita</i>	Trim Shield Fern
<i>Lastreopsis microsora</i> ssp <i>microsora</i>	Creeping Shield Fern
<i>Legnephora moorei</i>	Roundleaf Vine
<i>Lepidosperma concavum</i>	Sword-sedge
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Leucopogon lanceolatus</i>	Lance Beard Heath
<i>Libertia paniculata</i>	Branching Grass-Flag
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Liparis reflexa</i>	Yellow Rock Orchid
<i>Livistona australis</i>	Cabbage Tree Palm
<i>Lobelia dentata</i>	Wavy Lobelia
<i>Lomandra brevis</i>	Tufted Mat-rush
<i>Lomandra filiformis</i> ssp <i>coriacea</i>	Wattle Mat-rush
<i>Lomandra gracilis</i>	Frayed Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia myricoides</i>	River Lomatia
<i>Lycopodiella laterale</i>	Marsh Clubmoss
M	
<i>Malaisia scandens</i>	Burny Vine, Crow Ash
<i>Marsdenia rostrata</i>	Milk Vine/ Doubah Vine
<i>Marsdenia suaveolens</i>	Sweet scented Doubah
<i>Maytenus silvestris</i>	Narrow leaved Orangebark
<i>Melicope micrococca</i>	White Euodia
<i>Melodinus australis</i>	Southern Melodinus
<i>Micrantheum ericoides</i>	Heath Micrantheum

PLANTS FOUND ON BUSHWALKS IN KATANDRA RESERVE

BOTANICAL NAME	COMMON NAME
<i>Microlaena stipoides</i>	Meadow Rice Grass
<i>Microsorum scandens</i>	Fragrant Fern
<i>Mirbelia rubiifolia</i>	Red Mirbelia
<i>Mirbelia speciosa</i>	Showy Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath
<i>Morinda jasminoides</i>	Jasmine Morinda
<i>Muellerina celastroides</i>	Mistletoe
<i>Muellerina eucalyptoides</i>	Mistletoe
N	
<i>Neolitsea dealbata</i>	White Bolly Gum
<i>Notelaea longifolia</i>	Mock Olive
<i>Notelaea venosa</i>	Native Olive
O	
<i>Olearia elliptica</i>	Sticky Daisy Bush
<i>Olearia tomentosa</i>	Toothed Daisy Bush
<i>Omalianthus populifolius</i>	Bleeding Heart
<i>Opercularia aspera</i>	Thin Stink Weed
<i>Opercularia varia</i>	Stinkweed
<i>Oplismenus aemulus</i>	Basket Grass
<i>Oplismenus imbecillis</i>	Basket Grass
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Palmeria scandens</i>	Anchor Vine
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Parsonia straminea</i>	Common Silkpod
<i>Passiflora cinnabarinata</i>	Red Passion Flower
<i>Passiflora herbertiana</i>	Yellow Passion Flower
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Pelargonium inodorum</i>	Wild Geranium
<i>Pellaea falcata</i> var <i>falcata</i>	Sickle Fern
<i>Pellaea falcata</i> var <i>nana</i>	Small Sickle Fern
<i>Pellaea paradoxa</i>	
<i>Persicaria hydropiper</i>	Water Pepper
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Persoonia pinifolia</i>	Pine-leaf Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Phragmites australis</i>	Native Reed
<i>Phyllanthus gasstroemii</i>	Spurge
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Pittosporum revolutum</i>	Rough-fruit Pittosporum
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Planchonella australis</i>	Black Apple/Wild Plum
<i>Platycerium bifurcatum</i>	Elkhorn
<i>Platysace lanceolata</i>	Native Parsnip

PLANTS FOUND ON BUSHWALKS IN KATANDRA RESERVE

BOTANICAL NAME	COMMON NAME
<i>Plectorrhiza tridentata</i>	Tangle Orchid
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Podocarpus elatus</i>	Plum Pine
<i>Polyosma cunninghamii</i>	Featherwood
<i>Polyscias murrayi</i>	Pencil Cedar/Umbrella Tree
<i>Polyscias sambucifolia</i>	Elderberry Panax
<i>Polystichum australiense</i>	Mother Shield Fern
<i>Polystichum proliferum</i>	
<i>Pomaderris sp.</i>	
<i>Pomax umbellata</i>	Pomax
<i>Poranthera microphylla</i>	Small Poranthera
<i>Pratia purpurascens</i>	White Root
<i>Prostanthera linearis</i>	Narrow-leaf Mint Bush
<i>Pseuderanthemum variabile</i>	Pastel Flower
<i>Psilotum nudum</i>	Skeleton Fork Fern
<i>Psychotria loniceroides</i>	Hairy Psychotria
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pteris tremula</i>	Tender Brake
<i>Pterostylis baptistii</i>	King Greenhood
<i>Pterostylis nutans</i>	Nodding Greenhood
<i>Pterostylis parviflora</i>	Baby Greenhood
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea retusa</i>	Blunt Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
<i>Pyrrosia rupestris</i>	Rock Felt Fern

R

<i>Rapanea howittiana</i>	Brush Muttonwood
<i>Rapanea variabilis</i>	Mutton Wood
<i>Restio tetraphyllus</i> ssp <i>meiostachyus</i>	Rush
<i>Rhodamnia rubescens</i>	Scrub Turpentine
<i>Ripogonum fawcettianum</i>	Supplejack
<i>Rubus moluccanus</i> var <i>trilobus</i>	Broad-leaf Bramble
<i>Rubus nebulosus</i>	Bush Lawyer
<i>Rubus rosifolius</i>	Rose-leaf Bramble

S

<i>Sarcopetalum harveyanum</i>	Pearl Vine
<i>Scaevola albida</i>	Pale Fan Flower
<i>Scaevola ramosissima</i>	Snake Flower
<i>Schelhammera undulata</i>	Lilac Lily
<i>Schizomeria ovata</i>	Crabapple
<i>Schoenoplectus mucronatus</i>	Sedge
<i>Senecio linearifolius</i>	Fireweed Groundsel
<i>Sigesbeckia orientalis</i>	Indian-weed
<i>Sloanea australis</i>	Maiden's Blush
<i>Smilax australis</i>	Austral Sarsaparilla
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Solanum aviculare</i>	Kangaroo Apple
<i>Stenocarpus salignus</i>	Scrub Beefwood

PLANTS FOUND ON BUSHWALKS IN KATANDRA RESERVE

BOTANICAL NAME	COMMON NAME
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Styphelia viridis</i>	Green Five Corners
<i>Symplocos thwaitesii</i>	Buff Hazelwood
<i>Syncarpia glomulifera</i>	Turpentine
<i>Synoum glandulosum</i>	Scentless Rosewood
<i>Syzygium australe</i>	Lillypilly, Brush Cherry
<i>Syzygium oleosum</i>	Blue Lilly Pilly
T	
<i>Tasmannia insipida</i>	Pepper Bush
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus tuberosus</i>	Fringe Lily
<i>Todea barbara</i>	King Fern
<i>Toona ciliata</i>	Red Cedar
<i>Trema aspera</i>	Native Peach
<i>Tristaniopsis collina</i>	Hill Water Gum
<i>Trochocarpa laurina</i>	Tree Heath
<i>Typha orientalis</i>	Bull rush; Cumbungi
V	
<i>Veronica plebeia</i>	Speedwell
<i>Viola hederacea</i> ssp <i>hederacea</i>	Native Violet
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell
<i>Wilkiea huegeliana</i>	Wilkiea
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea resinifera</i>	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xanthosia tridentata</i>	Rock Xanthosia
Z	
<i>Zieria smithii</i>	Sandfly Zieria

@ @ @ @ @

Strickland State Forest

This forest is a good example of temperate rain forest. It can be accessed from Mangrove Rd. Narara, and the entrance is near the bridge overpassing the F3 freeway.

PLANTS FOUND ON BUSHWALKS IN STRICKLAND STATE FOREST

BOTANICAL NAME	COMMON NAME
A	
<i>Abrophyllum ornans</i>	Native Hydrangea
<i>Acacia elata</i>	Cedar Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia maidenii</i>	Sally/Maiden's Wattle
<i>Acacia oxycedrus</i>	Spike Wattle
<i>Acacia prominens</i>	Gosford Wattle
<i>Acacia schinoides</i>	
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acmena smithii</i>	Lilly Pilly
<i>Acrotriche divaricata</i>	Ground-berry
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Adiantum formosum</i>	Giant Maidenhair Fern
<i>Adiantum hispidulum</i>	Rough Maidenhair
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Alphitonia excelsa</i>	Red Ash
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora floribunda</i>	Rough-barked Apple
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm
<i>Asplenium attenuatum</i>	
<i>Asplenium australasicum</i>	Bird's Nest Fern
<i>Asplenium polyodon</i>	Sickle Spleenwort
<i>Asterolasia correifolia</i>	Star Bush
<i>Astrotricha latifolia</i>	Broad-leaf Star Hair
B	
<i>Backhousia myrtifolia</i>	Grey Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia robur</i>	Swamp Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Blechnum ambiguum</i>	Water Fern
<i>Blechnum camfieldii</i>	Eared Swamp Fern
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum nudum</i>	Fishbone Water Fern
<i>Boronia ledifolia</i>	Sydney Boronia

PLANTS FOUND ON BUSHWALKS IN STRICKLAND STATE FOREST

BOTANICAL NAME	COMMON NAME
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Brachychiton acerifolius</i>	Flame Tree
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Bulbophyllum exiguum</i>	Mat Orchid
<i>Bulbophyllum shepherdii</i>	Wheat-leaf Orchid
C	
<i>Caleana major</i>	Large Duck Orchid
<i>Callicoma serratifolia</i>	Black Wattle
<i>Calochilus paludosus</i>	Red Beardie
<i>Calochilus robertsonii</i>	Purple Beard Orchid
<i>Calochlaena dubia</i>	False Bracken
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Christella dentata</i>	
<i>Cissus antarctica</i>	Kangaroo Vine
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Clematis aristata</i>	Old Man's Beard
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Correa reflexa</i>	Native Fuchsia
<i>Cryptocarya glaucescens</i>	Jackwood/Brown Beech
<i>Cryptocarya microneura</i>	Murrogon
<i>Cryptocarya obovata</i>	Pepperberry Tree
<i>Cyathea cooperi</i>	Straw Treefern
<i>Cyathea leichhardtiana</i>	Prickly Treefern
<i>Cymbidium suave</i>	Sweet Cymbidium
D	
<i>Davallia pyxidata</i>	Hare's Foot Fern
<i>Dendrobium speciosum</i>	Rock Orchid
<i>Desmodium rhytidophyllum</i>	Rusty Trefoil
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella prunina</i>	
<i>Dillwynia retorta</i> ssp <i>retorta</i>	Eggs and Bacon
<i>Dioscorea transversa</i>	Native Yam
<i>Diospyros australis</i>	Black Plum
<i>Diploglottis australis</i>	Native Tamarind
<i>Dipodium punctatum</i>	Hyacinth Orchid
<i>Dockrillia linguiformis</i>	Tongue Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Doryanthes excelsa</i>	Gymea Lily
<i>Doryphora sassafras</i>	Sassafras
<i>Dracophyllum secundum</i>	Necklace Heath
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
E	
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Empodium minus</i>	Spreading Rope Rush

PLANTS FOUND ON BUSHWALKS IN STRICKLAND STATE FOREST

BOTANICAL NAME	COMMON NAME
<i>Endiandra sieberi</i>	Corkwood
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus punctata</i>	Grey Gum
<i>Eucalyptus saligna</i>	Sydney Blue Gum
<i>Eupomatia laurina</i>	Bolwarra
<i>Eustrephus latifolius</i>	Wombat Berry
F	
<i>Ficus coronata</i>	Sandpaper Fig
<i>Ficus rubiginosa</i>	Port Jackson Fig/Rusty Fig
G	
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Gleichenia rupestris</i>	Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
<i>Gmelina leichhardtii</i>	White Beech
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia ovata</i>	Hop Goodenia
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea linearifolia</i>	White Spider Flower
<i>Grevillea oldei</i>	Olde's Grevillea
<i>Grevillea speciosa</i>	Red Spider Flower
<i>Guioa semiglaucha</i>	Guioa
<i>Gymnostachys anceps</i>	Settlers Flax
H	
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia linearis</i>	Guinea- Flower
<i>Hibbertia scandens</i>	Golden Guinea Flower
<i>Histiopteris incisa</i>	Batswing Fern
<i>Howittia trilocularis</i>	Blue Howittia
<i>Hybanthus monopetalus</i>	Ladies Slipper
I	
<i>Imperata cylindrica</i>	Blady Grass
<i>Isopogon anemonifolius</i>	Yellow Drumstick
K	
<i>Kunzea ambigua</i>	Tick Bush
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals

PLANTS FOUND ON BUSHWALKS IN STRICKLAND STATE FOREST

BOTANICAL NAME	COMMON NAME
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptomeria acida</i>	Native Currant
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Lepyrodia scariosa</i>	Scale Rush
<i>Leucopogon ericoides</i>	Bearded Heath
<i>Lindsaea linearis</i>	Screw Fern
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Liparis reflexa</i>	Yellow Rock Orchid
<i>Livistona australis</i>	Cabbage Tree Palm
<i>Logania albiflora</i>	Narrow-leaf Logania
<i>Lomandra cylindrica</i>	Needle Mat-rush
<i>Lomandra gracilis</i>	Frayed Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra multiflora</i>	Many-flowered Mat-rush
<i>Lomatia myricoides</i>	River Lomatia
<i>Lycopodium deuterodensum</i>	Mountain Club Moss
M	
<i>Micrantheum ericoides</i>	Heath Micrantheum
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Morinda jasminoides</i>	Jasmine Morinda
<i>Muellerina celastroides</i>	Mistletoe
N	
<i>Neolitsea dealbata</i>	White Bolly Gum
<i>Notelaea venosa</i>	Native Olive
O	
<i>Olearia tomentosa</i>	Toothed Daisy Bush
<i>Omalanthus populifolius</i>	Bleeding Heart
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Palmeria scandens</i>	Anchor Vine
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Parsonsia straminea</i>	Common Silkpod
<i>Passiflora herbertiana</i>	Yellow Passion Flower
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Pellaea falcata</i> var <i>falcata</i>	Sickle Fern
<i>Pellaea paradoxa</i>	
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Persoonia pinifolia</i>	Pine-leaf Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Phyllota phylicoides</i>	Heath Phyllota
<i>Pimelea latifolia</i> ssp. <i>hirsuta</i>	
<i>Pimelea linifolia</i> ssp. <i>linifolia</i>	Rice Flower

PLANTS FOUND ON BUSHWALKS IN STRICKLAND STATE FOREST

BOTANICAL NAME	COMMON NAME
<i>Pittosporum revolutum</i>	Rough-fruit Pittosporum
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Planchonella australis</i>	Black Apple/Wild Plum
<i>Platycerium bifurcatum</i>	Elkhorn
<i>Platysace lanceolata</i>	Native Parsnip
<i>Platysace linearifolia</i>	Carrot Tops
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Polyscias murrayi</i>	Pencil Cedar/Umbrella Tree
<i>Polyscias sambucifolia</i>	Elderberry Panax
<i>Pomaderris intermedia</i>	
<i>Pomax umbellata</i>	Pomax
<i>Poranthera microphylla</i>	Small Poranthera
<i>Prostanthera incisa</i> var <i>incisa</i>	Cut-leaf Mint Bush
<i>Prostanthera linearis</i>	Narrow-leaf Mint Bush
<i>Pseuderanthemum variabile</i>	Pastel Flower
<i>Psychotria loniceroidea</i>	Hairy Psychotria
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea elliptica</i>	Wreath Bush-Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
<i>Pyrrosia rupestris</i>	Rock Felt Fern

R

<i>Rapanea howittiana</i>	Brush Muttonwood
<i>Rapanea variabilis</i>	Mutton Wood
<i>Rhodamnia rubescens</i>	Scrub Turpentine
<i>Ripogonum fawcettianum</i>	Supplejack
<i>Rubus moluccanus</i> var <i>trilobus</i>	Broad-leaf Bramble
<i>Rubus nebulosus</i>	Bush Lawyer
<i>Rubus rosifolius</i>	Rose-leaf Bramble

S

<i>Schelhammera undulata</i>	Lilac Lily
<i>Schizaea dichotoma</i>	Branched Comb Fern
<i>Schizomeria ovata</i>	Crabapple
<i>Schoenus melanostachys</i>	Black Bog Rush
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Seringia arborescens</i>	Seringia
<i>Sigesbeckia orientalis</i>	Indian-weed
<i>Sloanea australis</i>	Maiden's Blush
<i>Smilax australis</i>	Austral Sarsaparilla
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Stackhousia viminea</i>	Slender Stackhousia
<i>Stenocarpus salignus</i>	Scrub Beefwood
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Styphelia laeta</i> var <i>latifolia</i>	Five Corners
<i>Syncarpia glomulifera</i>	Turpentine
<i>Synoum glandulosum</i>	Scentless Rosewood

PLANTS FOUND ON BUSHWALKS IN STRICKLAND STATE FOREST

BOTANICAL NAME	COMMON NAME
<i>Syzygium australe</i>	Lillypilly, Brush Cherry
<i>Syzygium oleosum</i>	Blue Lilly Pilly
<i>Syzygium paniculatum</i>	Magenta Cherry
T	
<i>Tasmannia insipida</i>	Pepper Bush
<i>Tetragonea shiresii</i>	Black-eyed Susan
<i>Tetragonea thymifolia</i>	Black-eyed Susan
<i>Todea barbara</i>	King Fern
<i>Toona ciliata</i>	Red Cedar
<i>Tristaniopsis laurina</i>	Water Gum, Kanooka
<i>Trochocarpa laurina</i>	Tree Heath
V	
<i>Viola hederacea</i> ssp <i>hederacea</i>	Native Violet
W	
<i>Wilkiea huegeliana</i>	Wilkiea
X	
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
<i>Xyris gracilis</i> ssp <i>gracilis</i>	Slender Yellow Eye
Z	
<i>Zieria pilosa</i>	Hairy Zieria

@ @ @ @ @

Somersby

There are a number of bushwalks in Somersby, but most of the plants listed below are found on various sections of the Great North Walk, which can be accessed from Reservoir Rd. and Silvesters Rd. This walk can be done in small or large sections and is recommended, especially in late winter and spring.

Somersby is on the edge of Brisbane Water National Park and a visit to Somersby Falls in the park is worthwhile.

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME	COMMON NAME
A	
<i>Abrophyllum ornans</i>	Native Hydrangea
<i>Acacia decurrens</i>	Green Wattle/Black Wattle
<i>Acacia elata</i>	Cedar Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia longifolia</i> var <i>longifolia</i>	Sydney Golden Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia oxycedrus</i>	Spike Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acianthus caudatus</i>	Mayfly Orchid
<i>Acmena smithii</i>	Lilly Pilly
<i>Acrotriche divaricata</i>	Ground-berry
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Allocasuarina littoralis</i>	Black She-Oak
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
<i>Anisopogon avenaceus</i>	Oat Spear Grass
<i>Aristida benthamii</i>	Three-awned Speargrass
<i>Asplenium flabellifolium</i>	Necklace Fern
<i>Astroloma pinifolium</i>	Pine Heath
<i>Austromyrtus tenuifolia</i>	Narrow-leaf Myrtle
<i>Austrostipa pubescens</i>	Tall Speargrass
B	
<i>Baeckea diosmifolia</i>	Diosma Heath-myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia robur</i>	Swamp Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bauera microphylla</i>	River Rose
<i>Bauera rubioides</i>	Soft Twig-rush
<i>Baumea rubiginosa</i>	

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME	COMMON NAME
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Blechnum ambiguum</i>	Water Fern
<i>Blechnum camfieldii</i>	Eared Swamp Fern
<i>Blechnum nudum</i>	Fishbone Water Fern
<i>Blechnum patersonii</i>	Strap Water Fern
<i>Boronia fraseri</i>	Fraser's Boronia
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Boronia serrulata</i>	Native Rose
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea obcordata</i>	Spiny Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Brunoniella pumilio</i>	Dwarf Trumpet
<i>Burchardia umbellata</i>	Milkmaids
 C	
<i>Caesia parviflora</i> var <i>parviflora</i>	Pale Grass Lily
<i>Caladenia catenata</i>	White Caladenia
<i>Caladenia picta</i>	
<i>Caladenia testacea</i>	Honey Caladenia
<i>Calanthe triplicata</i>	Christmas Orchid
<i>Callicoma serratifolia</i>	Black Wattle
<i>Callistemon citrinus</i>	Crimson Bottlebrush
<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Callistemon pinifolius</i>	Green Bottlebrush
<i>Calochilus campestris</i>	Copper Beard Orchid
<i>Calochilus paludosus</i>	Red Beardie
<i>Calochilus robertsonii</i>	Purple Beard Orchid
<i>Casuarina cunninghamiana</i>	River She-Oak
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Caustis recurvata</i> var <i>recurvata</i>	Curly Sedge
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Cheilanthes sieberi</i>	Mulga Fern
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Clematis aristata</i>	Old Man's Beard
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma sphaerocarpum</i>	Broom Milkwort
<i>Comesperma volubile</i>	Love Creeper
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Conospermum tenuifolium</i>	Smokebush; Sprawling Coneseeds
<i>Correa reflexa</i>	Native Fuchsia
<i>Corybas aconitiflorus</i>	Spurred Helmet Orchid
<i>Corybas incurvus</i>	Slaty Helmet Orchid
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Cryptandra amara</i> var <i>amara</i>	Bitter Cryptandra
<i>Cryptandra ericoides</i>	Heath Cryptandra

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME

COMMON NAME

<i>Cryptostylis erecta</i>	Hooded Orchid
<i>Cryptostylis subulata</i>	Large Tongue Orchid
<i>Cyathochaeta diandra</i>	
<i>Cymbidium suave</i>	Sweet Cymbidium
<i>Cyperus polystachyos</i>	Sedge

D

<i>Dampiera stricta</i>	Blue Dampiera
<i>Danthonia tenuior</i>	Wallaby Grass
<i>Darwinia fascicularis</i> ssp <i>fascicularis</i>	Clustered Scent-Myrtle
<i>Dendrobium speciosum</i>	Rock Orchid
<i>Deyeuxia quadriseta</i>	Reed Bent Grass
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dianella prunina</i>	
<i>Dillwynia floribunda</i> var <i>floribunda</i>	Flowery Parrot-Pea
<i>Dillwynia retorta</i> ssp <i>retorta</i>	Eggs and Bacon
<i>Dillwynia sericea</i> ssp. <i>rudis</i>	Parrot Pea
<i>Dillwynia sericea</i>	Showy Parrot Pea
<i>Dipodium variegatum</i>	Slender Hyacinth Orchid
<i>Dodonaea camfieldii</i>	Camfield's Hop Bush
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Doodia caudata</i> var. <i>caudata</i>	Small Rasp Fern
<i>Doryanthes excelsa</i>	Gymea Lily
<i>Dracophyllum secundum</i>	Necklace Heath
<i>Drosera binata</i>	Forked Sundew
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Drosera spathulata</i>	Common Sundew

E

<i>Echinopogon ovatus</i>	Forest Hedgehog Grass
<i>Entolasia stricta</i>	Wiry Panic
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris obtusifolia</i>	Blunt-leaf Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriochilus cucullatus</i>	Parson's Bands
<i>Eucalyptus agglomerata</i>	Blue-leaved Stringybark
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus obtusifolia</i>	Port Jackson Mallee
<i>Eucalyptus piperita</i>	Sydney Peppermint
<i>Eucalyptus sieberi</i>	Silver-Top Ash
<i>Eupomatia laurina</i>	Bolwarra
<i>Eustrephus latifolius</i>	Wombat Berry

G

<i>Gahnia clarkei</i>	Sword Grass
<i>Genoplesium fimbriatum</i>	Fringed Midge Orchid
<i>Gleichenia dicarpa</i>	Pouched Coral Fern

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME

COMMON NAME

<i>Gleichenia rupestris</i>	Coral Fern
<i>Glossodia major</i>	Wax-lip Orchid
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gompholobium pinnatum</i>	Pinnate Wedge-Pea
<i>Gonocarpus micranthus</i> ssp <i>micranthus</i>	Creeping Raspwort
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia ovata</i>	Hop Goodenia
<i>Goodenia paniculata</i>	Branched Goodenia
<i>Grammitis billardieri</i>	Finger Fern
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea caleyi</i>	Fishbone Grevillea
<i>Grevillea sericea</i>	Pink Spider Flower
<i>Grevillea shiressii</i>	Mullet Creek Grevillea
<i>Grevillea speciosa</i>	Red Spider Flower

H

<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea propinqua</i>	Warty Needle-bush
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hemigenia purpurea</i>	Narrow-leaf Hemigenia
<i>Hibbertia acicularis</i>	Prickly Guinea Flower
<i>Hibbertia bracteata</i>	Guinea- Flower
<i>Hibbertia cistiflora</i>	Guinea- Flower
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia linearis</i>	Guinea- Flower
<i>Hibbertia obtusifolia</i>	Grey Guinea Flower
<i>Hovea linearis</i>	Erect Hovea
<i>Hybanthus monopetalus</i>	Ladies Slipper
<i>Hymenophyllum cupressiforme</i>	Filmy Fern

I

<i>Isopogon anemonifolius</i>	Yellow Drumstick
-------------------------------	------------------

J

<i>Juncus planifolius</i>	Broad-leaf Rush
<i>Juncus subsecundus</i>	Finger Rush

K

<i>Kennedia rubicunda</i>	Dusky Coral Pea
<i>Kunzea ambigua</i>	Tick Bush
<i>Kunzea capitata</i>	Pink Buttons

L

<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
-----------------------------	-------------------

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME	COMMON NAME
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Lepidosperma filiforme</i>	Rapier Sedge
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptocarpus tenax</i>	Twine Rush
<i>Leptomeria acida</i>	Native Currant
<i>Leptospermum morrisonii</i>	Tea Tree
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Leptospermum squarrosum</i>	Pink Tea-tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Lepyrodia scariosa</i>	Scale Rush
<i>Leucopogon ericoides</i>	Bearded Heath
<i>Leucopogon esquamatus</i>	Bearded Heath
<i>Leucopogon microphyllus</i>	Small-leaved White-beard
<i>Lindsaea linearis</i>	Screw Fern
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Liparis reflexa</i>	Yellow Rock Orchid
<i>Lobelia alata</i>	Angled Lobelia
<i>Lobelia dentata</i>	Wavy Lobelia
<i>Logania albiflora</i>	Narrow-leaf Logania
<i>Logania pusilla</i>	Tiny Logania
<i>Lomandra cylindrica</i>	Needle Mat-rush
<i>Lomandra filiformis</i> ssp <i>coriacea</i>	Wattle Mat-rush
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra gracilis</i>	Frayed Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra multiflora</i>	Many-flowered Mat-rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia myricoides</i>	River Lomatia
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley
<i>Lycopodiella laterale</i>	Marsh Clubmoss
<i>Lycopodium deuterodensum</i>	Mountain Club Moss
<i>Lyperanthus suaveolens</i>	Brown Beaks

M

<i>Macrozamia communis</i>	Burrawang
<i>Melaleuca quinquenervia</i>	Broad-leaf Paperbark
<i>Melaleuca thymifolia</i>	Thyme Honeymyrtle
<i>Micranthemum ericoides</i>	Heath Micranthemum
<i>Microlaena stipoides</i>	Meadow Rice Grass
<i>Microtis parviflora</i>	Onion Orchid
<i>Mirbelia rubiifolia</i>	Red Mirbelia
<i>Mirbelia speciosa</i>	Showy Mirbelia
<i>Mitrasacme pilosa</i> var <i>pilosa</i>	Mitrewort
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath
<i>Morinda jasminoides</i>	Jasmine Morinda
<i>Muellerina eucalyptoides</i>	Mistletoe

O

<i>Olax stricta</i>	Eastern Olax
---------------------	--------------

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME	COMMON NAME
<i>Opercularia varia</i>	Stinkweed
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Panicum simile</i>	Two Colour Panic
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Pellaea falcata</i> var <i>nana</i>	Small Sickle Fern
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Philotheeca buxifolia</i> ssp <i>obovata</i>	Wax Flower
<i>Philydrum lanuginosum</i>	Frogmouth
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Phyllota phylicoides</i>	Heath Phyllota
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Pittosporum revolutum</i>	Rough-fruit Pittosporum
<i>Platycerium bifurcatum</i>	Elkhorn
<i>Platysace linearifolia</i>	Carrot Tops
<i>Plectorrhiza tridentata</i>	Tangle Orchid
<i>Polyscias sambucifolia</i>	Elderberry Panax
<i>Pomaderris ferruginea</i>	Rusty Pomaderris
<i>Pomaderris lanigera</i>	Woolly Pomaderris
<i>Poranthera ericifolia</i>	Heath Poranthera
<i>Poranthera microphylla</i>	Small Poranthera
<i>Prasophyllum elatum</i>	Tall Leek Orchid
<i>Prostanthera junonis</i>	Somersby Mint Bush
<i>Prostanthera linearis</i>	Narrow-leaf Mint Bush
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pterostylis acuminata</i>	Pointed Greenhood
<i>Pterostylis curta</i>	Blunt Greenhood
<i>Pterostylis erecta</i>	Upright Maroonhood
<i>Pterostylis longifolia</i>	Tall Greenhood
<i>Ptilanthelium deustum</i>	
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
<i>Pyrrosia rupestris</i>	Rock Felt Fern
R	
<i>Rapanea howittiana</i>	Brush Muttonwood
<i>Restio gracilis</i>	A Cord-rush
<i>Restio tetraphyllum</i> ssp <i>meiostachyus</i>	Rush
<i>Ricinocarpos pinifolius</i>	Wedding Bush
S	
<i>Scaevola ramosissima</i>	Snake Flower

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME	COMMON NAME
<i>Schizaea bifida</i>	Forked Comb Fern
<i>Schizaea dichotoma</i>	Branched Comb Fern
<i>Schizaea rupestris</i>	Flat Comb Fern
<i>Schoenus apogon</i>	Common Bog Rush
<i>Schoenus brevifolius</i>	Zig-zag Bog-rush
<i>Schoenus imberbis</i>	Beardless Bog-rush
<i>Schoenus melanostachys</i>	Black Bog Rush
<i>Schoenus paludosus</i>	Bog-Rush
<i>Schoenus turbinatus</i>	Bog Rush
<i>Schoenus villosus</i>	Hairy Bog Rush
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Sowerbaea juncea</i>	Vanilla Plant, Rush Lily
<i>Sphaerolobium minus</i>	Leafless Globe-pea
<i>Sprengelia incarnata</i>	Pink Swamp- Heath
<i>Stackhousia viminea</i>	Slender Stackhousia
<i>Stenocarpus salignus</i>	Scrub Beefwood
<i>Sticherus flabellatus</i>	Umbrella Fern/ Shiny Fan Fern
<i>Stylium graminifolium</i>	Grass Trigger Plant
<i>Stylium productum</i>	Trigger Plant
<i>Styphelia laeta</i> var <i>latifolia</i>	Five Corners
<i>Sympionema paludosum</i>	Swamp Sympionema
<i>Syncarpia glomulifera</i>	Turpentine

T

<i>Tasmannia insipida</i>	Pepper Bush
<i>Telopea speciosissima</i>	Waratah
<i>Tetrahitheca ericifolia</i>	Black-eyed Susan
<i>Thelemitra ixioides</i>	Spotted Sun Orchid
<i>Thelemitra pauciflora</i>	Slender Sun Orchid
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus juncifolius</i>	Fringe Lily
<i>Thysanotus tuberosus</i>	Fringe Lily
<i>Tmesipteris truncata</i>	Fork Fern
<i>Todea barbara</i>	King Fern
<i>Tricoryne simplex</i>	Yellow Rush Lily
<i>Tristania neriifolia</i>	Water Gum
<i>Tristaniopsis laurina</i>	Water Gum, Kanooka
<i>Trochocarpa laurina</i>	Tree Heath

U

<i>Utricularia dichotoma</i>	Bladderwort / Fairies' Aprons
<i>Utricularia laterifolia</i>	Bladderwort

V

<i>Velleia lyrata</i>	Tall Velleia
<i>Viminaria juncea</i>	Native Broom

W

<i>Woollsia pungens</i>	Snow Wreath
-------------------------	-------------

PLANTS FOUND ON BUSHWALKS IN THE SOMERSBY DISTRICT

BOTANICAL NAME	COMMON NAME
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xanthosia tridentata</i>	Rock Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
<i>Xyris gracilis</i> ssp <i>gracilis</i>	Slender Yellow Eye
<i>Xyris juncea</i>	Dwarf Yellow-eye
Z	
<i>Zieria arborescens</i>	Tree Zieria, Stinkwood
<i>Zieria laevigata</i>	Angular Zieria
<i>Zieria pilosa</i>	Hairy Zieria
<i>Zieria smithii</i>	Sandfly Zieria

@ @ @ @ @

Kariong District

There are a number of bushwalks around Kariong. Fire trails into Brisbane Water National Park can be accessed at the end of Milyerra Rd., and Portelli Av. Walks can also be found off Woy Woy Rd.

PLANTS FOUND IN KARIONG DISTRICT BUSHWALKS

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia decurrens</i>	Green Wattle/Black Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia oxycedrus</i>	Spike Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Allocasuarina littoralis</i>	Black She-Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
B	
<i>Baeckea brevifolia</i>	Short- leaf Heath- Myrtle
<i>Baeckea imbricata</i>	Ridged Heath-Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia robur</i>	Swamp Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Boronia fraseri</i>	Fraser's Boronia
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia mollis</i>	Soft Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Boronia rigens</i>	Stiff Boronia
<i>Boronia serrulata</i>	Native Rose
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea obcordata</i>	Spiny Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Bossiaea stephensonii</i>	Large-leaf Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Burchardia umbellata</i>	Milkmaids
C	
<i>Caesia parviflora</i> var <i>parviflora</i>	Pale Grass Lily
<i>Callistemon citrinus</i>	Crimson Bottlebrush
<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Callistemon rigidus</i>	Stiff Bottlebrush

PLANTS FOUND IN KARIONG DISTRICT BUSHWALKS

BOTANICAL NAME	COMMON NAME
<i>Calochilus campestris</i>	Copper Beard Orchid
<i>Calytrix tetragona</i>	Fringe Myrtle
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Caustis pentandra</i>	
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Cheilanthes sieberi</i>	Mulga Fern
<i>Chorizandra cymbalaria</i>	Heron Bristle-Rush
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma sphaerocarpum</i>	Broom Milkwort
<i>Comesperma volubile</i>	Love Creeper
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Correa reflexa</i> (green form)	Native Fuchsia
<i>Corymbia eximia</i>	Yellow Bloodwood
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Cyathochaeta diandra</i>	
 D	
<i>Dampiera stricta</i>	Blue Dampiera
<i>Darwinia fascicularis</i> ssp <i>fascicularis</i>	Clustered Scent-Myrtle
<i>Darwinia glauköphylla</i>	Trailing Scent-Myrtle
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella prunina</i>	
<i>Dillwynia glaberrima</i>	Heath Parrot Pea
<i>Dillwynia retorta</i> ssp <i>peduncularis</i>	Twisted Parrot-Pea
<i>Dillwynia sericea</i> ssp <i>rudis</i>	Parrot Pea
<i>Dillwynia sericea</i>	Showy Parrot Pea
<i>Dodonaea camfieldii</i>	Camfield's Hop Bush
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Drosera spathulata</i>	Common Sundew
 E	
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Empodium minus</i>	Spreading Rope Rush
<i>Entolasia stricta</i>	Wiry Panic
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriochilus cucullatus</i>	Parson's Bands
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus agglomerata</i>	Blue-leaved Stringybark
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus punctata</i>	Grey Gum
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
 G	
<i>Gahnia clarkei</i>	Sword Grass
<i>Gahnia sieberana</i>	Saw Sedge

PLANTS FOUND IN KARIONG DISTRICT BUSHWALKS

BOTANICAL NAME	COMMON NAME
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glossodia minor</i>	Small Wax Lip
<i>Gompholobium glabratum</i>	Dainty Wedge-Pea
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia paniculata</i>	Branched Goodenia
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea sericea</i>	Pink Spider Flower
<i>Grevillea speciosa</i>	Red Spider Flower

H

<i>Haemodorum corymbosum</i>	Rush-leaf Blood Root
<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea propinqua</i>	Warty Needle-bush
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hemigenia purpurea</i>	Narrow-leaf Hemigenia
<i>Hibbertia aspera</i>	Rough Guinea Flower
<i>Hibbertia cistiflora</i>	Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia linearis</i>	Guinea- Flower
<i>Hovea linearis</i>	Erect Hovea

I

<i>Isopogon anemonifolius</i>	Yellow Drumstick
<i>Isopogon anethifolius</i>	Narrow-leaf Drumstick

J

<i>Juncus planifolius</i>	Broad-leaf Rush
---------------------------	-----------------

K

<i>Kunzea ambigua</i>	Tick Bush
<i>Kunzea capitata</i>	Pink Buttons

L

<i>Lambertia formosa</i>	Mountain Devils
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Lepidosperma viscidum</i>	Sword-sedge
<i>Leptocarpus tenax</i>	Twine Rush
<i>Leptomeria acida</i>	Native Currant
<i>Leptospermum juniperinum</i>	Prickly Tea-tree
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Leptospermum squarrosum</i>	Pink Tea-tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Lepyrodia scariosa</i>	Scale Rush
<i>Leucopogon amplexicaulis</i>	Beard-Heath

PLANTS FOUND IN KARIONG DISTRICT BUSHWALKS

BOTANICAL NAME	COMMON NAME
<i>Leucopogon ericoides</i>	Bearded Heath
<i>Leucopogon esquamatus</i>	Bearded Heath
<i>Leucopogon microphyllus</i>	Small-leaved White-beard
<i>Lobelia gibbosa</i>	Tall Lobelia
<i>Lomandra cylindrica</i>	Needle Mat-rush
<i>Lomandra filiformis</i> ssp <i>coriacea</i>	Wattle Mat-rush
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley

M

<i>Marsdenia suaveolens</i>	Sweet scented Doubah
<i>Melaleuca thymifolia</i>	Thyme Honeymyrtle
<i>Micranthemum ericoides</i>	Heath Micranthemum
<i>Mirbelia speciosa</i>	Showy Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath

O

<i>Olax stricta</i>	Eastern Olax
---------------------	--------------

P

<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levis</i>	Smooth Geebung
<i>Persoonia pinifolia</i>	Pine-leaf Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Phebalium squamulosum</i> ssp <i>squamulosum</i>	Scaly Phebalium
<i>Philoteca buxifolia</i> ssp <i>ovata</i>	Wax Flower
<i>Philoteca salsolifolia</i>	Philoteca
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Phyllota phylicoides</i>	Heath Phyllota
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Platysace linearifolia</i>	Carrot Tops
<i>Pomax umbellata</i>	Pomax
<i>Poranthera ericifolia</i>	Heath Poranthera
<i>Prostanthera linearis</i>	Narrow-leaf Mint Bush
<i>Pterostylis daintreana</i>	Daintrey's Greenhood
<i>Ptilanthelium deustum</i>	
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea

R

PLANTS FOUND IN KARIONG DISTRICT BUSHWALKS

BOTANICAL NAME

COMMON NAME

Restio dimorphus
Restio fastigiatus
Restio tetraphyllus ssp *meiostachyus*
Ricinocarpos pinifolius

Cord Rush
 Tassel Rush
 Rush
 Wedding Bush

S

Scaevola ramosissima
Schizaea bifida
Schoenus imberbis
Selaginella uliginosa
Smilax glyciphylla
Sowerbaea juncea
Sprengelia incarnata
Stackhousia viminea
Sticherus flabellatus
Styphelia laeta var *latifolia*
Styphelia tubiflora

Snake Flower
 Forked Comb Fern
 Beardless Bog-rush
 Swamp Selaginella
 Sweet Sarsaparilla
 Vanilla Plant, Rush Lily
 Pink Swamp- Heath
 Slender Stackhousia
 Umbrella Fern/Shiny Fan Fern
 Five Corners
 Red Five Corners

T

Telopea speciosissima
Tetratheca ericifolia
Tetratheca shiresii
Tetratheca thymifolia
Thelymitra ixioides

Waratah
 Black-eyed Susan
 Black-eyed Susan
 Black-eyed Susan
 Spotted Sun Orchid

V

Velleia lyrata
Viminaria juncea

Tall Velleia
 Native Broom

W

Wahlenbergia stricta
Wilkiea huegeliana
Woollsia pungens

Tall Bluebell
 Wilkiea
 Snow Wreath

X

Xanthosia pilosa
Xanthosia tridentata
Xylomelum pyriforme

Woolly Xanthosia
 Rock Xanthosia
 Woody Pear

Z

Zieria laevigata

Angular Zieria

@ @ @ @ @

Woy Woy Bays

The best access to this area is a fire trail on the northern side of Woy Woy Rd. near the 60 speed limit sign, about 100m. from the Woy Woy Bay turn off.

PLANTS FOUND ON BUSHWALKS AROUND THE WOY WOY BAYS

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia echinula</i>	Hooked Wattle
<i>Acacia elata</i>	Cedar Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acianthus fornicatus</i>	Pixie Orchid
<i>Acmena smithii</i>	Lilly Pilly
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Aegiceras corniculatum</i>	River Mangrove
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Allocasuarina verticillata</i>	Drooping She-Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
<i>Archontophoenix cunninghamiana</i>	Bangalow Palm
<i>Asplenium flabellifolium</i>	Necklace Fern
<i>Asterolasia correifolia</i>	Star Bush
<i>Austromyrtus tenuifolia</i>	Narrow-leaf Myrtle
<i>Avicennia marina</i> var <i>australisica</i>	Grey Mangrove
B	
<i>Backhousia myrtifolia</i>	Grey Myrtle
<i>Baeckea linifolia</i>	Swamp Baeckea
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Banksia spinulosa</i> var <i>spinulosa</i>	Hairpin Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum wattsii</i>	Hard Water Fern
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea obcordata</i>	Spiny Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Bursaria spinosa</i>	Blackthorn

PLANTS FOUND ON BUSHWALKS AROUND THE WOY WOY BAYS

BOTANICAL NAME	COMMON NAME
C	
<i>Callicoma serratifolia</i>	Black Wattle
<i>Callistemon citrinus</i>	Crimson Bottlebrush
<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Calochlaena dubia</i>	False Bracken
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Cayratia clematidea</i>	Slender Grape
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Clematis aristata</i>	Old Man's Beard
<i>Clematis glycinoides</i>	Forest Clematis
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma volubile</i>	Love Creeper
<i>Commelina cyanea</i>	Scurvy Weed
<i>Commersonia fraseri</i>	Brush Kurrajong
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Correa reflexa</i>	Native Fuchsia
<i>Correa reflexa</i> (green form)	Native Fuchsia
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Crowea saligna</i>	Lance-leaf Crowea
<i>Cryptostylis erecta</i>	Hooded Orchid
<i>Cymbopogon refractus</i>	Barbed Wire Grass
D	
<i>Dampiera stricta</i>	Blue Dampiera
<i>Davallia pyxidata</i>	Hare's Foot Fern
<i>Desmodium brachypodium</i>	Collared Tic-Trefoil
<i>Desmodium varians</i>	Variable Tic-trefoil
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dichondra repens</i>	Kidney Weed
<i>Dillwynia floribunda</i> var <i>floribunda</i>	Flowery Parrot-Pea
<i>Dillwynia glaberrima</i>	Heath Parrot Pea
<i>Dipodium roseum</i>	Rosy Hyacinth Orchid
<i>Dipodium variegatum</i>	Slender Hyacinth Orchid
<i>Dockrillia linguiformis</i>	Tongue Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Drosera spathulata</i>	Common Sundew
<i>Duboisia myoporoides</i>	Corkwood
E	
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Epacris longiflora</i>	Native Fuchsia
<i>Epacris pulchella</i>	NSW Coral Heath

PLANTS FOUND ON BUSHWALKS AROUND THE WOY WOY BAYS

BOTANICAL NAME	COMMON NAME
<i>Epacris purpurascens</i> var <i>purpurascens</i>	Port Jackson Heath
<i>Eriochilus cucullatus</i>	Parson's Bands
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eustrephus latifolius</i>	Wombat Berry
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
G	
<i>Gahnia sieberana</i>	Saw Sedge
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Gleichenia rupestris</i>	Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gonocarpus teucroides</i>	Raspwort
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia ovata</i>	Hop Goodenia
<i>Goodenia paniculata</i>	Branched Goodenia
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea linearifolia</i>	White Spider Flower
<i>Grevillea sericea</i>	Pink Spider Flower
<i>Grevillea speciosa</i>	Red Spider Flower
H	
<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hemigenia purpurea</i>	Narrow-leaf Hemigenia
<i>Hibbertia aspera</i>	Rough Guinea Flower
<i>Hibbertia bracteata</i>	Guinea-Flower
<i>Hibbertia cistiflora</i>	Guinea-Flower
<i>Hibbertia dentata</i>	Twining Guinea-Flower
<i>Hibbertia diffusa</i>	Wedge Guinea-Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea-Flower
<i>Hibbertia linearis</i>	Guinea- Flower
<i>Hibbertia obtusifolia</i>	Grey Guinea Flower
<i>Hibbertia scandens</i>	Golden Guinea Flower
<i>Hibbertia virgata</i>	Twiggy Guinea Flower
<i>Hovea linearis</i>	Erect Hovea
<i>Hybanthus monopetalus</i>	Ladies Slipper
<i>Hydrocotyle peduncularis</i>	Shining Pennywort
<i>Hypericum gramineum</i>	Small St John's Wort
J	
<i>Juncus planifolius</i>	Broad-leaf Rush
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy

PLANTS FOUND ON BUSHWALKS AROUND THE WOY WOY BAYS

BOTANICAL NAME	COMMON NAME
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Leptomeria acida</i>	Native Currant
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Leptospermum squarrosum</i>	Pink Tea-tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Lindsaea linearis</i>	Screw Fern
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Liparis reflexa</i>	Yellow Rock Orchid
<i>Litsea reticulata</i>	Bolly Gum
<i>Lobelia alata</i>	Angled Lobelia
<i>Lobelia dentata</i>	Wavy Lobelia
<i>Logania albiflora</i>	Narrow-leaf Logania
<i>Lomandra confertifolia</i> ssp <i>rubiginosa</i>	Slender Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley

M

<i>Macrozamia communis</i>	Burrawang
<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle
<i>Mirbelia rubiifolia</i>	Red Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca elliptica</i>	Broom Heath / Pigeon Berry
<i>Monotoca scoparia</i>	Prickly Broom-heath
<i>Morinda jasminoides</i>	Jasmine Morinda
<i>Muellerina eucalyptoides</i>	Mistletoe

O

<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush

P

<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Parsonsia straminea</i>	Common Silkpod
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Phebalium squamulosum</i> ssp <i>squamulosum</i>	Scaly Phebalium
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Phyllota phylloides</i>	Heath Phyllota
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Platycerium bifurcatum</i>	Elkhorn
<i>Platysace lanceolata</i>	Native Parsnip
<i>Platysace linearifolia</i>	Carrot Tops
<i>Polyscias sambucifolia</i>	Elderberry Panax

PLANTS FOUND ON BUSHWALKS AROUND THE WOY WOY BAYS

BOTANICAL NAME	COMMON NAME
----------------	-------------

<i>Pomax umbellata</i>	Pomax
<i>Prasophyllum flavum</i>	Yellow Leek Orchid
<i>Prostanthera linearis</i>	Narrow-leaf Mint Bush
<i>Pseuderanthemum variabile</i>	Pastel Flower
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pteris tremula</i>	Tender Brake
<i>Pterostylis curta</i>	Blunt Greenhood
<i>Pterostylis daintreana</i>	Daintrey's Greenhood
<i>Pterostylis erecta</i>	Upright Maroonhood
<i>Pterostylis grandiflora</i>	Superb Greenhood
<i>Pterostylis longifolia</i>	Tall Greenhood
<i>Pterostylis nutans</i>	Nodding Greenhood
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
<i>Pultenaea stipularis</i>	Fine-leaf Bush Pea

R

<i>Rapanea howittiana</i>	Brush Muttonwood
<i>Rubus moluccanus</i> var <i>trilobus</i>	Broad-leaf Bramble

S

<i>Samolus repens</i>	Creeping Brookweed
<i>Schelhammera undulata</i>	Lilac Lily
<i>Schizaea bifida</i>	Forked Comb Fern
<i>Schizaea rupestris</i>	Flat Comb Fern
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Smilax australis</i>	Austral Sarsaparilla
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Stackhousia monogyna</i>	Candles
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Stylium graminifolium</i>	Grass Trigger Plant
<i>Stylium lineare</i>	Heath Trigger-Plant
<i>Stylium productum</i>	Trigger Plant
<i>Syncarpia glomulifera</i>	Turpentine
<i>Synoum glandulosum</i>	Scentless Rosewood
<i>Syzygium oleosum</i>	Blue Lilly Pilly

T

<i>Tetragonia tetragonoides</i>	Warrigal Cabbage
<i>Tetratheca shiresii</i>	Black-eyed Susan
<i>Thelymitra ixioides</i>	Spotted Sun Orchid
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus juncifolius</i>	Fringe Lily
<i>Thysanotus tuberosus</i>	Fringe Lily
<i>Tylophora barbata</i>	Bearded Tylophora

V

<i>Velleia spathulata</i>	Wild Pansy
---------------------------	------------

PLANTS FOUND ON BUSHWALKS AROUND THE WOY WOY BAYS

BOTANICAL NAME	COMMON NAME
<i>Veronica plebeia</i>	Speedwell
<i>Viminaria juncea</i>	Native Broom
<i>Viola hederacea</i> ssp <i>hederacea</i>	Native Violet
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell
<i>Wikstroemia indica</i>	Wikstroemia
<i>Woollsia pungens</i>	Snow Wreath
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia

@@@ @ @

Davistown Waterfronts

PLANTS FOUND AROUND DAVISTOWN & SARATOGA WATERFRONTS

BOTANICAL NAME	COMMON NAME
A <i>Aegiceras corniculatum</i> <i>Amyema congener</i> ssp <i>congener</i> <i>Avicennia marina</i> var <i>australisica</i>	River Mangrove Mistletoe Grey Mangrove
B <i>Banksia integrifolia</i>	Coast Banksia
C <i>Cakile edentula</i> <i>Callistemon salignus</i> <i>Carpobrotus glaucescens</i> <i>Casuarina glauca</i> <i>Cotula coronopifolia</i>	Sea Rocket Willow Bottlebrush Pig Face Swamp Oak Water Buttons
E <i>Enchytraea tomentosa</i> <i>Eucalyptus robusta</i>	Ruby Saltbush Swamp Mahogany
F <i>Ficus rubiginosa</i>	Port Jackson Fig/Rusty Fig
H <i>Hydrocotyle bonariensis</i>	Pennywort, Kurnell Curse
I <i>Isolepis nodosa</i>	Knobby Club-rush
J <i>Juncus kraussii</i> ssp <i>australiensis</i>	Sea Rush
L <i>Lobelia alata</i>	Angled Lobelia
M <i>Melaleuca armillaris</i> <i>Melaleuca ericifolia</i> <i>Melaleuca linariifolia</i> <i>Melaleuca nodosa</i> <i>Melaleuca quinquenervia</i> <i>Melaleuca styphelioides</i> <i>Myoporum acuminatum</i>	Bracelet Honey-myrtle Swamp Paperbark Snow-in-Summer Prickly-leaf Paperbark Broad-leaf Paperbark Prickly-leaf Paperbark Northern Boobialla
N <i>Notelaea ovata</i>	Netted Mock-Olive
O <i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea

PLANTS FOUND AROUND DAVISTOWN & SARATOGA WATERFRONTS

BOTANICAL NAME	COMMON NAME
S	
<i>Samolus repens</i>	Creeping Brookweed
<i>Sarcocornia quinqueflora</i>	Samphire, Glasswort
<i>Scaevola calendulacea</i>	Scented Fan Flower
<i>Selliera radicans</i>	Swamp Weed
<i>Sesuvium portulacastrum</i>	Sea Purslane
<i>Sporobolus virginicus</i>	Sand Couch, Salt Grass
<i>Suaeda australis</i>	Seablite
T	
<i>Tetragonia tetragonoides</i>	Warrigal Cabbage

@ @ @ @ @

Wyrrabalong (South) National Park

Crackneck Lookout

Getting there: Travel north along the Entrance Road past Forresters Beach and onto Bateau Bay. At the Bateau Bay Rd traffic lights take the right turn into Bateau Bay Rd and after one Km turn right into Rushby Street. There you'll be able to park near a picnic area, Bruce Burgis Park, overlooking Bateau Bay Beach. Here you could have morning tea before you set off. It would also be a great spot for some lunch after your walk.

Alternatively, you can drive up Hilltop St. and park at Crackneck Lookout, starting your walk from there.

The best section is from Crackneck L.O. south to the viewing seat.


Description: A sign will indicate the start of the walk where you'll be walking south following the coast line into Wyrrabalong National Park. Pause for a short photo stop at Crackneck Lookout. Walk on south to Wyrrabalong Lookout. Return the same way, but there is always something different to see.

Distance: From car park to Crackneck Lookout is about 1.25km and another 1.75km to Wyrrabalong Lookout. Length 3km with a total of 6km for the return walk.

Duration: Just walking briskly the walk should take you less than 2 hours. But this walk has great views of the coast to admire and some interesting and varied flora to photograph and study so you will need to allow at least an extra hour.

Degree of difficulty: This is not a demanding walk and is to be enjoyed.

Best time: Spring is possibly the best time especially for Flannel Flowers which are normally spectacular.



PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP SOUTH

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia longifolia</i> var <i>longifolia</i>	Sydney Golden Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia stricta</i>	Hop Wattle, Straight Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Aciyanthus fornicatus</i>	Pixie Orchid
<i>Acrotriche divaricata</i>	Ground-berry
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP SOUTH

BOTANICAL NAME	COMMON NAME
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora floribunda</i>	Rough-barked Apple
<i>Aotus ericoides</i>	Common Aotus
<i>Astroloma humifusum</i>	Cranberry Heath
<i>Astroloma pinifolium</i>	Pine Heath
<i>Avicennia marina</i> var <i>australisica</i>	Grey Mangrove
B	
<i>Banksia aemula</i>	Wallum Banksia
<i>Banksia integrifolia</i>	Coast Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Boronia polygalifolia</i>	Milkwort Boronia
<i>Bossiaea ensata</i>	Sword Bossiaea
<i>Bossiaea heterophylla</i>	Variable Bossiaea
<i>Bossiaea prostrata</i>	
<i>Bossiaea scolopendria</i>	Broom Bossiaea
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Brachyscome angustifolia</i>	Grassland Daisy
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Brunoniella pumilio</i>	Dwarf Trumpet
C	
<i>Caladenia carnea</i>	Pink Fingers
<i>Caladenia catenata</i>	White Caladenia
<i>Caleana major</i>	Large Duck Orchid
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Clematis glycinoides</i>	Forest Clematis
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma volubile</i>	Love Creeper
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Correa reflexa</i>	Native Fuchsia
<i>Correa reflexa</i> (green form)	Native Fuchsia
<i>Corymbia eximia</i>	Yellow Bloodwood
<i>Corymbia maculata</i>	Spotted Gum
<i>Craspedia variabilis</i>	Billy Buttons
<i>Cymbidium suave</i>	Sweet Cymbidium
D	
<i>Dampiera purpurea</i>	Mountain Dampiera
<i>Dampiera stricta</i>	Blue Dampiera
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Dendrophthoe vitellina</i>	Mistletoe
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP SOUTH

BOTANICAL NAME	COMMON NAME
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dillwynia glaberrima</i>	Heath Parrot Pea
<i>Dillwynia retorta</i> ssp <i>retorta</i>	Eggs and Bacon
<i>Dipodium punctatum</i>	Hyacinth Orchid
<i>Diuris aurea</i>	Golden Donkey Orchid
<i>Diuris sulphurea</i>	Tiger Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Duboisia myoporoides</i>	Corkwood
E	
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Empodium minus</i>	Spreading Rope Rush
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eupomatia laurina</i>	Bolwarra
<i>Eustrephus latifolius</i>	Wombat Berry
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
G	
<i>Gahnia sieberana</i>	Saw Sedge
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Geranium solanderi</i>	Cutleaf Cranesbill
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gonocarpus teucridooides</i>	Raspwort
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia paniculata</i>	Branched Goodenia
H	
<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Helichrysum scorpioides</i>	Curling Everlasting
<i>Hibbertia bracteata</i>	Guinea- Flower
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia fasciculata</i>	Bundled Guinea-Flower
<i>Hibbertia linearis</i>	Guinea- Flower
<i>Hibbertia obtusifolia</i>	Grey Guinea Flower
<i>Hibbertia riparia</i>	Guinea Flower
<i>Hibbertia scandens</i>	Golden Guinea Flower
<i>Hovea linearis</i>	Erect Hovea

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP SOUTH

BOTANICAL NAME	COMMON NAME
<i>Hybanthus monopetalus</i>	Ladies Slipper
<i>Hypolaena fastigiata</i>	Tassel Rope-rush
<i>Hypoxis hygrometrica</i>	Yellow Stars
I	
<i>Isopogon anemonifolius</i>	Yellow Drumstick
<i>Isopogon anethifolius</i>	Narrow-leaf Drumstick
J	
<i>Jacksonia scoparia</i>	Dogwood
K	
<i>Kennedia rubicunda</i>	Dusky Coral Pea
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Laxmannia gracilis</i>	Wire Lily
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptospermum laevigatum</i>	Coastal Tea -tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Leucopogon ericoides</i>	Bearded Heath
<i>Lindsaea linearis</i>	Screw Fern
<i>Lissanthe strigosa</i>	Native Cranberry
<i>Lobelia gracilis</i>	Trailing Lobelia
<i>Lomandra confertifolia</i> ssp <i>rubiginosa</i>	Slender Mat-rush
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra multiflora</i>	Many-flowered Mat-rush
M	
<i>Macrozamia communis</i>	Burrawang
<i>Malaisia scandens</i>	Burny Vine, Crow Ash
<i>Marsdenia rostrata</i>	Milk Vine/ Doubah Vine
<i>Melaleuca nodosa</i>	Prickly-leaf Paperbark
<i>Melichrus procumbens</i>	Jam Tarts
<i>Microtis parviflora</i>	Onion Orchid
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca elliptica</i>	Broom Heath / Pigeon Berry
<i>Monotoca scoparia</i>	Prickly Broom-heath
O	
<i>Olax stricta</i>	Eastern Olax
<i>Omalianthus populifolius</i>	Bleeding Heart
<i>Opercularia aspera</i>	Thin Stink Weed
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Pandorea pandorana</i>	Wonga Wonga Vine

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP SOUTH

BOTANICAL NAME	COMMON NAME
<i>Parsonia straminea</i>	Common Silkpod
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Platylobium formosum</i>	Handsome Flat-Pea
<i>Platysace linearifolia</i>	Carrot Tops
<i>Polymeria calycina</i>	Swamp Bindweed
<i>Polyscias sambucifolia</i>	Elderberry Panax
<i>Pomaderris ferruginea</i>	Rusty Pomaderris
<i>Pomaderris lanigera</i>	Woolly Pomaderris
<i>Pomax umbellata</i>	Pomax
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pterostylis daintreana</i>	Daintrey's Greenhood
<i>Pterostylis nutans</i>	Nodding Greenhood
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea retusa</i>	Blunt Bush-Pea
<i>Pultenaea villosa</i>	Bronze Bush-Pea
R	
<i>Rapanea variabilis</i>	Mutton Wood
<i>Ricinocarpos pinifolius</i>	Wedding Bush
S	
<i>Scaevola ramosissima</i>	Snake Flower
<i>Schizaea dichotoma</i>	Branched Comb Fern
<i>Senecio linearifolius</i>	Fireweed Groundsel
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Stylium graminifolium</i>	Grass Trigger Plant
<i>Styphelia viridis</i>	Green Five Corners
<i>Syncarpia glomulifera</i>	Turpentine
<i>Syzygium paniculatum</i>	Magenta Cherry
T	
<i>Tetratheca ericifolia</i>	Black-eyed Susan
<i>Tetratheca thymifolia</i>	Black-eyed Susan
<i>Themeda australis</i>	Kangaroo Grass
<i>Trema aspera</i>	Native Peach
V	
<i>Villarsia exaltata</i>	Yellow Marsh Flower
<i>Viola betonicifolia</i>	Purple Violet
<i>Viola hederacea</i> ssp <i>hederacea</i>	Native Violet
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell
<i>Wikstroemia indica</i>	Wikstroemia

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP SOUTH

BOTANICAL NAME	COMMON NAME
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthorrhoea resinifera</i>	Grass Tree
<i>Xanthorrhoea</i> sp.	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xanthosia tridentata</i>	Rock Xanthosia
Z	
<i>Zieria smithii</i>	Sandfly Zieria

@ @ @ @ @

Wyrrabalong (North) National Park

Red Gum, Burrawang & Lillypilly Loop Trails.

Getting There: About 7km north of The Entrance Bridge you will see a small parking area with a large information board. This is the entrance for circuits leading to the rainforest and also to the rim of the main sand dune with viewing platforms across Tuggerah Lake. Circuits are colour-coded.

Description: North Wyrrabalong National Park is a beautiful area of littoral rainforest (i.e. forest growing on coastal dunes), gnarled Sydney red gums, *Angophora costata* and cycads *Macrozamia communis*, with an understorey of colourful wild flowers. The best of the littoral rainforest, with its canopy of corkwoods and cabbage tree palms can be seen from the Lillypilly Loop Trail. From July to September, the Red Gum Trail offers a wonderful display of wildflowers.


Distance: The Burrawang Trail is 1.3km and returning via the Red Gum Trail adds another 2.3km. The Lillypilly Loop is 4.6km long.

Duration: Red Gum and Burrawang circuit: 1 to 2 hours.

Lillypilly Loop: 2 hours return.

Degree of Difficulty: Easy, though in places, soft sand can be tiring on the uphill sides of the dunes. On the Lillypilly Loop, some of it has been made easier with a boardwalk.

Best Time: July - October for an incredible variety of flowers, summer for the new bark on the magnificent red gums, or any time for the littoral rainforest, the views and this whole unique sand peninsula.



PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME

COMMON NAME

A

Acacia decurrens	Green Wattle/Black Wattle
Acacia elata	Cedar Wattle
Acacia elongata	Swamp Wattle
Acacia falcata	Sickle Wattle
Acacia implexa	Hickory Wattle
Acacia irrorata var irrorata	Green Wattle
Acacia longifolia var longifolia	Sydney Golden Wattle
Acacia maidenii	Sally/Maiden's Wattle
Acacia myrtifolia	Myrtle Wattle
Acacia parramattensis	Green Wattle
Acacia sophorae	Coastal Wattle
Acacia suaveolens	Sweet-scented Wattle
Acacia terminalis	Sunshine Wattle
Acacia ulicifolia	Prickly Moses

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME	COMMON NAME
<i>Acianthus fornicatus</i>	Pixie Orchid
<i>Acmena smithii</i>	Lilly Pilly
<i>Acronychia oblongifolia</i>	Common Acronychia
<i>Acronychia wilcoxiana</i>	Silver Aspen
<i>Actinotus helianthi</i>	Flannel Flower
<i>Alectryon subcinereus</i>	Native Quince
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Allocasuarina littoralis</i>	Black She-Oak
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Alphitonia excelsa</i>	Red Ash
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora bakeri</i>	Narrow-leaved Apple
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora floribunda</i>	Rough-barked Apple
<i>Aotus ericoides</i>	Common Aotus
<i>Asterolasia correifolia</i>	Star Bush
<i>Astroloma pinifolium</i>	Pine Heath
<i>Astrotricha longifolia</i>	Long-leaf Star Hair
 B	
<i>Backhousia myrtifolia</i>	Grey Myrtle
<i>Banksia aemula</i>	Wallum Banksia
<i>Banksia integrifolia</i>	Coast Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia robur</i>	Swamp Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bauera rubioides</i>	River Rose
<i>Baumea juncea</i>	Twig-rush
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blandfordia grandiflora</i>	Christmas Bells
<i>Blechnum camfieldii</i>	Eared Swamp Fern
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum indicum</i>	Bungwall Fern
<i>Boronia parviflora</i>	Swamp Boronia
<i>Boronia polygalifolia</i>	Milkwort Boronia
<i>Bossiaea ensata</i>	Sword Bossiaea
<i>Bossiaea heterophylla</i>	Variable Bossiaea
<i>Bossiaea rhombifolia</i>	Appressed Bossiaea
<i>Bossiaea scolopendria</i>	Broom Bossiaea
<i>Bossiaea stephensonii</i>	Large-leaf Bossiaea
<i>Brachychiton acerifolius</i>	Flame Tree
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Brachyscome angustifolia</i>	Grassland Daisy
<i>Brachyscome multifida</i>	Cut-leaf Daisy
<i>Bracteantha elata</i>	Tall Everlasting
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Burchardia umbellata</i>	Milkmaids
 C	
<i>Caesia parviflora</i> var <i>vittata</i>	Blue Grass Lily

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME	COMMON NAME
<i>Caladenia caerulea</i>	Blue Caladenia
<i>Caladenia carnea</i>	Pink Fingers
<i>Calanthe triplicata</i>	Christmas Orchid
<i>Caleana minor</i>	Small Duck Orchid
<i>Callicoma serratifolia</i>	Black Wattle
<i>Callistemon citrinus</i>	Crimson Bottlebrush
<i>Callistemon linearis</i>	Narrow-leaf Bottlebrush
<i>Callistemon pinifolius</i>	Green Bottlebrush
<i>Callitris rhomboidea</i>	Port Jackson Cypress
<i>Calochlaena dubia</i>	False Bracken
<i>Calystegia sepium</i>	Bindweed
<i>Calytrix tetragona</i>	Fringe Myrtle
<i>Canavalia maritima</i>	Beach Bean
<i>Carex appressa</i>	Tall Sedge
<i>Carpobrotus glaucescens</i>	Pig Face
<i>Cassine australis</i> var <i>australis</i>	Olive Wood
<i>Cassinia aculeata</i>	Dogwood, Dolly Bush
<i>Cassinia quinquefaria</i>	Cough Bush
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Casuarina glauca</i>	Swamp Oak
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Cayratia clematidea</i>	Slender Grape
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Chorizema parviflorum</i>	Eastern Chorizema
<i>Cissus antarctica</i>	Kangaroo Vine
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Clematis aristata</i>	Old Man's Beard
<i>Clematis glycinoides</i>	Forest Clematis
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Commelina cyanea</i>	Scurvy Weed
<i>Conospermum ellipticum</i>	Coneseeds (broad leaf form)
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum tenuifolium</i>	Smokebush; Sprawling Coneseeds
<i>Correa alba</i>	White Correa
<i>Correa reflexa</i>	Native Fuchsia
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Crinum pedunculatum</i>	Swamp Lily
<i>Crowea saligna</i>	Lance-leaf Crowea
<i>Cupaniopsis anacardioides</i>	Tuckeroo
<i>Cuscuta australis</i>	Dodder
<i>Cyperus polystachyos</i>	Sedge

D

Dampiera purpurea
Daviesia ulicifolia
Dendrobium speciosum
Desmodium rhytidophyllum

Mountain Dampiera
Gorse Bitter Pea
Rock Orchid
Rusty Trefoil

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME	COMMON NAME
<i>Desmodium varians</i>	Variable Tic-trefoil
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dichelachne crinita</i>	Longhair Plume Grass
<i>Dillwynia glaberrima</i>	Heath Parrot Pea
<i>Dillwynia retorta</i> ssp <i>peduncularis</i>	Twisted Parrot-Pea
<i>Dillwynia retorta</i> ssp <i>retorta</i>	Eggs and Bacon
<i>Dillwynia sericea</i>	Showy Parrot Pea
<i>Diuris aurea</i>	Golden Donkey Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Duboisia myoporoides</i>	Corkwood
 E	
<i>Elaeocarpus obovatus</i>	Hard Quandong
<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Endiandra sieberi</i>	Corkwood
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris obtusifolia</i>	Blunt-leaf Heath
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus botryoides</i>	Bangalay
<i>Eucalyptus pilularis</i>	Blackbutt
<i>Eucalyptus piperita</i>	Sydney Peppermint
<i>Eucalyptus robusta</i>	Swamp Mahogany
<i>Eucalyptus tereticornis</i>	Forest Red Gum
<i>Euroschinus falcata</i>	Cudgerie
<i>Eustrephus latifolius</i>	Wombat Berry
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
 F	
<i>Ficus coronata</i>	Sandpaper Fig
<i>Ficus fraseri</i>	Sandpaper Fig
 G	
<i>Gahnia aspera</i>	Saw Sedge
<i>Gahnia clarkei</i>	Sword Grass
<i>Gahnia sieberana</i>	Saw Sedge
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glossodia minor</i>	Small Wax Lip
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia ovata</i>	Hop Goodenia
<i>Goodenia stelligera</i>	Spike Goodenia
<i>Goodenia stephensonii</i>	Stephenson's Goodenia
<i>Grevillea sericea</i>	Pink Spider Flower
<i>Grevillea speciosa</i>	Red Spider Flower
<i>Guioa semiglauca</i>	Guioa

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME	COMMON NAME
H	
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea sericea</i>	Silky Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Helichrysum scorpioides</i>	Curling Everlasting
<i>Hibbertia acicularis</i>	Prickly Guinea Flower
<i>Hibbertia diffusa</i>	Wedge Guinea-Flower
<i>Hibbertia fasciculata</i>	Bundled Guinea-Flower
<i>Hibbertia linearis</i>	Guinea-Flower
<i>Hibbertia obtusifolia</i>	Grey Guinea Flower
<i>Hibbertia riparia</i>	Guinea Flower
<i>Hovea linearis</i>	Erect Hovea
<i>Hovea purpurea</i>	Velvet Hovea
<i>Hybanthus monopetalus</i>	Ladies Slipper
I	
<i>Indigofera australis</i>	Austral Indigo
<i>Isolepis nodosa</i>	Knobby Club-rush
<i>Isopogon anemonifolius</i>	Yellow Drumstick
<i>Isopogon anethifolius</i>	Narrow-leaf Drumstick
J	
<i>Juncus kraussii ssp australiensis</i>	Sea Rush
K	
<i>Kennedia rubicunda</i>	Dusky Coral Pea
<i>Kunzea ambigua</i>	Tick Bush
<i>Kunzea capitata</i>	Pink Buttons
L	
<i>Lambertia formosa</i>	Mountain Devils
<i>Laxmannia gracilis</i>	Wire Lily
<i>Leptospermum juniperinum</i>	Prickly Tea-tree
<i>Leptospermum laevigatum</i>	Coastal Tea -tree
<i>Leucopogon ericoides</i>	Bearded Heath
<i>Leucopogon parviflorus</i>	Coast Beard- Heath
<i>Leucopogon virgatus</i>	Beard-Heath
<i>Litsea reticulata</i>	Bolly Gum
<i>Livistona australis</i>	Cabbage Tree Palm
<i>Lobelia alata</i>	Angled Lobelia
<i>Lomandra confertifolia ssp rubiginosa</i>	Slender Mat-rush
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia ssp longifolia</i>	Spiny Mat Rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lyperanthus suaveolens</i>	Brown Beaks
M	
<i>Macrozamia communis</i>	Burrawang
<i>Marsdenia rostrata</i>	Milk Vine/ Doubah Vine
<i>Marsdenia suaveolens</i>	Sweet scented Doubah

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME	COMMON NAME
<i>Melaleuca nodosa</i>	Prickly-leaf Paperbark
<i>Melaleuca quinquenervia</i>	Broad-leaf Paperbark
<i>Melaleuca styphelioides</i>	Prickly-leaf Paperbark
<i>Melaleuca thymifolia</i>	Thyme Honeymyrtle
<i>Mirbelia rubrifolia</i>	Red Mirbelia
<i>Mirbelia speciosa</i>	Showy Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca elliptica</i>	Broom Heath / Pigeon Berry
<i>Monotoca scoparia</i>	Prickly Broom-heath
<i>Morinda jasminoides</i>	Jasmine Morinda
<i>Myoporum insulare</i>	Boobialla
N	
<i>Neolitsea dealbata</i>	White Bolly Gum
<i>Notelaea longifolia</i>	Mock Olive
<i>Notelaea venosa</i>	Native Olive
O	
<i>Omalanthus populifolius</i>	Bleeding Heart
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Parsonia straminea</i>	Common Silkpod
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Pelargonium australe</i>	Coast Geranium
<i>Pellaea falcata</i> var <i>falcata</i>	Sickle Fern
<i>Pellaea paradoxa</i>	
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Philothea buxifolia</i> ssp <i>ovata</i>	Wax Flower
<i>Phragmites australis</i>	Native Reed
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Pittosporum revolutum</i>	Rough-fruit Pittosporum
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Planchonella australis</i>	Black Apple/Wild Plum
<i>Platycerium bifurcatum</i>	Elkhorn
<i>Platylodium formosum</i>	Handsome Flat-Pea
<i>Platysace ericoides</i>	Heathy Platysace
<i>Platysace lanceolata</i>	Native Parsnip
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Podocarpus elatus</i>	Plum Pine
<i>Polyscias elegans</i>	Celerywood
<i>Polyscias sambucifolia</i>	Elderberry Panax
<i>Pomaderris ligustrina</i>	Privet Pomaderris
<i>Poranthera ericifolia</i>	Heath Poranthera
<i>Poranthera microphylla</i>	Small Poranthera
<i>Pteridium esculentum</i>	Bracken Fern

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME

COMMON NAME

Pultenaea blakelyi
Pultenaea paleacea

Blakely's Bush Pea
Chaffy Bush-Pea

R

Rapanea variabilis
Restio tetraphyllus ssp *meiostachyus*
Rhodomyrtus psidioides
Ricinocarpos pinifolius

Mutton Wood
Rush
Native Guava
Wedding Bush

S

Sarcomelicope simplicifolia
Sarcopetalum harveyanum
Scaevola calendulacea
Scaevola ramosissima
Selaginella uliginosa
Senecio linearifolius
Smilax australis
Smilax glyciphylla
Solanum aviculare
Sowerbaea juncea
Spirodela pusilla
Stephania japonica var *discolor*
Stylium graminifolium
Styphelia viridis
Syncarpia glomulifera
Synoum glandulosum
Syzygium australe
Syzygium oleosum
Syzygium paniculatum

Bauerella
Pearl Vine
Scented Fan Flower
Snake Flower
Swamp Selaginella
Fireweed Groundsel
Austral Sarsaparilla
Sweet Sarsaparilla
Kangaroo Apple
Vanilla Plant, Rush Lily
Duck Weed
Snake Vine
Grass Trigger Plant
Green Five Corners
Turpentine
Scentless Rosewood
Lillypilly, Brush Cherry
Blue Lilly Pilly
Magenta Cherry

T

Tetragonia tetragonoides
Tetrahitheca ericifolia
Tetrahitheca thymifolia
Themeda australis
Thysanotus tuberosus
Trachymene incisa ssp *incisa*
Tricoryne elatior
Tristaniopsis laurina

Warrigal Cabbage
Black-eyed Susan
Black-eyed Susan
Kangaroo Grass
Fringe Lily
Cut-leaf Trachymene
Yellow Rush Lily
Water Gum, Kanooka

V

Velleia spathulata
Viminaria juncea
Viola hederacea ssp *hederacea*

Wild Pansy
Native Broom
Native Violet

W

Wahlenbergia communis
Wahlenbergia gracilis
Wahlenbergia stricta
Wilkiea huegeliana

Tufted Bluebell
Native Bluebell
Tall Bluebell
Wilkiea

PLANTS FOUND ON BUSHWALKS IN WYRRABALONG NP NORTH

BOTANICAL NAME	COMMON NAME
X	
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
Z	
<i>Zieria smithii</i>	Sandfly Zieria

@ @ @ @ @

Munmorah State Conservation Area

Wybung Head & Grass Tree Trail

Getting There: Munmorah is on the Central Coast between Budgewoi and Catherine Hill Bay. There are two entrance gates, one on the western side from the Pacific Highway north of Doyalson (this gate is accessible only if travelling from the north), and the other, at the southern end from Elizabeth Bay Drive. There is an entry fee, per vehicle.

Whichever way you access the park, follow the signs from Blue Wren Drive to Campbell Drive About 2km along Campbell Drive, there is a right turn into Wybung Head Rd (unsealed). On your right, (about 1km) you will pass Wybung Trig Lookout (extensive ocean and park views). Continue for about 1/2 km to a car park. From here you can walk out onto Wybung Head.

Description: Wybung Head has one of the best coastal heaths on the Central Coast. In spring it is a mass of flowers. The vegetation, stunted by its locality, is dense and spectacular in colour and variety. There is no real track, just an overgrown one-way path leading down to the point. To find the Grass Tree Track return along the road almost to the trig. On your right you will find the entrance. It is not sign-posted or wide but it is there. From the ridge it drops down to Frazer Beach.



Distance: At Wybung Head, you will probably wander about 200m each way. The Grass Tree Track is about 1km return. Coming back involves a climb, so leaving a vehicle at the Frazer Beach car park, makes this walk an easier exercise.

Duration: 2 hours return, though, if you are a native flora enthusiast you will probably spend a lot more time admiring the flora.

Degree of Difficulty: Easy.

Best Time: July- November for an incredible variety of spring flowers; April - July for *Hakea bakeriana* and Banksias; or any time for the wonderful coastal and ocean views.

Notes: There is an interesting walk of about 2 - 3 hours return from the Snapper Point Rd. to Mooney Beach. It is an easy fire trail.

PLANTS FOUND ON BUSHWALKS IN MUNMORAH SCA

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia brownii</i>	Golden Prickly Wattle
<i>Acacia longifolia</i> var <i>longifolia</i>	Sydney Golden Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia sophorae</i>	Coastal Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acrotriche divaricata</i>	Ground-berry
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Allocasuarina distyla</i>	Scrub She-Oak
<i>Allocasuarina littoralis</i>	Black She-Oak
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Allocasuarina verticillata</i>	Drooping She-Oak
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora floribunda</i>	Rough-barked Apple
<i>Aotus ericoides</i>	Common Aotus
<i>Astroloma humifusum</i>	Cranberry Heath
<i>Astrotricha latifolia</i>	Broad-leaf Star Hair
B	
<i>Baeckea ramosissima</i>	Rosy Heath-Myrtle
<i>Banksia aemula</i>	Wallum Banksia
<i>Banksia integrifolia</i>	Coast Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Billardiera scandens</i>	Dumplings/ Apple Berry
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum indicum</i>	Bungwall Fern
<i>Boronia polygalifolia</i>	Milkwort Boronia
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea prostrata</i>	
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Brachyloma daphnoides</i>	Daphne Heath
<i>Brachyscome angustifolia</i>	Grassland Daisy
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Brunoniella australis</i>	Blue Trumpet
<i>Burchardia umbellata</i>	Milkmaids
C	
<i>Cakile edentula</i>	Sea Rocket
<i>Callistemon rigidus</i>	Stiff Bottlebrush
<i>Calochlaena dubia</i>	False Bracken
<i>Carpobrotus glaucescens</i>	Pig Face
<i>Cassinia uncata</i>	Sticky Cassinia
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Chloanthes stoechadis</i>	Ice Flower
<i>Cissus antarctica</i>	Kangaroo Vine

PLANTS FOUND ON BUSHWALKS IN MUNMORAH SCA

BOTANICAL NAME	COMMON NAME
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Clematis aristata</i>	Old Man's Beard
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Comesperma sphaerocarpum</i>	Broom Milkwort
<i>Comesperma volubile</i>	Love Creeper
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Correa alba</i>	White Correa
<i>Correa reflexa</i>	Native Fuchsia
<i>Craspedia variabilis</i>	Billy Buttons
<i>Cryptandra propinqua</i>	Silky Cryptandra
<i>Cryptostylis subulata</i>	Large Tongue Orchid
<i>Cupaniopsis anacardioides</i>	Tuckeroo
D	
<i>Dampiera purpurea</i>	Mountain Dampiera
<i>Dampiera stricta</i>	Blue Dampiera
<i>Daviesia corymbosa</i>	Clustered Bitter-Pea
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dillwynia retorta</i> ssp <i>retorta</i>	Eggs and Bacon
<i>Dioscorea transversa</i>	Native Yam
<i>Diuris alba</i>	White Double Tail
<i>Diuris aurea</i>	Golden Donkey Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Duboisia myoporoides</i>	Corkwood
E	
<i>Enchytraea tomentosa</i>	Ruby Saltbush
<i>Epacris microphylla</i>	Coral Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus camfieldii</i>	Heart-leaved Stringybark
<i>Eucalyptus capitellata</i>	Brown Stringybark
<i>Eucalyptus robusta</i>	Swamp Mahogany
<i>Euphrasia collina</i> ssp <i>paludosa</i>	Eye-Bright
<i>Eupomatia laurina</i>	Bolwarra
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
G	
<i>Gahnia sieberana</i>	Saw Sedge
<i>Geitonoplesium cymosum</i>	Scrambling Lily
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Gompholobium minus</i>	Dwarf Wedge Pea
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Goodenia ovata</i>	Hop Goodenia
<i>Grevillea sericea</i>	Pink Spider Flower

PLANTS FOUND ON BUSHWALKS IN MUNMORAH SCA

BOTANICAL NAME	COMMON NAME
Gymnostachys anceps	Settlers Flax
H	
<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea bakeriana</i>	Hakea
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Helichrysum scorpioides</i>	Curling Everlasting
<i>Hibbertia bracteata</i>	Guinea- Flower
<i>Hibbertia cistiflora</i>	Guinea- Flower
<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia fasciculata</i>	Bundled Guinea-Flower
<i>Hibbertia vestita</i>	Hairy Guinea Flower
<i>Hovea linearis</i>	Erect Hovea
<i>Hybanthus monopetalus</i>	Ladies Slipper
<i>Hydrocotyle bonariensis</i>	Pennywort, Kurnell Curse
<i>Hypericum gramineum</i>	Small St John's Wort
I	
<i>Imperata cylindrica</i>	Blady Grass
<i>Isolepis nodosa</i>	Knobby Club-rush
<i>Isopogon anemonifolius</i>	Yellow Drumstick
<i>Isopogon anethifolius</i>	Narrow-leaf Drumstick
J	
<i>Jacksonia scoparia</i>	Dogwood
K	
<i>Kennedia rubicunda</i>	Dusky Coral Pea
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
<i>Lambertia formosa</i>	Mountain Devils
<i>Lasiopetalum ferrugineum</i>	Rusty Petals
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptospermum juniperinum</i>	Prickly Tea-tree
<i>Leptospermum laevigatum</i>	Coastal Tea -tree
<i>Leucopogon ericoides</i>	Bearded Heath
<i>Leucopogon esquamatus</i>	Bearded Heath
<i>Leucopogon lanceolatus</i>	Lance Beard Heath
<i>Lissanthe strigosa</i>	Native Cranberry
<i>Livistona australis</i>	Cabbage Tree Palm
<i>Logania albiflora</i>	Narrow-leaf Logania
<i>Logania pusilla</i>	Tiny Logania
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra multiflora</i>	Many-flowered Mat-rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush

PLANTS FOUND ON BUSHWALKS IN MUNMORAH SCA

BOTANICAL NAME	COMMON NAME
M	
<i>Macrozamia communis</i>	Burrawang
<i>Maytenus silvestris</i>	Narrow leaved Orangebark
<i>Melaleuca linariifolia</i>	Snow-in-Summer
<i>Melaleuca nodosa</i>	Prickly-leaf Paperbark
<i>Mirbelia rubiifolia</i>	Red Mirbelia
<i>Mirbelia speciosa</i>	Showy Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath
O	
<i>Olax stricta</i>	Eastern Olax
<i>Olearia nernstii</i>	Jagged Daisy Bush
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Pandorea pandorana</i>	Wonga Wonga Vine
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Philotheeca salsolifolia</i>	Philotheeca
<i>Phragmites australis</i>	Native Reed
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Polymeria calycina</i>	Swamp Bindweed
<i>Pomaderris ligustrina</i>	Privet Pomaderris
<i>Poranthera microphylla</i>	Small Poranthera
<i>Pratia purpurascens</i>	White Root
<i>Pteridium esculentum</i>	Bracken Fern
<i>Ptilanthelium deustum</i>	
<i>Pultenaea daphnoides</i>	Large-leaf Bush Pea
<i>Pultenaea paleacea</i>	Chaffy Bush-Pea
<i>Pultenaea villosa</i>	Bronze Bush-Pea
R	
<i>Rhodamnia rubescens</i>	Scrub Turpentine
<i>Ricinocarpos pinifolius</i>	Wedding Bush
<i>Rubus moluccanus</i> var <i>trilobus</i>	Broad-leaf Bramble
<i>Rulingia dasypylla</i>	Kerrawang
<i>Rutidosis heterogama</i>	Heath Wrinklewort
S	
<i>Scaevola calendulacea</i>	Scented Fan Flower
<i>Scaevola ramosissima</i>	Snake Flower
<i>Schelhammera undulata</i>	Lilac Lily
<i>Schizaea bifida</i>	Forked Comb Fern
<i>Schoenus melanostachys</i>	Black Bog Rush
<i>Smilax australis</i>	Austral Sarsaparilla
<i>Sphaerolobium vimineum</i>	Leafless Globe-pea
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine

PLANTS FOUND ON BUSHWALKS IN MUNMORAH SCA

BOTANICAL NAME	COMMON NAME
<i>Stylidium graminifolium</i> <i>Synoum glandulosum</i>	Grass Trigger Plant Scentless Rosewood
T	
<i>Tetrapetra juncea</i>	Black-eyed Susan
<i>Tetrapetra shiresii</i>	Black-eyed Susan
<i>Thelymitra pauciflora</i>	Slender Sun Orchid
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus juncifolius</i>	Fringe Lily
<i>Thysanotus tuberosus</i>	Fringe Lily
<i>Tricoryne elatior</i>	Yellow Rush Lily
V	
<i>Viminaria juncea</i>	Native Broom
<i>Viola betonicifolia</i>	Purple Violet
<i>Viola hederacea</i> ssp <i>hederacea</i>	Native Violet
W	
<i>Wahlenbergia communis</i>	Tufted Bluebell
<i>Wahlenbergia gracilis</i>	Native Bluebell
<i>Westringia fruticosa</i>	Coast Rosemary
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthorrhoea macronema</i>	Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia

@@ @ @ @

Mooney Mooney Creek BWNP

This walk is part of the Great North Walk and follows Mooney Mooney Creek to its navigational head. It can be accessed from the Old Pacific Hwy. at the bridge crossing Mooney Mooney Creek. Take the track on the southern end of the bridge and the western side of the highway. Drive along this track and park just near the road gate.

The walk from here follows the creek upstream. At high tide there is one side creek which may be difficult to cross.

PLANTS FOUND ON BUSHWALKS IN MOONEY MOONEY CREEK - BWNP

BOTANICAL NAME	COMMON NAME
----------------	-------------

A

<i>Acacia elata</i>	Cedar Wattle
<i>Acacia longifolia</i> var <i>longifolia</i>	Sydney Golden Wattle
<i>Acacia maidenii</i>	Sally/Maiden's Wattle
<i>Acacia prominens</i>	Gosford Wattle
<i>Acacia schinoides</i>	
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acmea smithii</i>	Lilly Pilly
<i>Acronychia oblongifolia</i>	Common Acronychia
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Adiantum formosum</i>	Giant Maidenhair Fern
<i>Adiantum hispidulum</i>	Rough Maidenhair
<i>Aegiceras corniculatum</i>	River Mangrove
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Alphitonia excelsa</i>	Red Ash
<i>Angophora floribunda</i>	Rough-barked Apple
<i>Asterolasia correifolia</i>	Star Bush
<i>Astrotricha floccosa</i>	Flannel Leaf
<i>Astrotricha latifolia</i>	Broad-leaf Star Hair
<i>Astrotricha longifolia</i>	Long-leaf Star Hair
<i>Austromyrtus tenuifolia</i>	Narrow-leaf Myrtle

B

<i>Backhousia myrtifolia</i>	Grey Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum nudum</i>	Fishbone Water Fern
<i>Boronia fraseri</i>	Fraser's Boronia
<i>Bulbophyllum exiguum</i>	Mat Orchid
<i>Bulbophyllum shepherdii</i>	Wheat-leaf Orchid
<i>Bursaria spinosa</i>	Blackthorn

C

<i>Callicoma serratifolia</i>	Black Wattle
<i>Callitris rhomboidea</i>	Port Jackson Cypress
<i>Calochlaena dubia</i>	False Bracken
<i>Casuarina glauca</i>	Swamp Oak
<i>Cayratia clematidea</i>	Slender Grape
<i>Ceratopetalum apetalum</i>	Coachwood

PLANTS FOUND ON BUSHWALKS IN MOONEY MOONEY CREEK - BWNP

BOTANICAL NAME	COMMON NAME
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Cheilanthes sieberi</i>	Mulga Fern
<i>Christella dentata</i>	
<i>Cissus antarctica</i>	Kangaroo Vine
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Claoxylon australe</i>	Brittlewood
<i>Clematis aristata</i>	Old Man's Beard
<i>Clematis glycinoides</i>	Forest Clematis
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Commelina cyanea</i>	Scurvy Weed
<i>Cymbidium suave</i>	Sweet Cymbidium

D

<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Desmodium rhytidophyllum</i>	Rusty Trefoil
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dockrillia linguiformis</i>	Tongue Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doodia aspera</i>	Prickly Rasp Fern
<i>Doryanthes excelsa</i>	Gymea Lily
<i>Duboisia myoporoides</i>	Corkwood

E

<i>Elaeocarpus reticulatus</i>	Blueberry Ash
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus deanei</i>	Mountain Bluegum, Deane's Gum
<i>Eucalyptus saligna</i>	Sydney Blue Gum
<i>Eustrephus latifolius</i>	Wombat Berry
<i>Ficus coronata</i>	Sandpaper Fig

G

<i>Gahnia clarkei</i>	Sword Grass
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Glycine clandestina</i>	Love Creeper
<i>Goodenia ovata</i>	Hop Goodenia
<i>Grevillea linearifolia</i>	White Spider Flower
<i>Grevillea shiressii</i>	Mullet Creek Grevillea
<i>Guioa semiglaucha</i>	Guioa
<i>Gymnostachys anceps</i>	Settlers Flax

H

<i>Hibbertia dentata</i>	Twining Guinea- Flower
<i>Hibbertia scandens</i>	Golden Guinea Flower
<i>Hybanthus monopetalus</i>	Ladies Slipper
<i>Hymenophyllum cupressiforme</i>	Filmy Fern

I

<i>Indigofera australis</i>	Austral Indigo
<i>Isolepis nodosa</i>	Knobby Club-rush

PLANTS FOUND ON BUSHWALKS IN MOONEY MOONEY CREEK - BWNP

BOTANICAL NAME	COMMON NAME
J	
<i>Jacksonia scoparia</i>	Dogwood
L	
<i>Lagenifera stipitata</i>	Blue Bottle-Daisy
<i>Lasiopetalum macrophyllum</i>	Shrubby Rusty Petals
<i>Lepidosperma laterale</i>	Variable Sword-sedge
<i>Leptinella longipes</i>	
<i>Leptospermum juniperinum</i>	Prickly Tea-tree
<i>Leptospermum morrisonii</i>	Tea Tree
<i>Leptospermum polygalifolium</i>	Yellow Tea-tree
<i>Lepyrodia scariosa</i>	Scale Rush
<i>Libertia paniculata</i>	Branching Grass-Flag
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Livistona australis</i>	Cabbage Tree Palm
<i>Lobelia gibbosa</i>	Tall Lobelia
<i>Lobelia trigonocaulis</i>	Forest Lobelia
<i>Logania albiflora</i>	Narrow-leaf Logania
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomatia myricoides</i>	River Lomatia
M	
<i>Melaleuca styphelioides</i>	Prickly-leaf Paperbark
<i>Melicope micrococca</i>	White Euodia
<i>Monotoca elliptica</i>	Broom Heath / Pigeon Berry
<i>Myoporum acuminatum</i>	Northern Boobialla
N	
<i>Notelaea longifolia</i>	Mock Olive
O	
<i>Olearia tomentosa</i>	Toothed Daisy Bush
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Phebalium dentatum</i>	Toothed Phebalium
<i>Phebalium squamulosum</i> ssp <i>squamulosum</i>	Scaly Phebalium
<i>Phylidrum lanuginosum</i>	Frogmouth
<i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Platycerium bifurcatum</i>	Elkhorn
<i>Platysace ericoides</i>	Heathy Platysace
<i>Platysace lanceolata</i>	Native Parsnip
<i>Platysace linearifolia</i>	Carrot Tops
<i>Plectorrhiza tridentata</i>	Tangle Orchid
<i>Plectranthus parviflorus</i>	Cockspur Flower
<i>Pomaderris discolor</i>	Eastern Pomaderris
<i>Pomaderris ferruginea</i>	Rusty Pomaderris
<i>Pomaderris intermedia</i>	
<i>Pomaderris</i> sp.	
<i>Poranthera microphylla</i>	Small Poranthera
<i>Pratia purpurascens</i>	White Root

PLANTS FOUND ON BUSHWALKS IN MOONEY MOONEY CREEK - BWNP

BOTANICAL NAME	COMMON NAME
<i>Prostanthera incisa</i> var incisa	Cut-leaf Mint Bush
<i>Prostanthera linearis</i>	Narrow-leaf Mint Bush
<i>Prostanthera ovalifolia</i>	Oval-leaf Mint Bush
<i>Prunella vulgaris</i>	Meadow Mint
<i>Psychotria loniceroides</i>	Hairy Psychotria
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pterostylis curta</i>	Blunt Greenhood
<i>Pterostylis daintreana</i>	Daintrey's Greenhood
<i>Pterostylis nutans</i>	Nodding Greenhood
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pyrrosia rupestris</i>	Rock Felt Fern
R	
<i>Rapanea variabilis</i>	Mutton Wood
<i>Rhodamnia rubescens</i>	Scrub Turpentine
<i>Rubus moluccanus</i> var <i>trilobus</i>	Broad-leaf Bramble
<i>Rubus rosifolius</i>	Rose-leaf Bramble
<i>Rulingia dasypylla</i>	Kerrawang
S	
<i>Sambucus australasica</i>	Native Elder, Yellow Elderberry
<i>Sigesbeckia orientalis</i>	Indian-weed
<i>Smilax australis</i>	Austral Sarsaparilla
<i>Smilax glyciphylla</i>	Sweet Sarsaparilla
<i>Stenocarpus salignus</i>	Scrub Beefwood
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Stylium graminifolium</i>	Grass Trigger Plant
<i>Syncarpia glomulifera</i>	Turpentine
<i>Synoum glandulosum</i>	Scentless Rosewood
<i>Syzygium australe</i>	Lillypilly, Brush Cherry
T	
<i>Tasmannia insipida</i>	Pepper Bush
<i>Themeda australis</i>	Kangaroo Grass
<i>Todea barbara</i>	King Fern
<i>Tricoryne elatior</i>	Yellow Rush Lily
<i>Tristania nerifolia</i>	Water Gum
<i>Tristaniopsis laurina</i>	Water Gum, Kanooka
<i>Trochocarpa laurina</i>	Tree Heath
<i>Tylophora barbata</i>	Bearded Tylophora
V	
<i>Veronica plebeia</i>	Speedwell
<i>Villarsia exaltata</i>	Yellow Marsh Flower
W	
<i>Wahlenbergia communis</i>	Tufted Bluebell
<i>Wahlenbergia stricta</i>	Tall Bluebell
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
<i>Xanthosia pilosa</i>	Woolly Xanthosia

Mangrove Mountain District

There are several places in the district for walking including Kraft's Reserve. Dubbo Gully is restricted and requires permission and a key to enter.

PLANTS FOUND ON BUSHWALKS IN THE MANGROVE MOUNTAIN DISTRICT

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia bynoeana</i>	Bynoe's Wattle
<i>Acacia elata</i>	Cedar Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia longifolia</i> var <i>longifolia</i>	Sydney Golden Wattle
<i>Acacia oxycedrus</i>	Spike Wattle
<i>Acacia parvipinnula</i>	Silver-stemmed Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acmena smithii</i>	Lilly Pilly
<i>Allocasuarina littoralis</i>	Black She-Oak
<i>Angophora hispida</i>	Dwarf Apple
B	
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea obcordata</i>	Spiny Bossiaeae
<i>Bossiaea rhombifolia</i>	Appressed Bossiaeae
<i>Brunoniella pumilio</i>	Dwarf Trumpet
C	
<i>Caladenia gracilis</i>	Black Wattle
<i>Callicoma serratifolia</i>	Crimson Bottlebrush
<i>Callistemon citrinus</i>	Slender Devil's Twine
<i>Cassytha glabella</i>	Curly Sedge/Old Man's Beard
<i>Caustis flexuosa</i>	Mulga Fern
<i>Cheilanthes sieberi</i>	Broom Milkwort
<i>Comesperma sphaerocarpum</i>	Long-leaf Coneseeds, Smokebush
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Bitter Cryptandra
D	
<i>Dampiera stricta</i>	Blue Dampiera
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dianella prunina</i>	
<i>Diuris aurea</i>	Golden Donkey Orchid
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Doryanthes excelsa</i>	Gymea Lily
E	
<i>Epacris pulchella</i>	NSW Coral Heath

PLANTS FOUND ON BUSHWALKS IN THE MANGROVE MOUNTAIN DISTRICT

BOTANICAL NAME	COMMON NAME
<i>Eriostemon australasius</i>	Pink Wax Flower
<i>Eucalyptus haemastoma</i>	Scribbly Gum
G	
<i>Gleichenia dicarpa</i>	Pouched Coral Fern
<i>Gleichenia rupestris</i>	Coral Fern
<i>Glochidion ferdinandi</i>	Cheese Tree
<i>Gompholobium glabratum</i>	Dainty Wedge-Pea
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gonocarpus micranthus</i> ssp <i>micranthus</i>	Creeping Raspwort
<i>Gonocarpus teucrioides</i>	Raspwort
<i>Goodenia paniculata</i>	Branched Goodenia
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea diffusa</i> ssp <i>filipendula</i>	
<i>Grevillea speciosa</i>	Red Spider Flower
H	
<i>Haemodorum planifolium</i>	Strap-leaf Blood Root
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hakea gibbosa</i>	Large-fruited Hakea
<i>Hakea teretifolia</i>	Dagger Hakea
<i>Hardenbergia violacea</i>	False Sarsaparilla
<i>Hibbertia bracteata</i>	Guinea- Flower
<i>Hibbertia empetrifolia</i>	Trailing Guinea- Flower
<i>Hibbertia procumbens</i>	Guinea Flower
<i>Hybanthus monopetalus</i>	Ladies Slipper
I	
<i>Imperata cylindrica</i>	Blady Grass
<i>Isopogon anemonifolius</i>	Yellow Drumstick
L	
<i>Lambertia formosa</i>	Mountain Devils
<i>Laxmannia gracilis</i>	Wire Lily
<i>Leptospermum morrisonii</i>	Tea Tree
<i>Leptospermum trinervium</i>	Flaky-Bark Tea-tree
<i>Leucopogon esquamatus</i>	Bearded Heath
<i>Lindsaea linearis</i>	Screw Fern
<i>Lobelia alata</i>	Angled Lobelia
<i>Lomandra confertifolia</i> ssp <i>rubiginosa</i>	Slender Mat-rush
<i>Lomandra filiformis</i> ssp <i>coriacea</i>	Wattle Mat-rush
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra longifolia</i> ssp <i>longifolia</i>	Spiny Mat Rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley
M	
<i>Micrantheum ericoides</i>	Heath Micrantheum
<i>Microtis parviflora</i>	Onion Orchid
<i>Mirbelia speciosa</i>	Showy Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath
O	

PLANTS FOUND ON BUSHWALKS IN THE MANGROVE MOUNTAIN DISTRICT

BOTANICAL NAME	COMMON NAME
Opercularia aspera	Thin Stink Weed
P	
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phyllota phylloides</i>	Heath Phyllota
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Platysace linearifolia</i>	Carrot Tops
<i>Pomaderris</i> sp.	Pomax
<i>Pomax umbellata</i>	Somersby Mint Bush
<i>Prostanthera junonis</i>	Large Bronze Bush-Pea
<i>Pultenaea ferruginea</i> var <i>deanei</i>	
R	
<i>Ricinocarpus pinifolius</i>	Wedding Bush
S	
<i>Scaevola ramosissima</i>	Snake Flower
<i>Selaginella uliginosa</i>	Swamp Selaginella
<i>Stephania japonica</i> var <i>discolor</i>	Snake Vine
<i>Sticherus flabellatus</i>	Umbrella Fern/Shiny Fan Fern
<i>Syncarpia glomulifera</i>	Turpentine
T	
<i>Tetradymia glandulosa</i>	Black-eyed Susan
<i>Tetradymia shiresii</i>	Black-eyed Susan
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus tuberosus</i>	Fringe Lily
W	
<i>Wahlenbergia communis</i>	Tufted Bluebell
X	
<i>Xanthosia tridentata</i>	Rock Xanthosia
<i>Xyris gracilis</i> ssp <i>gracilis</i>	Slender Yellow Eye

@ @ @ @ @

Popran National Park

Access to this park is from Ironbark Road, Mangrove Mountain. Drive to the end of the road where there is a picnic area. Warning: after passing the property "Misty" the road can be quite rough.

Lookout on the left hand side for a rock platform, which has aboriginal carvings. Regretably they are in poor condition.

The Mt Olive track goes to the Emerald Pool and the 248 track goes to an area called The Crater, where the vegetation is different as this is a basalt diatreme.

PLANTS FOUND ON BUSHWALKS IN POPRAN N. P.

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia buxifolia</i>	Box-leaved Wattle
<i>Acacia decurrens</i>	Green Wattle/Black Wattle
<i>Acacia echinula</i>	Hooked Wattle
<i>Acacia elata</i>	Cedar Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia myrtifolia</i>	Myrtle Wattle
<i>Acacia prominens</i>	Gosford Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Acrotriche divaricata</i>	Ground-berry
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora floribunda</i>	Rough-barked Apple
<i>Angophora hispida</i>	Dwarf Apple
<i>Austumyrtus tenuifolia</i>	Narrow-leaf Myrtle
B	
<i>Baeckea brevifolia</i>	Short- leaf Heath- Myrtle
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Banksia spinulosa</i> var <i>spinulosa</i>	Hairpin Banksia
<i>Bauera rubioides</i>	River Rose
<i>Billardiera scandens</i>	Dumplings/ Apple Berry
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Boronia ledifolia</i>	Sydney Boronia
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Bossiaea ensata</i>	Sword Bossiaeae
<i>Bossiaea heterophylla</i>	Variable Bossiaeae
<i>Bossiaea obcordata</i>	Spiny Bossiaeae
<i>Bossiaea scolopendria</i>	Broom Bossiaeae
<i>Bossiaea stephensonii</i>	Large-leaf Bossiaeae

Brachyloma daphnoides
PLANTS FOUND ON BUSHWALKS IN POPRAN N. P.

BOTANICAL NAME

Breynia oblongifolia
Burchardia umbellata

COMMON NAME

Dwarf's Apples
Milkmaids

C

<i>Caladenia carnea</i>	Pink Fingers
<i>Callicoma serratifolia</i>	Black Wattle
<i>Calochilus campestris</i>	Copper Beard Orchid
<i>Calochilus paludosus</i>	Red Beardie
<i>Cassytha pubescens</i>	Common Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Cheilanthes sieberi</i>	Mulga Fern
<i>Clematis aristata</i>	Old Man's Beard
<i>Comesperma ericinum</i>	Heath Milkwort, Matchheads
<i>Conospermum ericifolium</i>	Coneseeds (narrow leaf form)
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseeds, Smokebush
<i>Conospermum taxifolium</i>	Smokebush
<i>Corymbia eximia</i>	Yellow Bloodwood
<i>Corymbia gummifera</i>	Red Bloodwood
<i>Cymbidium suave</i>	Sweet Cymbidium

D

<i>Dampiera stricta</i>	Blue Dampiera
<i>Darwinia fascicularis</i> ssp <i>fascicularis</i>	Clustered Scent-Myrtle
<i>Daviesia corymbosa</i>	Clustered Bitter-Pea
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Dianella caerulea</i> var <i>producta</i>	Blue Flax Lily
<i>Dianella prunina</i>	
<i>Dillwynia floribunda</i> var <i>floribunda</i>	Flowery Parrot-Pea
<i>Diuris sulphurea</i>	Tiger Orchid
<i>Doryanthes excelsa</i>	Gymea Lily
<i>Drosera peltata</i> var <i>auriculata</i>	Sundew
<i>Drosera spathulata</i>	Common Sundew

E

<i>Epacris microphylla</i>	Coral Heath
<i>Epacris obtusifolia</i>	Blunt-leaf Heath
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eucalyptus globoidea</i>	White Stringybark
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus punctata</i>	Grey Gum
<i>Eucalyptus sieberi</i>	Silver-Top Ash

G

<i>Gahnia clarkei</i>	Sword Grass
<i>Gastrodia sesamoides</i>	Potato Orchid
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium grandiflorum</i>	Handsome Wedge Pea
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Goodenia bellidifolia</i>	Daisy-leaf Goodenia
<i>Goodenia hederacea</i>	Violet-leaved Goodenia

Goodenia heterophylla
PLANTS FOUND ON BUSHWALKS IN POPRAN N. P.

BOTANICAL NAME

COMMON NAME

Grevillea buxifolia	Grey Spider Flower
Grevillea diffusa ssp diffusa	
Grevillea diffusa ssp filipendula	
Grevillea linearifolia	White Spider Flower

H

Hakea dactyloides	Broad-leaf Hakea/Finger Hakea
Hakea gibbosa	Large-fruited Hakea
Hakea teretifolia	Dagger Hakea
Hemigenia purpurea	Narrow-leaf Hemigenia
Hibbertia acicularis	Prickly Guinea Flower
Hibbertia bracteata	Guinea- Flower
Hibbertia cistiflora	Guinea- Flower
Hibbertia diffusa	Wedge Guinea-Flower
Hibbertia empetrifolia	Trailing Guinea- Flower
Hibbertia linearis	Guinea- Flower
Hibbertia obtusifolia	Grey Guinea Flower
Hibbertia procumbens	Guinea Flower
Hibbertia scandens	Golden Guinea Flower
Hovea linearis	Erect Hovea
Hybanthus monopetalus	Ladies Slipper

I

Indigofera australis	Austral Indigo
Isopogon anemonifolius	Yellow Drumstick

J

Juncus prismatocarpus	Branching Rush
-----------------------	----------------

K

Kennedia rubicunda	Dusky Coral Pea
Kunzea ambigua	Tick Bush
Kunzea capitata	Pink Buttons

L

Lagenifera stipitata	Blue Bottle-Daisy
Lambertia formosa	Mountain Devils
Lepidosperma laterale	Variable Sword-sedge
Leptospermum trinervium	Flaky-Bark Tea-tree
Lepyrodia scariosa	Scale Rush
Leucopogon esquamatus	Bearded Heath
Leucopogon microphyllus	Small-leaved White-beard
Lindsaea linearis	Screw Fern
Lindsaea microphylla	Lacy Wedge Fern
Lomandra cylindrica	Needle Mat-rush
Lomandra glauca	Pale Mat-rush
Lomandra longifolia ssp longifolia	Spiny Mat Rush
Lomandra multiflora	Many-flowered Mat-rush
Lomandra obliqua	Fish Bones; Twisted Mat-rush
Lomatia silaifolia	Crinkle Bush/Wild Parsley

PLANTS FOUND ON BUSHWALKS IN POPRAN N. P.

BOTANICAL NAME	COMMON NAME
M	
<i>Mirbelia rubiifolia</i>	Red Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath
<i>Myoporum acuminatum</i>	Northern Boobialla
O	
<i>Olax stricta</i>	Eastern Olax
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
<i>Oxylobium scandens</i> var. <i>scandens</i>	
<i>Ozothamnus diosmifolius</i>	Sago Bush
P	
<i>Parsonia straminea</i>	Common Silkpod
<i>Patersonia glabrata</i>	Leafy Purple Flag
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia isophylla</i>	Geebung Hornsby Plateau
<i>Persoonia lanceolata</i>	Broad-leaved Geebung
<i>Persoonia levigata</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Philotheeca buxifolia</i> ssp <i>obovata</i>	Wax Flower
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Phyllota phylicoides</i>	Heath Phyllota
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Platysace linearifolia</i>	Carrot Tops
<i>Pomax umbellata</i>	Pomax
<i>Poranthera ericifolia</i>	Heath Poranthera
<i>Prasophyllum elatum</i>	Tall Leek Orchid
<i>Pteridium esculentum</i>	Bracken Fern
<i>Ptilanthelium deustum</i>	
<i>Pultenaea ferruginea</i> var <i>deanei</i>	Large Bronze Bush-Pea
<i>Pultenaea flexilis</i>	Graceful Bush-Pea
<i>Pultenaea rosmarinifolia</i>	Rosemary Bush-Pea
R	
<i>Rhodamnia rubescens</i>	Scrub Turpentine
<i>Ricinocarpos pinifolius</i>	Wedding Bush
S	
<i>Scaevola ramosissima</i>	Snake Flower
<i>Schelhammera undulata</i>	Lilac Lily
<i>Schizaea bifida</i>	Forked Comb Fern
<i>Sphaerolobium minus</i>	Leafless Globe-pea
<i>Sphaerolobium vimineum</i>	Leafless Globe-pea
<i>Stackhousia viminea</i>	Slender Stackhousia
<i>Syncarpia glomulifera</i>	Turpentine
T	
<i>Telopea speciosissima</i>	Waratah

BOTANICAL NAME	COMMON NAME
<i>Tetratheca glandulosa</i>	Black-eyed Susan
<i>Tetratheca shiresii</i>	Black-eyed Susan
<i>Tetratheca thymifolia</i>	Black-eyed Susan
<i>Thelymitra ixioides</i>	Spotted Sun Orchid
<i>Trema aspera</i>	Native Peach
V	
<i>Velleia lyrata</i>	Tall Velleia
<i>Viminaria juncea</i>	Native Broom
<i>Viola betonicifolia</i>	Purple Violet
W	
<i>Wahlenbergia communis</i>	Tufted Bluebell
X	
<i>Xanthosia pilosa</i>	Woolly Xanthosia
<i>Xylomelum pyriforme</i>	Woody Pear
<i>Xyris gracilis</i> ssp <i>gracilis</i>	Slender Yellow Eye
Z	
<i>Zieria laevigata</i>	Angular Zieria

@ @ @ @ @

Mill Creek, Dharug National Park

Mill Creek is accessed from Wisemans Ferry Rd. about 1 Km on the northern side of the Hawkesbury River from the main ferry. There is a camping area and a picnic area from which the walk starts. Parking fees may apply.

PLANTS FOUND ON BUSHWALKS AT MILL CREEK – DHARUG NP

BOTANICAL NAME	COMMON NAME
A	
<i>Acacia decurrens</i>	Green Wattle/Black Wattle
<i>Acacia elata</i>	Cedar Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia maidenii</i>	Sally/Maiden's Wattle
<i>Acacia parvipinnula</i>	Silver-stemmed Wattle
<i>Acacia prominens</i>	Gosford Wattle
<i>Actinotus helianthi</i>	Flannel Flower
<i>Adiantum aethiopicum</i>	Maidenhair Fern
<i>Adiantum formosum</i>	Giant Maidenhair Fern
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Amperea xiphoclada</i>	Broom Spurge
<i>Angophora bakeri</i>	Narrow-leaved Apple
<i>Asplenium flabellifolium</i>	Necklace Fern
<i>Asterolasia correifolia</i>	Star Bush
<i>Astrotricha floccosa</i>	Flannel Leaf
<i>Austromyrtus tenuifolia</i>	Narrow-leaf Myrtle
B	
<i>Backhousia myrtifolia</i>	Grey Myrtle
<i>Baeckea linifolia</i>	Swamp Baeckea
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Billardiera scandens</i>	Dumplings/Apple Berry
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Boronia pinnata</i>	Pinnate Boronia
<i>Breynia oblongifolia</i>	Dwarf's Apples
<i>Bursaria spinosa</i>	Blackthorn
C	
<i>Callicoma serratifolia</i>	Black Wattle
<i>Cayratia clematidea</i>	Slender Grape
<i>Ceratopetalum apetalum</i>	Coachwood
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Cheilanthes sieberi</i>	Mulga Fern
<i>Cissus hypoglauca</i>	Five-leaf Water Vine
<i>Citriobatus pauciflorus</i>	Orange Thorn
<i>Clerodendrum tomentosum</i>	Hairy Clerodendrum
<i>Corymbia eximia</i>	Yellow Bloodwood
D	
<i>Desmodium brachypodium</i>	Collared Tic-Trefoil
<i>Desmodium varians</i>	Variable Tic-trefoil

Dianella caerulea var producta
 Dodonaea pinnata
PLANTS FOUND ON BUSHWALKS AT MILL CREEK – DHARUG NP

BOTANICAL NAME

Dodonaea triquetra
 Doodia aspera
 Duboisia myoporoides

COMMON NAME

Common Hop Bush
 Prickly Rasp Fern
 Corkwood

E

Echinopogon caespitosus
 Entolasia stricta
 Eriostemon hispidulus
 Eupomatia laurina
 Eustrephus latifolius

Tufted Hedgehog Grass
 Wiry Panic
 Rough Wax Plant
 Bolwarra
 Wombat Berry

F

Ficus rubiginosa

Port Jackson Fig/Rusty Fig

G

Gahnia clarkei
 Geitonoplesium cymosum
 Gleichenia dicarpa
 Glochidion ferdinandi
 Glycine clandestina
 Glycine microphylla
 Goodenia hederacea
 Goodenia heterophylla
 Goodenia ovata
 Grevillea shirensii

Sword Grass
 Scrambling Lily
 Pouched Coral Fern
 Cheese Tree
 Love Creeper
 Love Creeper
 Violet-leaved Goodenia
 Variable-leaf Goodenia
 Hop Goodenia
 Mullet Creek Grevillea

H

Hakea bakeriana
 Hardenbergia violacea
 Hibbertia dentata
 Hibbertia diffusa
 Hibbertia scandens
 Hydrocotyle geraniifolia

Hakea
 False Sarsaparilla
 Twining Guinea- Flower
 Wedge Guinea-Flower
 Golden Guinea Flower
 Forest Pennywort

I

Indigofera australis

Austral Indigo

J

Jacksonia scoparia

Dogwood

K

Kennedia rubicunda

Dusky Coral Pea

L

Lambertia formosa
 Leptospermum trinervium
 Lomandra longifolia ssp longifolia
 Lomatia myricoides

Mountain Devils
 Flaky-Bark Tea-tree
 Spiny Mat Rush
 River Lomatia

M

Morinda jasminoides

Jasmine Morinda

Muehlenbeckia gracillima

Slender Lignum

PLANTS FOUND ON BUSHWALKS AT MILL CREEK – DHARUG NP

BOTANICAL NAME

COMMON NAME

N

Notelaea longifolia
Notelaea venosa

Mock Olive
Native Olive

O

Olearia tomentosa
Oxylobium ilicifolium

Toothed Daisy Bush
Native Holly, Prickly Shaggy-pea

P

Pandorea pandorana
Pellaea falcata var *falcata*
Pellaea paradoxa
Persoonia linearis
Persoonia pinifolia
Phragmites australis
Phyllanthus hirtellus
Pimelea linifolia ssp *linifolia*
Platycerium bifurcatum
Platysace lanceolata
Polystichum proliferum
Pomax umbellata
Pratia purpurascens
Prostanthera linearis
Prostanthera ovalifolia
Pyrrosia rupestris

Wonga Wonga Vine
Sickle Fern

Narrow-leaved Geebung
Pine-leaf Geebung
Native Reed
Thyme Spurge
Rice Flower
Elkhorn
Native Parsnip
Mother Shield Fern
Pomax
White Root
Narrow-leaf Mint Bush
Oval-leaf Mint Bush
Rock Felt Fern

R

Rapanea howittiana
Rhodamnia rubescens
Rubus moluccanus var *trilobus*
Rubus parvifolius

Brush Muttonwood
Scrub Turpentine
Broad-leaf Bramble
Native Raspberry

S

Sarcopetalum harveyanum
Scaevola ramosissima
Schelhammera undulata
Sigesbeckia orientalis
Smilax australis
Solanum campanulatum
Stackhousia monogyna
Stephania japonica var *discolor*
Sticherus flabellatus
Syncarpia glomulifera
Synoum glandulosum

Pearl Vine
Snake Flower
Lilac Lily
Indian-weed
Austral Sarsaparilla
Pickle-Cup
Candles
Snake Vine
Umbrella Fern/Shiny Fan Fern
Turpentine
Scentless Rosewood

T

Themeda australis
Todea barbara
Trema aspera
Tristania nerifolia

Kangaroo Grass
King Fern
Native Peach
Water Gum

Tristaniopsis laurina
Trochocarpa laurina
PLANTS FOUND ON BUSHWALKS AT MILL CREEK – DHARUG NP

BOTANICAL NAME	COMMON NAME
V	
<i>Velleia spathulata</i>	Wild Pansy
W	
<i>Wahlenbergia communis</i>	Tufted Bluebell
<i>Wahlenbergia gracilis</i>	Native Bluebell
X	
<i>Xanthorrhoea arborea</i>	Broadleaf Grass Tree
Z	
<i>Zieria smithii</i>	Sandfly Zieria

@ @ @ @ @

Mogo Camp, Yengo National Park

Take George Downs Drive to Bucketty and take the turn off to St. Albans. This road is part of the Old Convict Road and stops along the road at the intersection and the ramp are worthwhile. Mogo Camp is found several Kms on the left hand side of this road.

The walk begins near the shelter shed and when you come to a fire break take the easterly direction. This walk will eventually meet the Old Convict Road.

MOGO CAMP, YENGO N P AND THE OLD CONVICT ROAD

GENUS / SPECIES	COMMON NAME
A	
<i>Acacia buxifolia</i>	Box-leaved Wattle
<i>Acacia falcata</i>	Sickle Wattle
<i>Acacia linifolia</i>	Flax-leaf Wattle
<i>Acacia longifolia</i> var <i>longifolia</i>	Sydney Golden Wattle
<i>Acacia parvipinnula</i>	Silver-stemmed Wattle
<i>Acacia prominens</i>	Gosford Wattle
<i>Acacia suaveolens</i>	Sweet-scented Wattle
<i>Acacia terminalis</i>	Sunshine Wattle
<i>Acacia ulicifolia</i>	Prickly Moses
<i>Actinotus helianthi</i>	Flannel Flower
<i>Actinotus minor</i>	Lesser Flannel Flower
<i>Allocasuarina torulosa</i>	Forest Oak
<i>Angophora bakeri</i>	Narrow-leaved Apple
<i>Angophora costata</i>	Sydney Red Gum
<i>Angophora hispida</i>	Dwarf Apple
<i>Anisopogon avenaceus</i>	Oat Spear Grass
<i>Aristida benthamii</i>	Three-awned Speargrass
<i>Astroloma humifusum</i>	Cranberry Heath
B	
<i>Banksia ericifolia</i>	Heath-leaf Banksia
<i>Banksia oblongifolia</i>	Fern-leaf Banksia
<i>Banksia serrata</i>	Old Man Banksia
<i>Banksia spinulosa</i> var <i>collina</i>	Hill Banksia
<i>Bossiaea heterophylla</i>	Variable Bossiaea
<i>Bossiaea obcordata</i>	Spiny Bossiaea
<i>Bursaria spinosa</i>	Blackthorn
C	
<i>Caladenia catenata</i>	White Caladenia
<i>Caladenia picta</i>	
<i>Cassytha glabella</i>	Slender Devil's Twine
<i>Caustis flexuosa</i>	Curly Sedge/Old Man's Beard
<i>Ceratopetalum gummiferum</i>	NSW Christmas Bush
<i>Conospermum longifolium</i> ssp <i>longifolium</i>	Long-leaf Coneseed, Smokebush
<i>Corymbia gummifera</i>	Red Bloodwood

Cryptandra amara var amara
 Cymbidium suave
MOGO CAMP, YENGO N P AND THE OLD CONVICT ROAD

GENUS / SPECIES	COMMON NAME
<i>Cymbopogon refractus</i>	Barbed Wire Grass
D	
<i>Dampiera stricta</i>	Blue Dampiera
<i>Daviesia ulicifolia</i>	Gorse Bitter Pea
<i>Dendrophthoe vitellina</i>	Mistletoe
<i>Dianella caerulea var producta</i>	Blue Flax Lily
<i>Dianella longifolia</i>	Smooth Flax Lily
<i>Dianella prunina</i>	
<i>Dodonaea triquetra</i>	Common Hop Bush
<i>Drosera peltata var auriculata</i>	Sundew
E	
<i>Echinopogon caespitosus</i>	Tufted Hedgehog Grass
<i>Epacris pulchella</i>	NSW Coral Heath
<i>Eucalyptus haemastoma</i>	Scribbly Gum
<i>Eucalyptus oblonga</i>	Sandstone Stringybark
<i>Exocarpos cupressiformis</i>	Native Cherry; Cherry Ballart
G	
<i>Gahnia sieberana</i>	Saw Sedge
<i>Glycine clandestina</i>	Love Creeper
<i>Gompholobium latifolium</i>	Broad-leaf Wedge Pea
<i>Goodenia heterophylla</i>	Variable-leaf Goodenia
<i>Grevillea buxifolia</i>	Grey Spider Flower
<i>Grevillea diffusa ssp diffusa</i>	
<i>Grevillea sericea</i>	Pink Spider Flower
H	
<i>Hakea dactyloides</i>	Broad-leaf Hakea/Finger Hakea
<i>Hibbertia bracteata</i>	Guinea- Flower
<i>Hypericum gramineum</i>	Small St John's Wort
<i>Hypolaena fastigiata</i>	Tassel Rope-rush
I	
<i>Imperata cylindrica</i>	Blady Grass
<i>Indigofera australis</i>	Austral Indigo
<i>Isopogon anemonifolius</i>	Yellow Drumstick
J	
<i>Jacksonia scoparia</i>	Dogwood
K	
<i>Kennedia rubicunda</i>	Dusky Coral Pea
<i>Kunzea ambigua</i>	Tick Bush
L	
<i>Lambertia formosa</i>	Mountain Devils
<i>Lepidosperma laterale</i>	Variable Sword-sedge

Leptospermum polygalifolium Yellow Tea-tree
Leptospermum trinervium Flaky-Bark Tea-tree
MOGO CAMP, YENGO N P AND THE OLD CONVICT ROAD

GENUS / SPECIES	COMMON NAME
<i>Leucopogon microphyllus</i>	Small-leaved White-beard
<i>Leucopogon muticus</i>	Blunt Beard-heath
<i>Lindsaea microphylla</i>	Lacy Wedge Fern
<i>Lomandra glauca</i>	Pale Mat-rush
<i>Lomandra obliqua</i>	Fish Bones; Twisted Mat-rush
<i>Lomatia silaifolia</i>	Crinkle Bush/Wild Parsley
M	
<i>Micrantheum ericoides</i>	Heath Micrantheum
<i>Microtis parviflora</i>	Onion Orchid
<i>Mirbelia speciosa</i>	Showy Mirbelia
<i>Mitrasacme polymorpha</i>	Bishop's Mitre
<i>Monotoca scoparia</i>	Prickly Broom-heath
N	
<i>Opercularia varia</i>	Stinkweed
<i>Oxylobium ilicifolium</i>	Native Holly, Prickly Shaggy-pea
P	
<i>Patersonia sericea</i>	Silky Purple Flag
<i>Persoonia levis</i>	Smooth Geebung
<i>Persoonia linearis</i>	Narrow-leaved Geebung
<i>Petrophile pulchella</i>	Cone Sticks
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Phyllota phylicoides</i>	Heath Phyllota
<i>Pimelea linifolia</i> ssp <i>linifolia</i>	Rice Flower
<i>Platysace linearifolia</i>	Carrot Tops
<i>Pomax umbellata</i>	Pomax
<i>Poranthera ericifolia</i>	Heath Poranthera
<i>Pteridium esculentum</i>	Bracken Fern
<i>Pultenaea elliptica</i>	Wreath Bush-Pea
R	
<i>Ricinocarpos pinifolius</i>	Wedding Bush
S	
<i>Schoenus imberbis</i>	Beardless Bog-rush
<i>Syncarpia glomulifera</i>	Turpentine
T	
<i>Tetratheca ericifolia</i>	Black-eyed Susan
<i>Themeda australis</i>	Kangaroo Grass
<i>Thysanotus tuberosus</i>	Fringe Lily
<i>Tricoryne simplex</i>	Yellow Rush Lily
W	
<i>Wahlenbergia gracilis</i>	Native Bluebell
X	

Xanthorrhoea sp.
Xylomelum pyriforme

Grass Tree
Woody Pear